

According to Regulation (EU) No 2020/878

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : KEMETYL FIRELIGHTER CUBES
Product code : 09725007, 09725045; AL47K

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC13 Other fuels.

1.3. Details of the supplier of the safety data sheet

Supplier : Kemetyl Polska Sp. z o. o.

Al. Jerozolimskie 146 02-305 Warszawa, Poland

Telephone : +48 22 822 5390

E-mail : msds@kemetyl.com Website : www.kemetyl.com

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

PL - Telephone : +48 22 822 5390 (During office hours only)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification : Flammable solid, category 1.

(1272/2008/EC)

Human health hazards : Repeated exposure may cause skin dryness or cracking. Contains petroleum distillates, may be

harmful when ingested.

Physical/chemical hazards : Highly flammable. Keep away from sources of ignition — No smoking. Environmental hazards : Not classified as dangerous according to statutory EC-Directives.

2.2. Label elements

Label elements (1272/2008/EC):

Hazard pictograms :



Signal word : Danger

H- and P-phrases : H228 Flammable solid.

EUH066 Repeated exposure may cause skin dryness or cracking.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Product name : Kemetyl Firelighter Cubes Page 1/10

Date of issue : 2022-08-23 Replaces issue dated : 2020-12-15 INFO CARE SDS



According to Regulation (EU) No 2020/878

Hazard pictograms



Signal word : Danger

H- and P-phrases : EUH066 Repeated exposure may cause skin dryness or cracking.

P102 Keep out of reach of children.

Other information : According to Regulation (EC) No 1272/2008, the packaging of this product shall carry a tactile

warning of danger.

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture. Information on hazardous substances:

| | | CAS nr. | EC number | Remark | REACH nr. |
|--|-----------|-------------|-----------|--------|------------------|
| | (w/w) (%) | | | | |
| Hydrocarbons, C10-C13, n-alkanes, | 25 - < 50 | | 918-481-9 | | 01-2119457273-39 |
| isoalkanes, cyclics, < 2% aromatics | | | | | |
| Distillates (Fischer- Tropsch) C8-26 | 25 - < 50 | 848301-67-7 | 481-740-5 | İ | 01-0000020119-75 |
| branched and linear | | | | | |
| Urea, reaction products with formalde- | 5 - < 10 | 68611-64-3 | 271-898-1 | | |
| hyde | | | | | |

| Substance name | Hazard Class | H-phrases | Pictograms |
|--|-------------------|--------------|------------|
| Hydrocarbons, C10-C13, n-alkanes, | Asp. Tox. 1 | H304; EUH066 | GHS08 |
| isoalkanes, cyclics, < 2% aromatics | | | |
| Distillates (Fischer- Tropsch) C8-26 | Asp. Tox. 1 | H304; EUH066 | GHS08 |
| branched and linear | | | |
| Urea, reaction products with formalde- | Aquatic Chronic 3 | H412 | |
| hyde | | | |

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures

Inhalation : Consult a doctor if victim feels unwell.

Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up.

Consult a doctor if irritation persists.

Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists.

Ingestion : Do not induce vomiting. Give nothing to drink. Do rinse the mouth. Never give anything by mouth to

an unconscious person. Consult a doctor if victim feels unwell.

Product name : Kemetyl Firelighter Cubes Page 2/10

Date of issue : 2022-08-23 Replaces issue dated : 2020-12-15 INFO CARE SDS



According to Regulation (EU) No 2020/878

Kemetyl

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

Inhalation : May cause headache, dizziness and a feeling of sickness. Skin contact Repeated exposure may cause skin dryness or cracking.

Eye contact May cause stinging of eyes and redness.

May cause a feeling of sickness, vomiting and diarrhoea. May cause lung damage, sore throat and Ingestion

lack of breath.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Suitable : Carbondioxide (CO2). Foam. Dry chemical. Water fog. Not suitable : Water jet. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards : Will float on water and can be reignited.

Hazardous thermal decomposition products : Carbon monoxide may be evolved if incomplete combustion occurs.

5.3. Advice for firefighters

Special protective

: Use adequate respiratory equipment in case of insufficient ventilation.

equipment for fire-fighters

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with

spilled or released material.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water.

Other information Notify authorities if any exposure to the general public or the environment occurs or is likely to

occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Dispose at an authorised waste collection point. Wash away

remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections: See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Product name : Kemetyl Firelighter Cubes Page 3/10 Date of issue : 2022-08-23 Replaces issue dated : 2020-12-15 **INFO CARE SDS**



According to Regulation (EU) No 2020/878

Kemetyl

Handling

: Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Keep away from sources of ignition — No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Electrostatic discharge may cause fire. Ensure electrical continuity by bonding and grounding (earthing) all equipment. Do not breathe vapour. Avoid contact with skin and eyes. Wear protective clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place. Keep away from oxidizing agents.

Recommended packaging Non recommended

Keep only in the original container.
Steel (except stainless steel).

packaging

7.3. Specific end use(s)

Use : Use only as directed.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure

limits

: Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have

not been established for this product.

Workplace exposure limits (mg/m³):

| Chemical name | Country | TWA 8 hour | STEL 15 min | Comments | Source |
|--------------------------------------|---------|------------|-------------|----------|-------------------------|
| | | (mg/m3) | (mg/m3) | | |
| Hydrocarbons, C10-C13, n-alkanes, | | 1200 | - | - | CEFIC-HSPA |
| isoalkanes, cyclics, < 2% aromatics | | | | | |
| Distillates (Fischer- Tropsch) C8-26 | | 300 | | | Based on Exxon paraffin |
| branched and linear | | | | | C5-25 |

Predicted no-effect concentration (PNEC):

| Chemical name | Route of exposure | Fresh water | Marine water | |
|--------------------------------------|-------------------|-------------|--------------|-----------------|
| Distillates (Fischer- Tropsch) C8-26 | Sediment | 2,06 mg/kg | | |
| branched and linear | | | | |
| | STP | | | 10 mg/l |
| | Soil | | | 1,68 mg/kg |
| | Oral | | | 0,01 mg/kg food |

8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with

chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection : Use of specific protective industrial clothing is not required under normal conditions of use. In

case of large scale exposure wear suitable protective clothing, overalls or suit, and similar boots.

Suitable material: nitril. Indication of permeation breakthrough time: 6 hours.

Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale

exposure.

Hand protection : Under normal conditions of use specific gloves are not required. Wear appropriate gloves in case of

frequent or prolonged use and in case of large scale exposure. Suitable material: nitril. ± 0,5 mm.

Indication of permeation breakthrough time: 6 hours.

Product name : Kemetyl Firelighter Cubes Page 4/10

Date of issue : 2022-08-23 Replaces issue dated : 2020-12-15 INFO CARE SDS



According to Regulation (EU) No 2020/878

Eye protection : Wear appropriate safety glasses when there is danger of possible eye contact.

Not measured. Not relevant for mixtures.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Solid. Colour White. Characteristic. Odour Not applicable. Odour threshold

Solid. рΗ Not applicable.

Solubility in water Not soluble.

Partition coefficient (n-oc-

: Not known. tanol/water)

Flash point : Not relevant.

Flammability (solid, gas) Extremely flammable. Easily ignitable.

Auto ignition temperature : > 200 °C Boiling point/boiling range : > 100 °C Melting point/melting range : > 30 °C

Explosive properties : Not an explosive. Explosion limits (% in air) : Not applicable.

Oxidising properties Not applicable. Does not contain oxidizing substances.

Decomposition temperature: Not known.

Viscosity (20°C) Not applicable. Solid. Vapour pressure (20°C) Solid. : Very low.

Relative vapour density (air = 1) Solid. : >1

Relative density (20°C) : 0,8 g/ml

Particle characteristics : Not relevant. Too big, bulky to be considered particle(s).

9.2. Other information

Other information : Not relevant.

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Product name : Kemetyl Firelighter Cubes Page 5/10 Date of issue : 2022-08-23 Replaces issue dated : 2020-12-15 **INFO CARE SDS**



According to Regulation (EU) No 2020/878

Kemetyl

Hazardous decomposition : Not known.

products

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation

Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: 37 %. ATE: > 5 mg/l. Low toxicity. Not

classified - based on available data, the classification criteria are not met. May cause headache,

dizziness and a feeling of sickness.

Corrosion/irritation Not classified - based on available data, the classification criteria are not met.

Sensitisation Does not contain substances classified as respiratory sensitiser. Not classified - based on available

data, the classification criteria are not met.

Carcinogenicity Not expected to be carcinogenic. Not classified - based on available data, the classification criteria

are not met.

Mutagenicity Not expected to be mutagenic. Not classified - based on available data, the classification criteria

are not met.

Skin contact

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw.

Low toxicity. Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation : Slight irritation possible. Repeated exposure may cause skin dryness or cracking. Prolonged

contact may dry out and defat the skin. Not classified - based on available data, the classification

criteria are not met.

Sensitisation Not classified - based on available data, the classification criteria are not met.

Not expected to be mutagenic. Not classified - based on available data, the classification criteria Mutagenicity

are not met.

Eye contact

Corrosion/irritation : Slight irritation possible. Not classified - based on available data, the classification criteria are not

Ingestion

Acute toxicity : Calculated LD50: > 2876 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw.

Low toxicity. Not classified - based on available data, the classification criteria are not met.

Aspiration Highly viscous liquid. Not classified - based on available data, the classification criteria are not met.

Contains a substance/substances with an aspiration hazard. After ingestion, at vomiting, risk of

aspiration in the lungs.

Corrosion/irritation

: May cause a feeling of sickness, stomachache, vomiting and diarrhoea. Carcinogenicity

Not expected to be carcinogenic. Not classified - based on available data, the classification criteria

are not met.

Not expected to be mutagenic. Not classified - based on available data, the classification criteria Mutagenicity are not met.

Reprotoxicity Development: Not expected to be reprotoxic. Development: Not classified - Based on available

data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not

classified - based on available data, the classification criteria are not met.

Toxicological information:

| Chemical name | Property | | Method | Test animal |
|-------------------------------------|---------------------------|-------------------|----------|-------------|
| Hydrocarbons, C10-C13, n-alkanes, | Eye irritation - estimate | Non-irritant | | |
| isoalkanes, cyclics, < 2% aromatics | | | | |
| | LD50 (oral) - estimate | > 5000 mg/kg bw | OECD 401 | Rat |
| | LD50 (dermal) - | > 5000 mg/kg bw | OECD 402 | Rabbit |
| | estimate | | | |
| | Skin irritation | Slightly irritant | | |

Product name : Kemetyl Firelighter Cubes Page 6/10 Date of issue : 2022-08-23 Replaces issue dated : 2020-12-15 **INFO CARE SDS**



According to Regulation (EU) No 2020/878

Kemetyl

| | Mutagenicity | Not mutagenic | | |
|--------------------------------------|----------------------------|-------------------|-------------|------------------------|
| | NOEL (carcinogenicity) | Not carcinogenic | | |
| | - estimate | | | |
| | Respiratory irritation - | Non-irritant | | |
| | estimate | | | |
| | NOAEL (development) | Not teratogenic | | |
| | - estimate | | | |
| | NOAEL (fertility) - | Not reprotoxic | | |
| | estimate | | | |
| | LC50 (inhalation) | > 5610 mg/m3 | OECD 403 | Rat |
| | NOAEL (oral) - | > 5000 mg/kg bw/d | Read across | Rat |
| | estimate | | | |
| | NOAEL (inhalation) - | > 1160 mg/m3 | Read across | Rat |
| | estimate | | | |
| | Skin sensitisation - | Not sensitizing | Read across | Guinea pig |
| | estimate | | | |
| Distillates (Fischer- Tropsch) C8-26 | Skin sensitisation - | Not sensitizing | Read across | |
| branched and linear | estimate | | | |
| | Mutagenicity | Negative | OECD 471 | Salmonella typhimurium |
| | Eye irritation - estimate | | Read across | Rabbit |
| | Skin irritation - estimate | Non-irritant | Read across | Rabbit |
| | LD50 (dermal) - | > 2000 mg/kg bw | Read across | Rat |
| | estimate | | | |
| | LD50 (oral) | > 5000 mg/kg bw | | Rat |

11.2. Information on other hazards

Endocrine disrupting : Not applicable.

properties

. .

Other information : Not applicable.

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Calculated LC50 (fish): 230 mg/l. Calculated EC50 (waterflea): 668 mg/l. Contains 0 % of

data, the classification criteria are not met.

12.2. Persistence and degradability

Persistence – degradability: No specific information known. The surfactants contained in this preparation comply with the

biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : Little chance of penetration of spilled product into the ground and surface water.

12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Endocrine disrupting properties

Product name : Kemetyl Firelighter Cubes Page 7/10

Date of issue : 2022-08-23 Replaces issue dated : 2020-12-15 INFO CARE SDS



According to Regulation (EU) No 2020/878

Kemetyl

Endocrine disrupting

properties

: Not applicable.

12.7. Other adverse effects

Other adverse effects : Not applicable.

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat

product residues and non-empty pack as hazardous waste.

Additional warning : None.

European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a

waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.

Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Local regulations may be more stringent than regional or national requirements and must be

complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number or ID number

UN nr. : UN 2623

14.2. UN proper shipping name

Transport name : FIRELIGHTERS, SOLID
Transport name (IMDG, : FIRELIGHTERS, SOLID

IATA)

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : 4,1
Classification code : F1
Packaging group : III
Danger label : 4,1
Tunnel restriction : (E)

code

Other information : Not intended for carriage by tank-vessels on inland waterways.

IMDG (sea)

Class : 4,1
Packaging group : III
EmS (fire / spill) : F - A / S - I

Marine pollutant : No

IATA (air)

Class : 4,1

Product name : Kemetyl Firelighter Cubes Page 8/10

Date of issue : 2022-08-23 Replaces issue dated : 2020-12-15 INFO CARE SDS



According to Regulation (EU) No 2020/878

Kemetyl

ERG code : 3L Packaging group : III

14.6. Special precautions for user

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to

the transport of this product.

14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO)

instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other

regulations. Directive 2008/98/EC (waste).

15.2. Chemical safety assessment

Chemical safety : Not applicable.

assessment

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE : Acute Toxicity Estimate

CLP : Classification, Labeling & Packaging

CMR : Carcinogenic, Mutagenic or toxic for Reproduction

EEC : European Economic Community

GHS : Globally Harmonized System of Classification and Labelling of Chemicals

IATA : International Air Transport Association IBC code : International Bulk Chemical Code

IMDG : International Maritime Dangerous Goods Code LD50/LC50 : Lethal Dose/Concentration for 50% of a population

MAC : Maximum Allowable Concentration

MARPOL : International Convention for the Prevention of Pollution From Ships

NO(A)EL : No Observed (Adverse) Effect Level

OECD : Organisation for Economic Co-operation and Development

PBT : Persistent, Bioaccumulative and Toxic

PC : Chemical product category

PT : Product type

Product name : Kemetyl Firelighter Cubes Page 9/10

Date of issue : 2022-08-23 Replaces issue dated : 2020-12-15 INFO CARE SDS



According to Regulation (EU) No 2020/878

Kemetyl

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

RID : Regulations concerning the International Carriage of Dangerous Goods by Rail

STP : Sewage Treatment Plant

SU : Sector of Use

TWA/STEL : Time-Weighted Average/Short Term Exposure Limit

UN : United Nations

UFI : Unique formula identifier
VOC : Volatile Organic Compounds

vPvB : Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Flam. Sol. 1 : On basis of test data.

Full text of hazard classes mentioned in section 3:

Asp. Tox. 1 : Aspiration hazard, category 1.

Aquatic Chronic 3 : Hazardous to the aquatic environment — Chronic category 3.

Full text of H-phrases mentioned in section 3:

H304 May be fatal if swallowed and enters airways.
H412 Harmful to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

Advice on any training appropriate for workers: none.

Number format : "," used as decimal separator.

End of safety data sheet.

Print date : 2022-09-14

Product name : Kemetyl Firelighter Cubes Page 10/10

Date of issue : 2022-08-23 Replaces issue dated : 2020-12-15 INFO CARE SDS