

According to Regulation (EU) No 2020/878

### SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : SHELL SCREENWASH ALL SEASON -5°C

Product code : CRX391, 09308755

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC35 Cleaning agent. PC35 Windscreen/windshield wash fluid.

Windscreen wash.

1.3. Details of the supplier of the safety data sheet

Supplier : Kemetyl Nederland BV

Industrieweg 30

3762 EK Soest, The Netherlands

Telephone : +31-35 7604900
E-mail : msds@kemetyl.com
Website : www.kemetyl.com

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

NL - Telephone : +31-35-6099310 (During office hours only)

# SECTION 2 HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

CLP classification : Not classified as dangerous according to Regulation (EC) No 1272/2008.

(1272/2008/EC)

Human health hazards : Low hazard for usual industrial or commercial handling.

Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives. Combustible.

Environmental hazards : Not classified as dangerous according to statutory EC-Directives.

2.2. Label elements

Label elements (1272/2008/EC): Hazard pictograms : None.

Signal word : Not applicable.

H- and P-phrases : None.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms : None.

Signal word : Not applicable.

H- and P-phrases : None.

Additional labelling (for all packaging sizes)

: Keep out of reach of children.

Ingredient declaration according to Regulation EC 648/2004:

Contains: Concentration (%)

 $Perfumes, 2-Bromo-2-nitropropane-1, 3-diol, \ Methylchloroisothiazolinone, \ Methylisothiazolinone.$ 

Product name : Shell Screenwash all season -5°C Page 1/9

Date of issue : 2022-06-10 Replaces issue dated : 2018-02-19 SDS 'autogenerated' by



According to Regulation (EU) No 2020/878

# Kemetyl

### 2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

#### **SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

### 3.2. Mixtures

Product description : Mixture. Information on hazardous substances:

mornidation on nazardodo dabotanoco.					
Substance name	Concentration	CAS nr.	EC number	Remark	REACH nr.
	(w/w) (%)				
Ethanol	5 - < 10	64-17-5	200-578-6		01-2119457610-43
Ethanediol	1 - < 5	107-21-1	203-473-3		01-2119456816-28

Substance name	Hazard Class	H-phrases	Pictograms	
Ethanol	Flam. Liq. 2; Eye Irrit. 2	H225; H319	GHS02; GHS07	H319 : C >= 50 %
Ethanediol	Acute Tox. 4; STOT RE	H302; H373	GHS07; GHS08	
	2			

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

#### **SECTION 4 FIRST-AID MEASURES**

### 4.1. Description of first aid measures

First aid measures

: Move victim into fresh air. Consult a doctor if victim feels unwell. Inhalation

Take off contaminated clothing. Wash off skin with plenty of water before product dries up. Skin contact Eye contact Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists. Do not induce vomiting. Do rinse the mouth. Give one glass of water. Give condensed milk or a Ingestion

knob of butter. Never give anything by mouth to an unconscious person. Consult a doctor if victim

feels unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

Inhalation : May cause headache, dizziness and a feeling of sickness.

Skin contact May cause dry skin.

Eye contact : May cause stinging of eyes and redness.

: May cause a feeling of sickness, vomiting and diarrhoea. Ingestion

# 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

#### **SECTION 5 FIRE-FIGHTING MEASURES**

## 5.1. Extinguishing media

Extinguishing media

Suitable : Carbondioxide (CO2). Alcohol resistant foam. Dry chemical. Water fog.

Not suitable : Water jet. Use of heavy stream of water may spread fire.

Product name : Shell Screenwash all season -5°C Page 2/9

Date of issue : 2018-02-19 : 2022-06-10 Replaces issue dated

SDS 'autogenerated' by Aminchi



According to Regulation (EU) No 2020/878

# Kemetyl

### 5.2. Special hazards arising from the substance or mixture

Special exposure hazards : None known.

Hazardous thermal : Carbon monoxide may be evolved if incomplete combustion occurs.

decomposition products

5.3. Advice for firefighters

Special protective equipment for fire-fighters

: Use adequate respiratory equipment in case of insufficient ventilation.

### SECTION 6 ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Keep away from

sources of ignition — No smoking. Vapours are heavier than air. Build up (of gasses) in low areas

involves risk of suffocation.

### 6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills:

contain with dike.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Do not use

saw-dust. Dispose at an authorised waste collection point. Wash away remainder with plenty of

water.

### 6.4. Reference to other sections

Reference to other sections: See also section 8.

### SECTION 7 HANDLING AND STORAGE

## 7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas.

Electrostatic discharge may cause fire. Ensure electrical continuity by bonding and grounding

(earthing) all equipment. Do not breathe vapour. Avoid contact with skin and eyes.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place (< 50 °C). Protect from sunlight. Keep away

from oxidizing agents.

Recommended packaging : Keep only in the original container. Non recommended : Steel (except stainless steel).

packaging

7.3. Specific end use(s)

Use : Use only as directed. Do not mix with other products. Do not breathe spray.

# SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

Product name : Shell Screenwash all season -5°C Page 3/9

Date of issue : 2022-06-10 Replaces issue dated : 2018-02-19 SDS 'autogenerated' by



According to Regulation (EU) No 2020/878

Occupational exposure

limits

: Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

### Workplace exposure limits (mg/m³):

Chemical name	· J	TWA 8 hour (mg/m3)	STEL 15 min (mg/m3)	Comments	Source
Ethanol	GB	1920	-	-	
Ethanediol	EC	52	104		
Ethanediol	GB	52	104	Skin	

### Derived no-effect level (DNEL) for workers:

Chemical name	Route of	DNEL, short-term		DNEL, long-term	
	exposure				
		Local effect	Systemic effect	Local effect	Systemic effect
Ethanol	Inhalation	1900 mg/m3			950 mg/m3
	Dermal				343 mg/kg bw/day
Ethanediol	Dermal				106 mg/kg bw/day
	Inhalation			35 mg/m3	

### Derived no-effect level (DNEL) for consumers:

Chemical name	Route of	DNEL, short-term		DNEL, long-term	
	exposure				
	,	Local effect	Systemic effect	Local effect	Systemic effect
Ethanol	Inhalation	950 mg/m3			114 mg/m3
	Dermal				206 mg/kg bw/day
	Oral				87 mg/kg bw/day
Ethanediol	Dermal				53 mg/kg bw/day
	Inhalation			7 mg/m3	

### Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Ethanol	Water	0,96 mg/l	0,79 mg/l	
	Sediment	3,6 mg/kg	2,9 mg/kg	
	Intermittent water			2,75 mg/l
	STP			580 mg/l
	Soil			0,63 mg/kg
	Oral			0,72 mg/kg food
Ethanediol	Water	10 mg/l	1 mg/l	
	Sediment	20,9 mg/kg		
	Intermittent water			10 mg/l
İ	STP			199,5 mg/l
	Soil			1,53 mg/kg

# 8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with

chemicals.

Hygienic measures : When using do not eat, drink or smoke.

### Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

: Use of specific protective industrial clothing is not required under normal conditions of use. Body protection

Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale

exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance

with EN 140.

Product name : Shell Screenwash all season -5°C Page 4/9

Date of issue : 2022-06-10 Replaces issue dated : 2018-02-19 SDS 'autogenerated' by



According to Regulation (EU) No 2020/878

## Kemetyl

: Under normal conditions of use specific gloves are not required. Hand protection

Wear appropriate safety glasses when there is danger of possible eye contact. Eye protection

#### **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid. Colour Blue. Odour Perfumed. Odour threshold Not known.

рΗ 7

Solubility in water Soluble.

Partition coefficient (n-oc-

tanol/water)

Flash point : 53 °C

Closed Cup (ISO 2719, EN 11, DIN 51758, ASTM D 93). Does not

Contains surfactants. The O/W system emulsifies. Not measured. Not

support combustion. Liquid. See flashpoint.

relevant for mixtures.

: Not applicable. Flammability (solid, gas) Auto ignition temperature : > 180 °C

Boiling point/boiling range : 78 °C

Melting point/melting range : -5 °C

Explosive properties Not an explosive.

Explosion limits (% in air) Not known. Lower explosion limit in air (%): 3,2 ( Ethanediol )

Upper explosion limit in air (%): 19 ( Ethanol )

Oxidising properties Not applicable.

Decomposition temperature: Not applicable.

Viscosity (20°C) : 10 mm2/sec (1 mm2/sec = 1 cSt)

: Not applicable.

Viscosity (40°C) : 1 mm2/sec

Vapour pressure (20°C) : > 2300 Pa

Relative vapour density (air = 1): > 1

Relative density (20°C) : 0,98 g/ml

: Not applicable. Particle characteristics Liquid.

9.2. Other information

Other information : Not relevant.

#### **SECTION 10** STABILITY AND REACTIVITY

### 10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

: No other hazardous reactions known. Reactivity

10.4. Conditions to avoid

: See section 7. Conditions to avoid

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

Product name : Shell Screenwash all season -5°C Page 5/9

Date of issue : 2022-06-10 Replaces issue dated : 2018-02-19 SDS 'autogenerated' by



According to Regulation (EU) No 2020/878

### 10.6. Hazardous decomposition products

Hazardous decomposition : Not known.

products

### SECTION 11 TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation

Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity. Not

classified - based on available data, the classification criteria are not met. May cause headache,

dizziness and a feeling of sickness.

Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.

Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available

data, the classification criteria are not met.

Carcinogenicity : Not classified - based on available data, the classification criteria are not met.

Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria

are not met.

Skin contact

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw.

Low toxicity. Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation : Prolonged contact may dry out and defat the skin. Not classified - based on available data, the

classification criteria are not met.

Sensitisation : Not classified - based on available data, the classification criteria are not met.

Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria

are not met.

Eye contact

Corrosion/irritation : Slight irritation possible. Not classified - based on available data, the classification criteria are not

met.

Ingestion

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw.

Low toxicity. Not classified - based on available data, the classification criteria are not met.

Aspiration : Not expected to be an aspiration hazard. Contains a substance/substances with an aspiration

hazard. Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation

May cause a feeling of sickness, vomiting and diarrhoea.

Carcinogenicity

: Not classified - based on available data, the classification criteria are not met.

Mutagenicity

: Not expected to be mutagenic. Not classified - based on available data, the classification criteria

are not met.

Reprotoxicity

: Development: Not expected to be reprotoxic. Development: Not classified - Based on available

data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not

classified - based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

Endocrine disrupting

Other information

: Not applicable.

properties

: Not applicable.

SECTION 12 ECOLOGICAL INFORMATION

Product name : Shell Screenwash all season -5°C Page 6/9

Date of issue : 2022-06-10 Replaces issue dated : 2018-02-19 SDS 'autogenerated' by



According to Regulation (EU) No 2020/878

# Kemetyl

### 12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Calculated LC50 (fish): 3672 mg/l. Calculated EC50 (waterflea): 1960 mg/l. Contains 0 % of

components with unknown hazards to the aquatic environment. Not classified - based on available

data, the classification criteria are not met.

12.2. Persistence and degradability

Persistence – degradability: No specific information known. The surfactants contained in this preparation comply with the

biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Endocrine disrupting properties

Endocrine disrupting

properties

: Not applicable.

12.7. Other adverse effects

Other adverse effects : Not applicable.

### SECTION 13 DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Product residues : Do not dispose empty pack with waste produced by households. Containers should be recycled

or re-used. Treat product residues and non-empty pack as chemical waste. Dispose waste to an

official chemical waste depot.

Additional warning

: Residues may cause an explosion hazard. Do not puncture, cut or weld uncleaned drums.

Waste water discharge

Do not dispose into the environment, in drains or in water courses. Avoid discharge of waste water

arising from tank cleaning to the environment.

Local legislation

: Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Local regulations may be more stringent than regional or national requirements and must be

complied with.

## SECTION 14 TRANSPORT INFORMATION

### 14.1. UN number or ID number

UN nr. : None.

14.2. UN proper shipping name

Transport name : Not regulated.

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Product name : Shell Screenwash all season -5°C Page 7/9

Date of issue : 2022-06-10 Replaces issue dated : 2018-02-19 SDS 'autogenerated' by



According to Regulation (EU) No 2020/878

# Kemetyl

Class : This product is not classified according to ADR/RID/ADN.

IMDG (sea)

Class : This product is not classified according to IMDG.

Marine pollutant : No

IATA (air)

Class : This product is not classified according to IATA.

### 14.6. Special precautions for user

Other information : Country specific variations may apply.

### 14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO)

instruments. Packaged liquids are not considered bulk.

# SECTION 15 REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other

regulations. Regulation (EC) No 648/2004 (detergents). Directive 2008/98/EC (waste).

### 15.2. Chemical safety assessment

Chemical safety : No

assessment

: Not applicable.

### SECTION 16 OTHER INFORMATION

### 16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (\*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE : Acute Toxicity Estimate

CLP : Classification, Labeling & Packaging

CMR : Carcinogenic, Mutagenic or toxic for Reproduction

EEC : European Economic Community

GHS : Globally Harmonized System of Classification and Labelling of Chemicals

IATA : International Air Transport Association IBC code : International Bulk Chemical Code

IMDG : International Maritime Dangerous Goods Code LD50/LC50 : Lethal Dose/Concentration for 50% of a population

MAC : Maximum Allowable Concentration

MARPOL : International Convention for the Prevention of Pollution From Ships

NO(A)EL : No Observed (Adverse) Effect Level

Product name : Shell Screenwash all season -5°C Page 8/9

Date of issue : 2022-06-10 Replaces issue dated : 2018-02-19 SDS 'autogenerated' by



According to Regulation (EU) No 2020/878

# Kemetyl

OECD : Organisation for Economic Co-operation and Development

PBT : Persistent, Bioaccumulative and Toxic

PC : Chemical product category

PT : Product type

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

RID : Regulations concerning the International Carriage of Dangerous Goods by Rail

STP : Sewage Treatment Plant

SU : Sector of Use

TWA/STEL : Time-Weighted Average/Short Term Exposure Limit

UN : United Nations

UFI : Unique formula identifier
VOC : Volatile Organic Compounds

vPvB : Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Not classified : Based on test methods, experts judgement, bridging principles and calculation methods.

Full text of hazard classes mentioned in section 3:

Flam. Liq. 2 : Flammable liquid, category 2.
Acute Tox. 4 : Acute toxicity, category 4.
Eye Irrit. 2 : Eye irritation, category 2.

STOT RE 2 : Specific target organ toxicity — repeated exposure, category 2.

Full text of H-phrases mentioned in section 3:

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

Advice on any training appropriate for workers: none.

Number format : "," used as decimal separator.

End of safety data sheet.

Print date : 2022-06-17

Product name : Shell Screenwash all season -5°C Page 9/9

Date of issue : 2022-06-10 Replaces issue dated : 2018-02-19 SDS 'autogenerated' by