

According to Regulation (EU) No 2015/830

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name Product code UFI	: SHELL WINDOW CLEANER : CRX493, 09727015; 09720014; 09727017; 09727018; 50002; 03416000; 09726259 : GH4E-FVQ3-G84X-A6JY	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Application	: SU21 Consumer product. PC35 Cleaning agent. PC0 Other. Car maintenance.	
1.3. Details of the supplier of the safety data sheet		

:	Kemetyl Accessories (UK) Ltd
	Office 401, Index House
	SL5 7ET Ascot, Great Britain
:	+44-1344 888909
:	msds@kemetyl.com
:	http://www.kemetyl.com
	:

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCT GB - Telephone : +44-1344 888909	ORS/FIRE BRIGADE/POLICE only:	(During office hours only)
EMERGENCY TELEPHONE NUMBER (for DOCTORS only): National Poisons Information Service +44 344 892 011		(24/7)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification (1272/2008/EC)	:	Flammable liquid, category 3. Eye irritation, category 2.
Human health hazards Physical/chemical hazards Environmental hazards Other information	:	Causes serious eye irritation. Flammable. Not classified as dangerous according to statutory EC-Directives. Do not breathe spray. Use only in well-ventilated areas.

2.2. Label elements

Label elements (1272/2008/ Hazard pictograms	EC): :	
Signal word	: Warning	
H- and P-phrases	: H226 H319 P101 P102 P210	Flammable liquid and vapour. Causes serious eye irritation. If medical advice is needed, have product container or label at hand. Keep out of reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.



According to Regulation (EU) No 2015/830

P337+P313 P305 + P351 + P338 P501

If eye irritation persists: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Dispose of contents/container to an official chemical waste depot.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases: Hazard pictograms :



Signal word

H- and P-phrases

: P101 P102

If medical advice is needed, have product container or label at hand. Keep out of reach of children.

Ingredient declaration according to Regulation EC 648/2004:

Contains:	Concentration (%)
Anionic surfactants	< 5
Perfumes	

2.3. Other hazards

Other information

: Does not contain PBT or vPvB substances.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

	Concentration (w/w) (%)	CAS nr.		EC number	Remark	REACH nr.
Propan-2-ol	10 - < 20	67-63-0		200-661-7		
Substance name	Hazard Class		H-phras	ses	Pictograms	
	Flam. Liq. 2; Eye Irrit. 2; STOT SE 3		H225; ŀ	1319; H336	GHS02; GHS07	

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures	
Inhalation	: Move victim into fresh air. Consult a doctor if victim feels unwell.
Skin contact	: Take off contaminated clothing. Wash off skin with plenty of water before product dries up.
Eye contact	: Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor.
Ingestion	: Do not induce vomiting. Do rinse the mouth. Give one glass of water. Give condensed milk or a
	knob of butter. Never give anything by mouth to an unconscious person. Consult a doctor if victim
	feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Product name Date of issue

: ----



According to Regulation (EU) No 2015/830

Effects and symptoms	
Inhalation	: May cause headache, dizziness and a feeling of sickness. May cause irritation to respiratory airways and coughing.
Skin contact	: May cause dry skin.
Eye contact	: Irritant. May cause redness and pain.
Ingestion	: May cause a feeling of sickness, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media	
Suitable	: Carbondioxide (CO2). Alcohol resistant foam. Dry chemical. Water fog.
Not suitable	: Water jet.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards	: None known.
Hazardous thermal	: Carbon monoxide may be evolved if incomplete combustion occurs.
decomposition products	

5.3. Advice for firefighters

Special protective	:	Use adequate respiratory equipment in case of insufficient ventilation.
equipment for fire-fighters		

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	: Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact
	with spilled or released material. Keep away from sources of ignition — No smoking. Vapours are
	heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike.
 Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an authorised waste collection point. Wash away remainder with plenty of water.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling



According to Regulation (EU) No 2015/830

Handling

: Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Electrostatic discharge may cause fire. Ensure electrical continuity by bonding and grounding (earthing) all equipment. Do not breathe spray. Do not breathe vapour. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage	:	Keep frost-free, in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents. Protect from sunlight.
Recommended packaging Non recommended packaging		Keep only in the original container. Steel (except stainless steel).

7.3. Specific end use(s)

Use

: Use only as directed. Do not mix with other products.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure	: Occupational exposure limits have not been established for this product. Derived no-effect levels
limits	(DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have
	not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	,		STEL 15 min (mg/m3)	Comments	Source
Propan-2-ol	GB	999	1250	-	

Derived no-effect level (DNEL) for workers:

Chemical name	Route of	DNEL, short-ter	m	DNEL, long-term		
	exposure					
		Local effect	Systemic effect	Local effect	Systemic effect	
Propan-2-ol	Dermal				888 mg/kg bw/day	
	Inhalation				500 mg/m3	

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of	DNEL, short-term		DNEL, long-term	
	exposure				
		Local effect	Systemic effect	Local effect	Systemic effect
Propan-2-ol	Dermal				319 mg/kg bw/day
	Inhalation				89 mg/m3
	Oral				26 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Propan-2-ol	Water	140,9 mg/l	140,9 mg/l	
	Sediment	552 mg/kg	552 mg/kg	
	Intermittent water			140,9 mg/l
	STP			2251 mg/l
	Soil			28 mg/kg
	Oral			160 mg/kg food

8.2. Exposure controls

Product name Date of issue



According to Regulation (EU) No 2015/830

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection	: Use of specific protective industrial clothing is not required under normal conditions of use.
Respiratory protection	: Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
Hand protection	: Under normal conditions of use specific gloves are not required.
Eye protection	 Wear appropriate safety glasses with side shields, in accordance with EN 166, when there is danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Colour Odour Odour threshold pH Solubility in water	 Liquid. Blue. Perfumed. Not known. 7,5 Soluble. 	
Partition coefficient (n-oc- tanol/water)	: Not applicable.	Contains surfactants. The O/W system emulsifies.
Flash point Flammability (solid, gas) Auto ignition temperature Boiling point/boiling range Melting point/melting range	: 33 °C : Not applicable. : > 245 °C : 82 °C : -5 °C	Closed Cup (ISO 2719, EN 11, DIN 51758, ASTM D 93) Liquid. See flashpoint.
Explosive properties	: None known.	Does not contain explosives.
Explosion limits (% in air)	: Not known.	Lower explosion limit in air (%): 2 (Propan-2-ol) Upper explosion limit in air (%): 12 (Propan-2-ol)
Oxidising properties Decomposition temperature	Not applicable.Not applicable.	Does not contain oxidizing substances.
Viscosity (20°C)	: 1 mm2/sec	(1 mm2/sec = 1cSt)
Viscosity (40°C) Vapour pressure (20°C)	: Not relevant. : > 2300 Pa	The product contains < 10% substances having an aspiration hazard.
Vapour density (20°C) Relative density (20°C)	: >1 : 0,98 g/ml	(air = 1)
Evaporation rate	: <1	(n-butyl acetate = 1)

SECTION 10 STABILITY AND REACTIVITY

Reactivity

: See sub-sections below.

10.2. Chemical stability

Stability

: Stable under normal conditions.

10.3. Possibility of hazardous reactions



According to Regulation (EU) No 2015/830

Kemetyl

Reactivity

: No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition : Not known. products

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

minalation	
Acute toxicity	 Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause headache, dizziness and a feeling of sickness.
Corrosion/irritation	: May cause irritation to respiratory airways and coughing. Not classified - based on available data, the classification criteria are not met.
Sensitisation	: Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
Carcinogenicity	: Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
Skin contact	
Acute toxicity	: Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	Prolonged contact may dry out and defat the skin. Not classified - based on available data, the classification criteria are not met.
Sensitisation	: Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
Eye contact	
Corrosion/irritation	: Irritant.
Ingestion	
Acute toxicity	: Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Aspiration	Not expected to be an aspiration hazard. Contains a substance/substances with an aspiration hazard. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	: May cause a feeling of sickness, vomiting and diarrhoea.
Carcinogenicity	Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
Reprotoxicity	Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.



According to Regulation (EU) No 2015/830

Toxicological information:				
Chemical name	Property		Method	Test animal
Propan-2-ol	LD50 (oral)	4396 mg/kg bw		Rat
	LD50 (dermal)	12800 mg/kg bw		Rat
	LC50 (inhalation)	46600 mg/m3		Rat
	Skin irritation	Slightly irritant	OECD 404	Rabbit
	Eye irritation	Irritant	OECD 405	Rabbit
	NOAEL (fertility, oral)	407 mg/kg bw/d		Rat
	NOAEL (development,	400 mg/kg bw/d		Rat
	oral)			
	NOEL (carcinogenicity,	Not carcinogenic	OECD 416	Rat
	oral)			
	Skin sensitisation	Not sensitizing	OECD 406	Guinea pig
	Mutagenicity	Negative	OECD 471	
	NOAEL (inhalation)	12500 mg/m3	OECD 451	Rat
	Genotoxicity - in vivo	Not genotoxic	OECD 474	Mouse
	NOEL (carcinogenicity,	12500 mg/m3		Mouse
	inh.)			
	Genotoxicity - in vitro	Not genotoxic	OECD 476	
	NOAEL (oral)	870 mg/kg bw/d		Rat

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Calculated LC50 (fish): 32509 mg/l. Calculated EC50 (waterflea): 51266 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment. Not classified - based on available data, the classification criteria are not met.

12.2. Persistence and degradability

Persistence – degradability : No specific information known. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances.

12.6. Other adverse effects

Other information : Not applicable.

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product residues

: Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.



According to Regulation (EU) No 2015/830

Additional warning	: Residues may cause an explosion hazard. Do not puncture, cut or weld uncleaned drums.
Waste water discharge	: Do not dispose into the environment, in drains or in water courses.
European waste catalogue	: Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
Local legislation	: Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number or ID number

UN nr. : UN 1987

14.2. UN proper shipping name

Transport name	: ALCOHOLS, N.O.S. (Propan-2-ol)
Transport name (IMDG,	: ALCOHOLS, N.O.S. (Propan-2-ol)
IATA)	

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class	:	3
Classification code	:	F1
Packaging group	:	
Danger label	:	3
Tunnel restriction	:	D/E
code		



Other information	: Not intended for carriage by tank-vessels on inland waterways.
IMDG (sea)	
Class	: 3
–	

	Packaging group	:	111
	EmS (fire / spill)	:	F - E / S - D
	Marine pollutant	:	No
ΙΑΤΑ	(air)		
	Class	:	3

14.6. Special precautions for user

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to the transport of this product.

14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION



According to Regulation (EU) No 2015/830

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2015/830 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations.

15.2. Chemical safety assessment

Chemical safety : Not applicable. assessment

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2015/830 dated 28 May 2015 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

		nyms that could be (but not necessarily are) used in this safety data sheet.
ADR		European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE		Acute Toxicity Estimate
CLP	:	Classification, Labeling & Packaging
CMR	:	Carcinogenic, Mutagenic or toxic for Reproduction
EEC	:	European Economic Community
GHS	:	Globally Harmonized System of Classification and Labelling of Chemicals
IATA	:	International Air Transport Association
IBC code	:	International Bulk Chemical Code
IMDG	:	International Maritime Dangerous Goods Code
LD50/LC50	:	Lethal Dose/Concentration for 50% of a population
MAC	:	Maximum Allowable Concentration
MARPOL	:	International Convention for the Prevention of Pollution From Ships
NO(A)EL	:	No Observed (Adverse) Effect Level
OECD	:	Organisation for Economic Co-operation and Development
PBT	:	Persistent, Bioaccumulative and Toxic
PC	:	Chemical product category
PT	:	Product type
REACH	:	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	:	Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	:	Sewage Treatment Plant
SU	:	Sector of Use
TWA/STEL	:	Time-Weighted Average/Short Term Exposure Limit
UN	:	United Nations
VOC	:	Volatile Organic Compounds
vPvB	:	Very Persistent and Very Bioaccumulative
Procedure used t	to derive the	classification according to Regulation (EC) No. 1272/2008:
Flam. Liq. 3		On basis of test data.
Eye Irrit. 2		Calculation method.
,		
		Internet in section 3:
		Flammable liquid, category 2.
Eye Irrit. 2	:	Eye irritation, category 2.



According to Regulation (EU) No 2015/830

STOT SE 3 : Specific target organ toxicity after single exposure, category 3.

Full text of H-phrases mentioned in section 3:		
H225	Highly flammable liquid and vapour.	

H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
Number format :	"," used as decimal separator.

End of safety data sheet.

Print date : 2022-01-13