

Application

# Safety data sheet

According to Regulation (EU) No 2020/878

**SECTION 1** IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name	: BLACK ARROW GASOLINE SYSTEM CLEANER
Product code	: CRX582-BA, AT86I

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

: SU21 Consumer product. PC35 Cleaning agent. Other vehicle (all types) cleaning and care products.

### 1.3. Details of the supplier of the safety data sheet

Supplier	:	Kemetyl Polska Sp. z o. o.
		Al. Jerozolimskie 146
		02-305 Warszawa, Poland
Telephone	:	+48 22 822 5390
E-mail	:	msds@kemetyl.com
Website	:	www.kemetyl.pl

### 1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only: PL - Telephone : +48 22 822 5390

(During office hours only)

#### **SECTION 2 HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

CLP classification (1272/2008/EC)	:	Skin irritation, category 2. Aspiration hazard, category 1. Specific target organ toxicity — repeated exposure, category 2. Hazardous to the aquatic environment — Chronic category 3.
Human health hazards	:	May be fatal if swallowed and enters airways. Causes skin irritation. May cause damage to the
Physical/chemical hazards	:	central nervous system through prolonged or repeated exposure via inhalation. Not classified as dangerous according to statutory EC-Directives. Combustible.

: Harmful to aquatic life with long lasting effects.

### 2.2. Label elements

Environmental hazards

Label elements (1272/2008/	EC):
Hazard pictograms	:



Signal word	: Danger	
H- and P-phrases	: H304 H315 H373 cns inh H412 P101 P102	May be fatal if swallowed and enters airways. Causes skin irritation. May cause damage to the central nervous system through prolonged or repeated exposure via inhalation. Harmful to aquatic life with long lasting effects. If medical advice is needed, have product container or label at hand. Keep out of reach of children.
	P260 vapour	Do not breathe vapours.



Signal word

# Safety data sheet

According to Regulation (EU) No 2020/878

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.
P405	Store locked up.
P501	Dispose of contents/container to an official chemical waste depot.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases: Hazard pictograms



Signal word	Danger	
H- and P-phrases	: H304 H373 cns inh	May be fatal if swallowed and enters airways. May cause damage to the central nervous system through prolonged or repeated exposure via inhalation.
	H412	Harmful to aquatic life with long lasting effects.
	P101	If medical advice is needed, have product container or label at hand.
	P102	Keep out of reach of children.
	P260 vapour	Do not breathe vapours.
	P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
	P331	Do NOT induce vomiting.
	P405	Store locked up.
	P501	Dispose of contents/container to an official chemical waste depot.

Additional labelling (for all packaging sizes)

- : Contains: Hydrocarbons, C11-14, n-alkanes, isoalkanes, cyclics, aromatics (2-25%); Hydrocarbons , C14-18, n-alkanes, isoalkanes, cyclics, aromatics (2-30%) ; Hydrocarbons, C10-C13, n-alkanes,
- isoalkanes, cyclics, aromatics (2-25%); Kerosine (petroleum), hydrodesulfurized. Contains 18 % of components with unknown hazards to the aquatic environment.
- Ingredient declaration according to Regulation EC 648/2004:

Contains:	Concentration (%)
Aliphatic hydrocarbons	> 30
Aromatic hydrocarbons	15 - 30

Other information : According to regulation (EC) 1272/2008, Annex II, part 3, the packaging of this product shall carry a tactile warning of danger and a child-resistant fastening.

### 2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%. Human health: The mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at levels of 0.1% or higher. Environment: The mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **COMPOSITION / INFORMATION ON INGREDIENTS SECTION 3**

### 3.2. Mixtures

Product description : Mixture.

### Information on hazardous substances:

Substance name	Concentration	CAS nr.	EC number	Remark	REACH nr.
	(w/w) (%)				



According to Regulation (EU) No 2020/878

25 - < 50			925-653-7		01-2119458869-15
25 - < 50			920-360-0		01-2119448343-41
10 - < 25	337367	-30-3			
1 - < 5			919-164-8		01-2119473977-17
2,5 - < 5	64742-8	31-0	265-184-9		01-2119462828-25
Hazard Class		H-nhrae	200	Pictograms	
	uatio			-	
	ualic	11304,1	1412, 2011000	011000	
		  H304· F		GHS08	
//op. 10X. 1				011000	
Skin Irrit 2. Aqu	atic	H315 H	4412	GHS07	
	latio				
Asp. Tox. 1: ST	OT RE	H304: H	H372: H412:	GHS08	
-					
			H315; H336;	GHS07; GHS08;	
				GHS09	
Chronic 2	•				
	1 - < 5 2,5 - < 5 Hazard Class Asp. Tox. 1; Aq Chronic 3 Asp. Tox. 1 Skin Irrit. 2; Aqu Chronic 3 Asp. Tox. 1; ST 1; Aquatic Chro Asp. Tox. 1; Ski 2; STOT SE 3; J	25 - < 50 10 - < 25 337367 1 - < 5 2,5 - < 5 64742-8 Hazard Class Asp. Tox. 1; Aquatic Chronic 3 Asp. Tox. 1 Skin Irrit. 2; Aquatic Chronic 3 Asp. Tox. 1; STOT RE 1; Aquatic Chronic 3 Asp. Tox. 1; Skin Irrit. 2; STOT SE 3; Aquatic	25 - < 50	25 - < 50	25 - < 50

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

#### **SECTION 4 FIRST-AID MEASURES**

### 4.1. Description of first aid measures

First aid measures	
Inhalation	: Move victim into fresh air. Consult a doctor if victim feels unwell.
Skin contact	: Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation persists.
Eye contact	: Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists.
Ingestion	: Do not induce vomiting. Give nothing to drink. Do rinse the mouth. As necessary give 1 or 2 soupspoons of laxative (sodium sulphate). Never give anything by mouth to an unconscious person. Consult a doctor immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms	
Inhalation	: May cause headache, dizziness and a feeling of sickness.
Skin contact	: Irritant. May cause redness. Repeated exposure may cause skin dryness or cracking.
Eye contact	: May cause stinging of eyes and redness.
Ingestion	: May cause a feeling of sickness, vomiting and diarrhoea. May cause lung damage, sore throat and lack of breath.

### 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians

# : None known.

### **SECTION 5 FIRE-FIGHTING MEASURES**

Product name Date of issue



According to Regulation (EU) No 2020/878

## 5.1. Extinguishing media

Extinguishing media	
Suitable	: Carbondioxide (CO2). Foam. Dry chemical. Water fog.
Not suitable	: Water jet. Use of heavy stream of water may spread fire.

### 5.2. Special hazards arising from the substance or mixture

Special exposure hazards		Will float on water and can be reignited.
Hazardous thermal	:	Carbon monoxide may be evolved if incomplete combustion occurs.
decomposition products		

### 5.3. Advice for firefighters

: Use adequate respiratory equipment in case of insufficient ventilation. Special protective equipment for fire-fighters

### **SECTION 6** ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

### 6.2. Environmental precautions

Environmental precautions	:	Avoid release of product into sewers, surface water and/or ground water. In case of large spills:
		contain with dike. Waste product should not be allowed to contaminate soil or water.
Other information	:	Notify authorities if any exposure to the general public or the environment occurs or is likely to
		occur.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

### 6.4. Reference to other sections

Reference to other sections : See also section 8.

#### **SECTION 7** HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Keep away from sources of ignition - No smoking. Do not breathe vapour. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage	: Keep frost-free, in a cool, dry and well-ventilated place. Keep away from oxidizing agents. Keep
	away from food, drink and animal feedingstuffs.
Recommended packaging	: Keep only in the original container.
Non recommended	: PE and PP.
packaging	



According to Regulation (EU) No 2020/878

### 7.3. Specific end use(s)

Use

: Use only as directed. Do not mix with other products.

#### **SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

### 8.1. Control parameters

Occupational exposure limits

: Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m<sup>3</sup>):

Chemical name	Country	TWA 8 hour	STEL 15 min	Comments	Source
		(mg/m3)	(mg/m3)		
Hydrocarbons, C11-14, n-alkanes,		1200	-		CEFIC-HSPA
isoalkanes, cyclics, aromatics (2-25%)					
Hydrocarbons, C14-18, n-alkanes,		1200	-		CEFIC-HSPA
isoalkanes, cyclics, aromatics (2-30%)					
Hydrocarbons, C10-C13, n-alkanes,	EC	116	-	-	Recommendation in
isoalkanes, cyclics, aromatics (2-25%)					CLH-document - 2010
Kerosine (petroleum),		350	-	CEFIC-HSPA	
hydrodesulfurized					

### 8.2. Exposure controls

Engineering measures	: Use only in well-ventilated areas. Comply with standard precautionary measures for working with
	chemicals.
Hygienic measures	: When using do not eat, drink or smoke.

# Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

:	
:	Use of specific pr

Body protection	: Use of specific protective industrial clothing is not required for momentary use. Wear suitable protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345 in case of frequent or prolonged use and in case of large scale exposure. Suitable material: PVC. Indication of permeation breakthrough time: 4 hours.
Respiratory protection	: Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
Hand protection	: Wear appropriate safety gloves in accordance with EN 374. Suitable material: PVC. 0,8 mm. Indication of permeation breakthrough time: 4 hours.
Eye protection	: Wear appropriate safety glasses when there is danger of possible eye contact.

### **SECTION 9** PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Physical state	:	Liquid.
Colour	:	Light brown.
Odour	:	Characteristic.



# Kemetyl

# Safety data sheet

According to Regulation (EU) No 2020/878

Odour threshold	: Not known.	
рН	: Not applicable.	Waterfree product.
Solubility in water	: Not soluble.	
	: Not known.	Not measured. Not relevant for mixtures.
tanol/water)		
•	: >60 °C	Closed cup.
	: Not applicable.	Liquid. See flashpoint.
0 1	: > 250 °C	
51 5 5	: 160 °C	
Melting point/melting range		
	: Not an explosive.	
Explosion limits (% in air)	: Not known.	Lower explosion limit in air (%): 0,5 ( Kerosine (petroleum), hydrodesulfurized )
	:	Upper explosion limit in air (%): 7 (Hydrocarbons, C11-14, n-alkanes, isoalkanes, cyclics, aromatics (2-25%))
Oxidising properties	: Not applicable.	Does not contain oxidizing substances.
Decomposition temperature		0
Viscosity (20°C)	: Not known.	
Viscosity (40°C)	: < 20,5 mm2/sec	
Vapour pressure (20°C)	: Not known.	
Relative vapour density	: >1	(air = 1)
Relative density (20°C)	: 0,8 g/ml	
Particle characteristics	: Not applicable.	Liquid.
9.2 Other information		

# 9.2. Other information

: Not relevant. Other information

#### **SECTION 10 STABILITY AND REACTIVITY**

### 10.1. Reactivity

Reactivity	: See sub-sections below.
10.2. Chemical stability	
Stability	: Stable under normal conditions.
10.3. Possibility of hazard	ous reactions
Reactivity	: No other hazardous reactions known.
10.4. Conditions to avoid	
Conditions to avoid	: See section 7.

### 10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

### 10.6. Hazardous decomposition products

Hazardous decomposition : Not known. products

### **SECTION 11 TOXICOLOGICAL INFORMATION**



According to Regulation (EU) No 2020/878

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation	Thas been carried out on this product.
	· Coloulated I CE0: > 10 mg/L Ingredients of unknown toxisity: 19.9/ ATE: > 5 mg/L I out toxisity. Not
Acute toxicity	<ul> <li>Calculated LC50: &gt; 10 mg/l. Ingredients of unknown toxicity: 18 %. ATE: &gt; 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause headache, dizziness and a feeling of sickness.</li> </ul>
Chronic toxicity	<ul> <li>Possibility of organ or organ system damage due to prolonged exposure. Target organ(s): Central nervous system. Effect: Repeated exposure affects the nervous system. May cause toxic encephalopathy.</li> </ul>
Corrosion/irritation	: Not classified - based on available data, the classification criteria are not met.
Sensitisation	: Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
Carcinogenicity	: Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
Skin contact	
Acute toxicity	: Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	: Irritant. May cause redness. Prolonged contact may dry out and defat the skin.
Sensitisation	: Does not contain skin sensitisers. Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
Eye contact	
Corrosion/irritation	: Slight irritation possible. Not classified - based on available data, the classification criteria are not met.
Ingestion	
Acute toxicity	: Calculated LD50: > 2126 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Aspiration	: Aspiration into the lungs when swallowed or vomited may cause chemical pneumonitis which can be fatal. If swallowed, if any of the following delayed signs and symptoms appear within the next 6 hours, transport to the nearest medical facility: fever greater than 38.3° C, shortness of breath, chest congestion or continued coughing or wheezing.
Chronic toxicity	: Possibility of organ or organ system damage due to prolonged exposure.
Corrosion/irritation	: May cause a feeling of sickness, stomachache, vomiting and diarrhoea.
Carcinogenicity	: Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
Reprotoxicity	: Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
Hydrocarbons, C11-14, n-alkanes,	LC50 (inhalation) -	> 82000 mg/m3	Read across	Rat
isoalkanes, cyclics, aromatics (2-25%)	estimate			
	LD50 (dermal) -	> 3400 mg/kg bw	Read across	Rat
	estimate			
	NOAEL (fertility) -	> 2200 mg/kg.d	Read across	
	estimate			



According to Regulation (EU) No 2020/878

		<b>I</b> N 1		1
	estimate	Not sensitizing	Read across	
	LD50 (oral) - estimate	> 15000 mg/kg bw	Read across	Rat
	NOEL (carcinogenicity) - estimate	138 mg/kg.d	Read across	Rabbit
	NOAEL (dermal) - estimate	116 mg/kg bw/d	Read across	Rat
		3950 mg/m3	Read across	Rat
	Mutagenicity - estimate		Read across	Salmonella typhimurium
	Genotoxicity - estimate	Not genotoxic	Read across	
	Skin irritation - estimate	Non-irritant	Read across	Rabbit
	Eye irritation - estimate	Non-irritant	Read across	Rabbit
	NOAEL (development) - estimate	1000 mg/kg.d	Read across	
Hydrocarbons, C14-18, n-alkanes, isoalkanes, cyclics, aromatics (2-30%)	Eye irritation - estimate	Non-irritant	Read across	
	Genotoxicity - estimate	-	Read across	
	NOAEL (oral) - estimate	1008 mg/kg bw/d	Read across	Rat
	NOAEL (inhalation) - estimate	30000 mg/m3	Read across	Rat
	NOAEL (dermal) - estimate	1000 mg/kg bw/d	Read across	Rat
	Skin irritation - estimate	Non-irritant	Read across	
	Mutagenicity - estimate		Read across	Salmonella typhimurium
	NOEL (carcinogenicity) - estimate	-	Read across	
		> 4150 mg/kg bw	Read across	Rat
		> 5280 mg/m3	Read across	Rat
	estimate			
	LD50 (dermal) - estimate	> 1700 mg/kg bw	Read across	Rat
	NOAEL (fertility) - estimate	> 2000 mg/kg.d	Read across	
	NOAEL (development) - estimate	1000 mg/kg.d	Read across	
	Skin sensitisation -	Not sensitizing	Read across	
1-Propene, 2-methyl-, homopolymer , hydroformylation products, reaction	estimate LD50 (oral)	> 2000 mg/kg bw		Rat
products with ammonia Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	NOAEL (oral)	1056 mg/kg bw/d	OECD 408	Rat
	Genotoxicity - estimate	Not genotoxic	Read across	
	Genotoxicity - in vitro	Not genotoxic	OECD 473	
	NOAEL (developmental toxicity, inh.)	-		Rat
	1	Not reprotoxic	Read across	Rat
	NOEL (carcinogenicity) - estimate	Not carcinogenic		
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	NOAEL (inhalation)	3950 mg/m3	OECD 411 OECD 413	Rat
	F. 5, 22 (mildidion)	1		1.24



According to Regulation (EU) No 2020/878

	NOAEL (dermal) -	> 495 mg/kg bw/d	Read across	Rat
	estimate			
	Skin sensitisation	Not sensitizing	OECD 406	Guinea pig
	Eye irritation	Non-irritant	OECD 405	Rabbit
	Skin irritation	Non-irritant	OECD 404	Rabbit
	LD50 (dermal)	> 3400 mg/kg bw		Rat
	LC50 (inhalation)	> 13100 mg/m3	OECD 403	Rat
	LD50 (oral)	> 15000 mg/kg bw	OECD 401	Rat
Kerosine (petroleum),	LD50 (oral)	> 5000 mg/kg bw		Rat
hydrodesulfurized				
	LD50 (dermal)	> 2000 mg/kg bw		Rabbit
	LC50 (inhalation)	> 5200 mg/m3		Rat
	NOAEL (oral)	1000 mg/kg bw/d		Rabbit
	NOAEL (inhalation)	24 mg/m3		Rat
	Skin sensitisation	Not sensitizing		Guinea pig
	Skin irritation	Irritant	OECD 404	Rabbit
	Eye irritation	Slightly irritant	OECD 405	Rabbit
	NOAEL (fertility, oral)	494 mg/kg bw/d	OECD 421	Rat
	NOAEL (development, oral)	494 mg/kg bw/d	OECD 421	Rat

### 11.2. Information on other hazards

: The mixture does not contain components considered to have endocrine disrupting properties Endocrine disrupting according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at properties levels of 0.1% or higher. : Not applicable.

Other information

**SECTION 12 ECOLOGICAL INFORMATION** 

### 12.1. Toxicity

Ecotoxicity

No ecotoxicological research has been carried out on this product.

: Harmful to aquatic organisms. Calculated LC50 (fish): 23 mg/l. Calculated EC50 (waterflea): 16 mg/ I. Contains 18 % of components with unknown hazards to the aquatic environment. May form an oil film on the water surface causing a decline in oxygen content with possible adverse effects for aquatic organisms.

### 12.2. Persistence and degradability

Persistence - degradability : May cause long-term adverse effects in the aquatic environment.

### 12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

### 12.4. Mobility in soil

Mobility : Adsorbs to soil and has low mobility. Floats on water.

### 12.5. Results of PBT and vPvB assessment

: Does not contain PBT or vPvB substances in concentrations higher than 0,1%. PBT/vPvB assessment

# 12.6. Endocrine disrupting properties

Endocrine disrupting : The mixture does not contain components considered to have endocrine disrupting properties properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at levels of 0.1% or higher.



According to Regulation (EU) No 2020/878

#### ffoct 27 04 .....

Ecological information:				
Chemical name	Property		Method	Test animal
Hydrocarbons, C11-14, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	LC50 (fish) - estimate	> 10 mg/l	OECD 203	
	EC50 (waterflea) - estimate	> 10 mg/l	OECD 202	
	IC50 (algea) - estimate NOEC (fish) - estimate		OECD 201	
	NOEC (daphnids) - estimate	0,328 mg/l.d	OECD 211	
	Ultimate aerobic biodegradation (%)	74 %	Read across	
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	NOEC (daphnids) -	1,19 mg/l.d		Daphnia magna
,	NOEC (algae)	3 mg/l		Pseudokirchnerella subcapitata
	IC50 (algea)	> 10 mg/l	OECD 201	Pseudokirchnerella subcapitata
	EC50 (waterflea)	> 100 mg/l	OECD 202	Daphnia magna
	LC50 (fish)	> 10 mg/l	OECD 203	Oncorhynchus mykiss
	Ultimate aerobic biodegradation (%)	74,7 %	OECD 301 F	
	Log P(ow)	> 6		
Kerosine (petroleum), hydrodesulfurized	LC50 (fish)	18 mg/l	OECD 203	Oncorhynchus mykiss
	NOEC (fish)	1 mg/l.d		
	EC50 (waterflea)	1,4 mg/l	OECD 202	Daphnia magna
	IC50 (algea)	3,7 mg/l	OECD 201	Selenastrum capricornutum

### **SECTION 13 DISPOSAL CONSIDERATIONS**

### 13.1. Waste treatment methods

Product residues	: Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.
Additional warning	: None.
Waste water discharge	: Do not dispose of into the environment, drains, sewers or water courses.
European waste catalogue	: Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
Local legislation	: Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

### **SECTION 14** TRANSPORT INFORMATION

### 14.1. UN number or ID number

UN nr.

: None.

Product name Date of issue



According to Regulation (EU) No 2020/878

### 14.2. UN proper shipping name

: Not regulated. Transport name

## 14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class	: This product is not classified according to ADR/RID/ADN.
IMDG (sea) Class Marine pollutant	: This product is not classified according to IMDG. : No
IATA (air) Class	: This product is not classified according to IATA.

### 14.6. Special precautions for user

Other information : Country specific variations may apply.

### 14.7. Maritime transport in bulk according to IMO instruments

Marpol	: Not intended to be carried in bulk according to International Maritime Organisation (IMO)
	instruments. Packaged liquids are not considered bulk.

#### **SECTION 15 REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

: Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other Community regulations regulations. Regulation (EC) No 648/2004 (detergents). Directive 2008/98/EC (waste).

### 15.2. Chemical safety assessment

Chemical safety	:	Not applicable.
assessment		

#### **OTHER INFORMATION SECTION 16**

### 16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (\*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
-----	---

ATE	: Acute Toxicity Estimate
CLP	: Classification, Labeling & Packaging
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
EEC	: European Economic Community
GHS	: Globally Harmonized System of Classification and Labelling of Chemicals
ΙΑΤΑ	: International Air Transport Association



According to Regulation (EU) No 2020/878

IBC code	: International Bulk Chemical Code
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
UFI	: Unique formula identifier
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Skin Irrit. 2	: Calculation method.
STOT RE 2	: Calculation method.
Asp. Tox. 1	: On basis of test data. Calculation method.
Aquatic Chronic 3	: Calculation method.

Full text of hazard classes mentioned in section 3:

Skin Irrit. 2	: Skin irritation, category 2.
STOT SE 3	: Specific target organ toxicity after single exposure, category 3.
STOT RE 1	: Specific target organ toxicity — repeated exposure, category 1.
Asp. Tox. 1	: Aspiration hazard, category 1.
Aquatic Chronic 2	: Hazardous to the aquatic environment — Chronic category 2.
Aquatic Chronic 3	: Hazardous to the aquatic environment — Chronic category 3.
Full text of H-phrases mer	ntioned in section 3:
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H372	Causes damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.
Advice on any training an	propriate for workers: none

Advice on any training appropriate for workers: none.

Number format

: "," used as decimal separator.

### End of safety data sheet.

Print date

: 2023-04-06