

According to Regulation (EU) No 830/2015

IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING **SECTION 1** 

#### 1.1. Product identifier

Product name Product code	: SHELL EXTERIOR CLEANER WIPES : CRX649 - k
1.2. Relevant identified u	ses of the substance or mixture and uses advised against
Application	: Consumer product (SU21). Cleaning agent (PC35). Car maintenance.
1.3. Details of the supplie	er of the safety data sheet

#### 1.3. Details of the supplier of the safety data sheet

Kemetyl Polska Sp. z o. o.
Al. Jerozolimskie 146, Budynek C 02-305 Warszawa, Polska
+48 22 822 53 90
msds@kemetyl.com www.kemetyl.com

#### 1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/ PL - Telephone : +48 22 822 5390	FIRE BRIGADE/POLICE only:	(During office hours only)
EMERGENCY TELEPHONE NUMBER (for DOCTORS Poisons Information Center	only): +354 543 22 22	(24/7)

#### **SECTION 2 HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

CLP classification : Not classified as dangerous according to Regulation (EC) No 1272/2008. (1272/2008/EC)

#### 2.2. Label elements

Label elements (1272/2008 Hazard pictograms	3/EC): : None.	
Signal word	: Not applicable.	
H- and P-phrases	: EUH208	Contains May produce an allergic reaction. Reference is made to additional labelling for full text of EUH208*.
	P101	If medical advice is needed, have product container or label at hand.
	P102	Keep out of reach of children.
Additional labelling		

: \* Contains Sodium N-(hydroxymethyl)glycinate . May produce an allergic reaction.

Ingredient declaration according to Regulation 648/2004:

Contains:	Concentration (%)
Perfumes; Sodium hydroxymethylglycinate	

#### 2.3. Other hazards

Human health hazards : May produce an allergic reaction.



According to Regulation (EU) No 830/2015

Physical/chemical hazards Environmental hazards Other information	<ul> <li>Not classified as dangerous according to statutory EC-Directives. Combustible.</li> <li>Not classified as dangerous according to statutory EC-Directives.</li> <li>Keep out of the reach of children.</li> </ul>
Other information	: The product does not need to carry all label elements required by Article 17 of Regulation (EC) No 1272/2008 on the basis of Annex I, point 1.5.2.1. Exemption for packages where the contents do not exceed 125 ml. Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

#### SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	REACH nr.	OEL
Ethanol Flam. Liq. 2; Eye Irrit. 2 H225; H319	5 - < 10	64-17-5	200-578-6	01-2119457610-43	#
Propan-2-ol Flam. Liq. 2; Eye Irrit. 2; STOT SE 3 H225; H319; H336	5 - < 10	67-63-0	200-661-7	01-2119457558-25	#
Sodium N-(hydroxymethyl)glycinate Skin Sens. 1; Eye Irrit. 2 H319; H317	0,1 - < 1	70161-44-3	274-357-8		

Reference is made to chapter 16 for full text of each relevant H phrase. Substance(s) with an Occupational Exposure Limit are marked with #. Occupational exposure limit(s) are listed in section 8.

#### SECTION 4 FIRST AID MEASURES

#### 4.1. Description of first aid measures

First aid measures	
Inhalation	: Move victim into fresh air. Consult a doctor if victim feels unwell.
Skin contact	: Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation occurs.
Eye contact	: Wash out with (lukewarm) water for at least 15 minutes. Remove contact lenses. Consult a doctor if irritation persists.
Ingestion	: Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth to an unconscious person. Consult a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Effects and symptomsInhalation: May cause headache, dizziness and a feeling of sickness.Skin contact: May produce an allergic reaction. May cause dry skin and redness.Eye contact: May cause stinging of eyes and redness.Ingestion: May cause a feeling of sickness, vomiting and diarrhoea.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

Product name Date of issue



According to Regulation (EU) No 830/2015

#### SECTION 5 FIREFIGHTING MEASURES

#### 5.1. Extinguishing media

Carbondioxide (CO2). Alcohol resistant foam. Dry chemical. Water fog.
None known.

#### 5.2. Special hazards arising from the substance or mixture

Special exposure hazards	:	None known.
Hazardous thermal	:	Carbon monoxide may be evolved if incomplete combustion occurs.
decomposition products		

#### 5.3. Advice for firefighters

Special protective : Use adequate respiratory equipment in case of insufficient ventilation. equipment for fire-fighters

#### SECTION 6 ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Keep away from sources of ignition — No smoking. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

#### 6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

#### 6.4. Reference to other sections

Reference to other sections : For guidance on selection of personal protective equipment see section 8. For guidance on disposal of spilled material see section 13.

#### SECTION 7 HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Electrostatic discharge may cause fire. Ensure electrical continuity by bonding and grounding (earthing) all equipment. Do not breathe vapour. Avoid contact with skin and eyes.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage	: Keep in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents. Protect
	from sunlight.
Recommended packaging	: Keep only in the original container.
Non recommended	: None known.
packaging	

· \_\_\_



According to Regulation (EU) No 830/2015

#### 7.3. Specific end use(s)

Use

: Use only as directed. Do not mix with other products.

#### **SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

Occupational exposure limits

: Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Chemical name	Country	TWA 8 h	nour	STEL 15 min	Comments	
		(mg/m3)		(mg/m3)		
Ethanol	GB	1920		-	-	
Ethanol		260		1900	Mac: NL	
Propan-2-ol	GB	999		1250	-	
Derived no-effect level (DNE	EL) for workers:					
Chemical name	Route of exposure			DNEL, long-term		
	exposure	Local ef	fect	Systemic effect	Local effect	Systemic effect
Ethanol	Dermal		ieci	Systemic ellect		343 mg/kg bw/day
	Inhalation	1900 mg	~/~~?			950 mg/m3
		1900 m	y/ms			
Propan-2-ol	Dermal Inhalation					888 mg/kg bw/day 500 mg/m3
	Innaiation					pou mg/ms
Derived no-effect level (DNE	· · · · · · · · · · · · · · · · · · ·	-				
Chemical name	Route of	DNEL, short-term		m	DNEL, long-term	
	exposure					
		Local ef	fect	Systemic effect	Local effect	Systemic effect
Ethanol	Dermal					206 mg/kg bw/day
	Inhalation	950 mg/m3				114 mg/m3
	Oral					87 mg/kg bw/day
Propan-2-ol	Dermal					319 mg/kg bw/day
	Inhalation					89 mg/m3
	Oral					26 mg/kg bw/day
Predicted no-effect concent	ation (PNEC):	•			•	÷
Chemical name	Route of expos	ure	Fresh w	/ater	Marine water	
Ethanol	Water		0,96 mg	g/l	0,79 mg/l	
	Sediment		3,6 mg/		2,9 mg/kg	
	Intermittent wat		-,		_, •	2,75 mg/l
	STP					580 mg/l
	Soil					0,63 mg/kg
	Oral					0,72 mg/kg food
Propan-2-ol	Water		140,9 n	na/l	140,9 mg/l	
	Sediment		552 mg	<b>Q</b>	552 mg/kg	
	Intermittent wat		JJZ my	ng	JUZ IIIg/Kg	140,9 mg/l
	STP					2251 mg/l
	Soil					28 mg/kg
	Oral				1	160 mg/kg food

#### 8.2. Exposure controls

Product name Date of issue



According to Regulation (EU) No 830/2015

#### Kemetyl

: Use only in well-ventilated areas. Comply with standard precautionary measures for working with Engineering measures chemicals.

Hygienic measures : When using do not eat, drink or smoke.

#### Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection	Use of specific protective industrial clothing is not required under normal conditions of use. In case of large scale exposure wear suitable protective clothing, overalls or suit, and similar boots.
	Suitable material: butyl. Indication of permeation breakthrough time: not permeable.
Respiratory protection	Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale
	exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
Hand protection	Under normal conditions of use specific gloves are not required. Wear appropriate gloves in case of frequent or prolonged use and in case of large scale exposure. Suitable material: butyl. $\pm$ 0,5 mm. Indication of permeation breakthrough time: not permeable.
Eye protection	Wear appropriate safety glasses when there is danger of possible eye contact.
Thermal hazards	Not applicable.
Environmental : : : : : : : : : : : : : : : : : : :	Local guidelines on emission limits for volatile substances must be observed for the discharge of exhaust air containing vapour.

#### **SECTION 9** PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Appearance Colour Odour Odour threshold pH Solubility in water Partition coefficient (n- octanol/water)	<ul> <li>Liquid.</li> <li>Colourless.</li> <li>Perfumed.</li> <li>Not known.</li> <li>7</li> <li>Soluble.</li> <li>Not known.</li> </ul>	Impregnated wipes.
Flash point	: 55 °C	Does not support combustion.
Flammability (solid, gas) Auto ignition temperature Boiling point/boiling range Melting point/melting range	: Not applicable. : 425 °C : 78 °C : < 0 °C	Liquid. See flashpoint.
Explosive properties	: None known.	Does not contain explosives.
Explosion limits (in air)	: Not known.	Lower explosion limit in air (%): 2 ( Propan-2-ol ) Upper explosion limit in air (%): 19 Ethanol
Oxidising properties Decomposition temperature Viscosity (20°C)	: Not applicable. e : Not applicable. : Not known.	Does not contain oxidizing substances.
Viscosity (40°C) Vapour pressure (20°C)	: Not relevant. : 4220 Pa	The product contains < 10% substances having an aspiration hazard.
Vapour density (20°C) Relative density (20°C)	: >1 : 1 g/ml	(air = 1)
Evaporation rate	: <1	(n-butyl acetate = 1)

#### **SECTION 10 STABILITY AND REACTIVITY**

#### 10.1. Reactivity

Product name Date of issue



According to Regulation (EU) No 830/2015

### Kemetyl

Reactivity

: See sub-sections below.

#### 10.2. Chemical stability

Stability : Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

#### 10.4. Conditions to avoid

Conditions to avoid : See section 7.

#### 10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

#### 10.6. Hazardous decomposition products

Hazardous decomposition : Not known. products

#### SECTION 11 TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

No toxicological research has been carried out on this product.

Innalation	
Acute toxicity	: Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause headache, dizziness and a feeling of sickness.
Corrosion/irritation	: Not classified - based on available data, the classification criteria are not met.
Sensitisation	: Not classified - based on available data, the classification criteria are not met.
Carcinogenicity	: Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Skin contact	
Acute toxicity	: Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	: Slight irritation possible. Prolonged contact may dry out and defat the skin. Not classified - based on available data, the classification criteria are not met.
Sensitisation	: May produce an allergic reaction.
Mutagenicity	: Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Eye contact	
Corrosion/irritation	<ul> <li>Slight irritation possible. Not classified - based on available data, the classification criteria are not met.</li> </ul>
Ingestion	
Acute toxicity	: Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	: May cause a feeling of sickness, vomiting and diarrhoea. Not classified - based on available data, the classification criteria are not met.
Carcinogenicity	: Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.



According to Regulation (EU) No 830/2015

#### Toxicological information:

Chemical name	Property		Method	Test animal
Sodium N-(hydroxymethyl)glycinate	LD50 (oral)	2100 mg/kg bw		Rat
	Eye irritation	Mildly irritant		Rabbit
	NOAEL (development,	Not teratogenic		
	oral)			
	LD50 (dermal)	> 2000 mg/kg bw		Rabbit
	LC50 (inhalation)	6000 mg/m3		Rat
	Skin irritation	Moderately irritant		Rabbit
	Mutagenicity	Not mutagenic	OECD 471	
	NOAEL (oral)	> 160 mg/kg bw/d		Rat
	Skin sensitisation	Sensitizing.		Guinea pig

#### SECTION 12 ECOLOGICAL INFORMATION

#### 12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity

: Calculated LC50 (fish): 13094 mg/l. Calculated EC50 (waterflea): 7239 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment. Not classified - based on available data, the classification criteria are not met.

#### 12.2. Persistence and degradability

Persistence – degradability : No specific information known.

#### 12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

#### 12.4. Mobility in soil

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

#### 12.6. Other adverse effects

Other information : Not applicable.

#### SECTION 13 DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

Product residues	: Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues, impregnated wipes and non-empty pack as chemical waste. Dispose waste to an official chemical waste depot.
Additional warning Local legislation	<ul> <li>Residues may cause an explosion hazard. Do not puncture, cut or weld uncleaned drums.</li> <li>Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.</li> </ul>

#### SECTION 14 TRANSPORT INFORMATION

#### 14.1. UN number

UN nr.

: None.



According to Regulation (EU) No 830/2015

#### 14.2. UN proper shipping name

Transport name : Not regulated.

#### 14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class	: This product is not classified according to ADR/RID/ADN.
IMDG (sea)	
Class	: This product is not classified according to IMDG.
Marine pollutant	: No
IATA (air)	

### Class : This product is not classified according to IATA.

#### 14.6. Special precautions for user

Other information	: Country specific variations may apply.
-------------------	--

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Marpol	: Not intended to be carried in bulk according to International Maritime Organisation (IMO)
	instruments.

#### SECTION 15 REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations	<ul> <li>Regulation (EC) No 830/2015 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations.</li> </ul>
Directive 2012/18/EU	: Not regulated.
	: The packaging shall carry the logo:

#### 15.2. Chemical safety assessment

Chemical safety	: Not applicable.
assessment	

#### SECTION 16 OTHER INFORMATION

#### 16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EC) No 830/2015 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (\*).

Product name Date of issue

· \_\_\_



# Safety data sheet According to Regulation (EU) No 830/2015

Full text of H-phrases mention H225 H317 H319 H336	ned in section 3: Highly flammable liquid and vapour. May cause an allergic skin reaction. Causes serious eye irritation. May cause drowsiness or dizziness.	
Eye Irrit. 2 : Skin Sens. 1 :	entioned in section 3: Flammable liquid, category 2. Eye irritation, category 2. Skin sensitization, category 1. Specific target organ toxicity after single exposure, category 3.	
ATE BCF DNEL ECETOC TRA EU EUSES IBC code LD50 LC50 NOAEL NOEC OEL PBT PC PNEC STP SU SVHC TWA/STEL vPvB	nyms that could be (but not necessarily are) used in this safety data sheet: Acute Toxicity Estimate Bioconcentration factor Derived no-effect level European centre for ecotoxicology and toxicology of chemicals. Targeted risk assessment European Union European Union System for the Evaluation of Substances Intermediate Bulk Container Lethal Dose/Concentration for 50% of a population No Observed (Adverse) Effect Level No observed effect concentration Occupational exposure limit Persistent, Bioaccumulative and Toxic Chemical product category Predicted no-effect concentration Sewage Treatment Plant Sector of Use Substance of very high concern Time-Weighted Average/Short Term Exposure Limit Very Persistent and Very Bioaccumulative	
Number format : "," used as decimal separator.		