



# Safety data sheet

According to Regulation (EU) No 2020/878

## SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name : SHELL WINTER SCREENWASH CONCENTRATE  
Product code : CRX711P, BS113; BS111; BS05Z

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU22 Professional use. For industrial or institutional use. PC35 Cleaning agent. PC35 Windscreen/windshield wash fluid. Windscreen wash.

### 1.3. Details of the supplier of the safety data sheet

Supplier : Kemetyl Polska Sp. z o. o.  
Al. Jerozolimskie 146  
02-305 Warszawa, Poland  
Telephone : +48 22 822 5390  
E-mail : msds@kemetyl.com  
Website : www.kemetyl.com

### 1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:  
PL - Telephone : +48 22 822 5390

(During office hours only)

## SECTION 2 HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

CLP classification : Flammable liquid, category 3. Eye irritation, category 2.  
(1272/2008/EC)

Human health hazards : Causes serious eye irritation.  
Physical/chemical hazards : Flammable.  
Environmental hazards : Not classified as dangerous according to statutory EC-Directives.

### 2.2. Label elements

Label elements (1272/2008/EC):

Hazard pictograms :



Signal word : Warning

H- and P-phrases : H226 Flammable liquid and vapour.  
H319 Causes serious eye irritation.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P370+P378 In case of fire: Use carbondioxide (CO2), alcohol resistant foam, dry chemical or alc resist water fog to extinguish.  
P280 eyes Wear eye protection/face protection.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P501 Dispose of contents/container to an official chemical waste depot.



Kemetyl

# Safety data sheet

According to Regulation (EU) No 2020/878

## 2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

## SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

### 3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
Ethanol	50 - 75	64-17-5	200-578-6		01-2119457610-43
Ethanediol	5 - < 10	107-21-1	203-473-3		01-2119456816-28
Propan-2-ol	0,1 - < 1	67-63-0	200-661-7		01-2119457558-25
Butanone	0,1 - < 1	78-93-3	201-159-0		01-2119457290-43
N,N-dimethyldecylamine N-oxide	0,1 - < 1	2605-79-0	220-020-5		01-2119959297-22

Substance name	Hazard Class	H-phrases	Pictograms	
Ethanol	Flam. Liq. 2; Eye Irrit. 2	H225; H319	GHS02; GHS07	H319 : C >= 50 %
Ethanediol	Acute Tox. 4; STOT RE 2	H302; H373	GHS07; GHS08	
Propan-2-ol	Flam. Liq. 2; Eye Irrit. 2; STOT SE 3	H225; H319; H336	GHS02; GHS07	
Butanone	Flam. Liq. 2; Eye Irrit. 2; STOT SE 3	H225; H319; H336; EUH066	GHS02; GHS07	
N,N-dimethyldecylamine N-oxide	Acute Tox. 4; Eye Dam. 1; Aquatic Acute 1; Aquatic Chronic 2	H302; H318; H400; H411	GHS05; GHS07; GHS09	M (acute) = 1

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

## SECTION 4 FIRST-AID MEASURES

### 4.1. Description of first aid measures

First aid measures

- Inhalation : Move victim into fresh air. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water before product dries up.
- Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor.
- Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Give condensed milk or a knob of butter. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

- Inhalation : May cause headache, dizziness and a feeling of sickness.
- Skin contact : May cause dry skin.
- Eye contact : Irritant. May cause redness and pain.
- Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

### 4.3. Indication of any immediate medical attention and special treatment needed

Product name : Shell Winter Screenwash concentrate

Date of issue : 2022-01-25

Replaces issue dated

: 2018-05-14

Page 2/11

SDS 'autogenerated' by  
Aminchi



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2020/878

Note to physicians :  
General : Risk of metabolic acidosis.

## SECTION 5 FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media

Extinguishing media

Suitable : Carbondioxide (CO<sub>2</sub>). Alcohol resistant foam. Dry chemical. Water fog.  
Not suitable : Water jet. Use of heavy stream of water may spread fire.

### 5.2. Special hazards arising from the substance or mixture

Special exposure hazards : None known.  
Hazardous thermal decomposition products : Carbon monoxide may be evolved if incomplete combustion occurs.

### 5.3. Advice for firefighters

Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

## SECTION 6 ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Keep away from sources of ignition — No smoking. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

### 6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike.  
Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Do not use saw-dust. Dispose at an authorised waste collection point. Wash away remainder with plenty of water.

### 6.4. Reference to other sections

Reference to other sections : See also section 8.

## SECTION 7 HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Electrostatic discharge may cause fire. Ensure electrical continuity by bonding and grounding (earthing) all equipment. Do not breathe vapour. Avoid contact with skin and eyes.



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2020/878

## 7.2. Conditions for safe storage, including any incompatibilities

- Storage : Keep in a cool, dry and well-ventilated place (< 35 °C). Protect from sunlight. Keep away from oxidizing agents.
- Recommended packaging : Keep only in the original container.
- Non recommended packaging : Steel (except stainless steel).

## 7.3. Specific end use(s)

- Use : Use only as directed. Do not mix with other products. Do not breathe spray.

## SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

- Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m<sup>3</sup>):

Chemical name	Country	TWA 8 hour (mg/m <sup>3</sup> )	STEL 15 min (mg/m <sup>3</sup> )	Comments	Source
Ethanol		260	1900	-	MAC: NL
Ethanol	GB	1920	-	-	
Ethenediol	EC	52	104	Skin	
Ethenediol	GB	52	104	Skin	
Propan-2-ol	GB	999	1250	-	
Butanone	EC	600	900	-	
Butanone	GB	600	899	Skin; BMGV	

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Ethanol	Inhalation	1900 mg/m <sup>3</sup>			950 mg/m <sup>3</sup>
Ethenediol	Dermal			35 mg/m <sup>3</sup>	343 mg/kg bw/day
	Inhalation				106 mg/kg bw/day
Propan-2-ol	Dermal				888 mg/kg bw/day
	Inhalation				500 mg/m <sup>3</sup>
Butanone	Dermal				1161 mg/kg bw/day
	Inhalation				600 mg/m <sup>3</sup>
N,N-dimethyldecylamine N-oxide	Inhalation				6,2 mg/m <sup>3</sup>
	Dermal				11 mg/kg bw/day

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Ethanol	Inhalation	950 mg/m <sup>3</sup>			114 mg/m <sup>3</sup>
	Dermal				206 mg/kg bw/day
	Oral				87 mg/kg bw/day
Ethenediol	Dermal			7 mg/m <sup>3</sup>	53 mg/kg bw/day
	Inhalation				
Propan-2-ol	Dermal				319 mg/kg bw/day



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2020/878

Butanone	Inhalation Oral Dermal				89 mg/m <sup>3</sup> 26 mg/kg bw/day 412 mg/kg bw/day
N,N-dimethyldecylamine N-oxide	Inhalation Oral Dermal Oral				106 mg/m <sup>3</sup> 31 mg/kg bw/day 1,53 mg/m <sup>3</sup> 5,5 mg/kg bw/day 0,44 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Ethanol	Water	0,96 mg/l	0,79 mg/l	
	Sediment	3,6 mg/kg	2,9 mg/kg	
	Intermittent water			2,75 mg/l
	STP			580 mg/l
	Soil			0,63 mg/kg
Ethanediol	Oral			0,72 mg/kg food
	Water	10 mg/l	1 mg/l	
	Sediment	20,9 mg/kg		
	Intermittent water			10 mg/l
	STP			199,5 mg/l
Propan-2-ol	Soil			1,53 mg/kg
	Water	140,9 mg/l	140,9 mg/l	
	Sediment	552 mg/kg	552 mg/kg	
	Intermittent water			140,9 mg/l
	STP			2251 mg/l
Butanone	Soil			28 mg/kg
	Oral			160 mg/kg food
	Water	55,8 mg/l	55,8 mg/l	
	Sediment	284,74 mg/kg	284,7 mg/kg	
	Intermittent water			55,8 mg/l
N,N-dimethyldecylamine N-oxide	STP			709 mg/l
	Soil			22,5 mg/kg
	Oral			1000 mg/kg food
	Water	0,0335 mg/l	0,00335 mg/l	
	Sediment	5,24 mg/kg	0,524 mg/kg	
	Intermittent water			0,0335 mg/l
	STP			4,59 mg/l
	Soil			1,02 mg/kg
	Oral			11,1 mg/kg food

## 8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection : Use of specific protective industrial clothing is not required under normal conditions of use.

Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.

Hand protection : Under normal conditions of use specific gloves are not required. Wear appropriate gloves in case of frequent or prolonged use and in case of large scale exposure. Suitable material: nitril. ± 0,5 mm. Indication of permeation breakthrough time: 6 hours.



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2020/878

Eye protection : Wear appropriate safety glasses with side shields, in accordance with EN 166, when there is danger of possible eye contact.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid.	
Colour	: Blue.	
Odour	: Perfumed.	
Odour threshold	: Not known.	Not measured. Not relevant. Does not contain substances with a specific inhalation risk.
pH	: 7,5	
Solubility in water	: Soluble.	
Partition coefficient (n-octanol/water)	: Not applicable.	Contains surfactants. The O/W system emulsifies. Not measured. Not relevant for mixtures.
Flash point	: 23 °C	Closed Cup (ISO 2719, EN 11, DIN 51758, ASTM D 93).
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: > 240 °C	
Boiling point/boiling range	: 80 °C	
Melting point/melting range	: -55 °C	
Explosive properties	: Not an explosive.	
Explosion limits (% in air)	: Not known.	Lower explosion limit in air (%): 3,2 ( Ethanediol ) Upper explosion limit in air (%): 19 ( Ethanol )
Oxidising properties	: Not applicable.	
Decomposition temperature	: Not known.	
Viscosity (20°C)	: 1 mm <sup>2</sup> /sec	(1 mm <sup>2</sup> /sec = 1cSt)
Viscosity (40°C)	: 1 mm <sup>2</sup> /sec	
Vapour pressure (20°C)	: > 2300 Pa	
Relative vapour density	: > 1	(air = 1)
Relative density (20°C)	: 0,914 g/ml	
Particle characteristics	: Not applicable.	Liquid.

### 9.2. Other information

Other information : Not relevant.

## SECTION 10 STABILITY AND REACTIVITY

### 10.1. Reactivity

Reactivity : See sub-sections below.

### 10.2. Chemical stability

Stability : Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

### 10.4. Conditions to avoid

Conditions to avoid : See section 7.

### 10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.



# Safety data sheet

According to Regulation (EU) No 2020/878

## 10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.

## SECTION 11 TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

#### Inhalation

- Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause headache, dizziness and a feeling of sickness.
- Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

#### Skin contact

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Prolonged contact may dry out and defat the skin. Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

#### Eye contact

- Corrosion/irritation : Irritant.

#### Ingestion

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause hampered eyesight.
- Aspiration : Not expected to be an aspiration hazard. Contains a substance/substances with an aspiration hazard. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.
- Carcinogenicity : Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
- Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

#### Toxicological information:

Chemical name	Property		Method	Test animal
Ethanol	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - in vitro	Not genotoxic	OECD 476	
	Genotoxicity - in vivo	Not genotoxic	OECD 478	Mouse
	NOEL (carcinogenicity, oral)	> 4400 mg/kg bw/d		Mouse
	Eye irritation	Irritant	OECD 405	Rabbit
	LC50 (inhalation)	> 99999 mg/m3	OECD 403	Rat



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2020/878

	LD50 (oral)	10470 mg/kg bw	OECD 401	Rat
	NOAEL (development, oral)	6400 mg/kg bw/d		
	Skin sensitisation	Not sensitizing	OECD 406	Guinea pig
	NOAEL (fertility, oral)	20000 mg/kg bw/d	OECD 415	Rat
	NOAEL (oral)	2400 mg/kg bw/d		Rat
	NOAEL (inhalation)	23000 mg/m <sup>3</sup>		Rat
	LD50 (dermal)	15800 mg/kg bw	-----	Rabbit
	Skin irritation	Non-irritant	-----	Rabbit

Other information : Ethanediol There is a marked difference in acute oral toxicity between rodents and man, man being more susceptible than rodents. The estimated fatal dose for man is 100 millilitres (1/2 cup).

## 11.2. Information on other hazards

Endocrine disrupting properties : Not applicable.

Other information : Not applicable.

## SECTION 12 ECOLOGICAL INFORMATION

### 12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Calculated LC50 (fish): 319 mg/l. Calculated EC50 (waterflea): 167 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment. Not classified - based on available data, the classification criteria are not met.

### 12.2. Persistence and degradability

Persistence – degradability : No specific information known. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents.

### 12.3. Bioaccumulative potential

Bioaccumulative potential : Contains bioaccumulating substances.

### 12.4. Mobility in soil

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

### 12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

### 12.6. Endocrine disrupting properties

Endocrine disrupting properties : Not applicable.

### 12.7. Other adverse effects

Other adverse effects : Not applicable.

## SECTION 13 DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods





**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2020/878

Product residues	: Do not dispose empty pack with waste produced by households. Containers should be recycled or re-used. Treat product residues and non-empty pack as hazardous waste.
Additional warning	: Residues may cause an explosion hazard. Do not puncture, cut or weld uncleaned drums.
Waste water discharge	: Do not dispose into the environment, in drains or in water courses. Avoid discharge of waste water arising from tank cleaning to the environment.
European waste catalogue	: Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
Local legislation	: Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

## SECTION 14 TRANSPORT INFORMATION

### 14.1. UN number or ID number

UN nr. : UN 1170

### 14.2. UN proper shipping name

Transport name : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)  
Transport name (IMDG, IATA) : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

### 14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : 3  
Classification code : F1  
Packaging group : III  
Danger label : 3  
Tunnel restriction code : D/E



Other information : Not intended for carriage by tank-vessels on inland waterways.

IMDG (sea)

Class : 3  
Packaging group : III  
EmS (fire / spill) : F - E / S - D  
Marine pollutant : No

IATA (air)

Class : 3  
ERG code : 3L

### 14.6. Special precautions for user

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to the transport of this product.

### 14.7. Maritime transport in bulk according to IMO instruments



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2020/878

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

## SECTION 15 REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations. Regulation (EC) No 648/2004 (detergents). Directive 2008/98/EC (waste).

Ingredient declaration according to Regulation EC 648/2004:

Contains:	Concentration (%)
Anionic surfactants	< 5
Perfumes, DMDM hydantoin, Methylchloroisothiazolinone, Methylisothiazolinone.	

### 15.2. Chemical safety assessment

Chemical safety assessment : Not applicable.

## SECTION 16 OTHER INFORMATION

### 16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (\*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	: Acute Toxicity Estimate
CLP	: Classification, Labeling & Packaging
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
EEC	: European Economic Community
GHS	: Globally Harmonized System of Classification and Labelling of Chemicals
IATA	: International Air Transport Association
IBC code	: International Bulk Chemical Code
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2020/878

TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
UFI	: Unique formula identifier
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Flam. Liq. 3	: On basis of test data.
Eye Irrit. 2	: Calculation method.

Full text of hazard classes mentioned in section 3:

Flam. Liq. 2	: Flammable liquid, category 2.
Acute Tox. 4	: Acute toxicity, category 4.
Eye Dam. 1	: Serious eye damage, category 1.
Eye Irrit. 2	: Eye irritation, category 2.
STOT SE 3	: Specific target organ toxicity after single exposure, category 3.
STOT RE 2	: Specific target organ toxicity — repeated exposure, category 2.
Aquatic Chronic 2	: Hazardous to the aquatic environment — Chronic category 2.
Aquatic Acute 1	: Hazardous to the aquatic environment — Acute category 1.

Full text of H-phrases mentioned in section 3:

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

Advice on any training appropriate for workers: none.

Number format : "," used as decimal separator.

---

End of safety data sheet.

Print date : 2022-02-04