



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING *

1.1. Product identifier

Product name : SHELL PREMIUM AIR FRESHENER VANILLA
Product code : CRX723_P, AL64V

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC3 Air care products for vehicles. Airfreshener.

1.3. Details of the supplier of the safety data sheet

Supplier : Kemetyl Polska Sp. z o. o.
Al. Jerozolimskie 146
02-305 Warszawa, Poland
Telephone : +48 22 822 5390
E-mail : msds@kemetyl.com
Website : www.kemetyl.pl

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

PL - Telephone : +48 22 822 5390

(During office hours only)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification : Eye irritation, category 2. Hazardous to the aquatic environment — Chronic category 3. (1272/2008/EC)

Human health hazards : Causes serious eye irritation. May produce an allergic reaction.

Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives. Combustible.

Environmental hazards : Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements (1272/2008/EC):

Hazard pictograms :



Signal word : Warning

H- and P-phrases :

H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains ... May produce an allergic reaction. Reference is made to additional labelling for full text of EUH208*.
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P273	Avoid release to the environment.
P280 eyes only	Wear eye protection.
P501	Dispose of contents/container to an official chemical waste depot.



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms :



Signal word : Warning

H- and P-phrases : H412 Harmful to aquatic life with long lasting effects.
EUH208 Contains ... May produce an allergic reaction. Reference is made to additional labelling for full text of EUH208*.

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Additional labelling (for all packaging sizes)

: * Contains 3-p-Cumenyl-2-methylpropionaldehyde ; Butanedione . May produce an allergic reaction.

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
2,2,4,6,6-Pentamethylheptane	5 - < 10	13475-82-6	236-757-0		01-2119490725-29
3-Ethoxy-4-hydroxybenzaldehyde	5 - < 10	121-32-4	204-464-7		01-2119958961-24
Vanillin	1 - < 5	121-33-5	204-465-2		01-2119516040-60
Benzyl benzoate	2,5 - < 5	120-51-4	204-402-9		01-2119976371-33
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	0,1 - < 1	1222-05-5	214-946-9		01-2119488227-29
3-p-Cumenyl-2-methylpropionaldehyde	0,1 - < 1	103-95-7	203-161-7		01-2119970582-32
Butanedione	0,1 - < 1	431-03-8	207-069-8		
Reaction mass of: (E)-oxacyclohexadec-12-en-2-one; (E)-oxacyclohexadec-13-en-2-one	0,1 - < 1	34902-57-3	422-320-3		01-0000016883-62

Substance name	Hazard Class	H-phrases	Pictograms	
2,2,4,6,6-Pentamethylheptane	Flam. Liq. 3; Asp. Tox. 1; Aquatic Chronic 4	H226; H304; H413	GHS02; GHS08	
3-Ethoxy-4-hydroxybenzaldehyde	Eye Irrit. 2	H319	GHS07	
Vanillin	Eye Irrit. 2	H319	GHS07	
Benzyl benzoate	Acute Tox. 4; Aquatic Acute 1; Aquatic Chronic 2	H302; H400; H411	GHS07; GHS09	M (acute) = 1
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Aquatic Acute 1; Aquatic Chronic 1	H400; H410	GHS09	M (chronic) = 1
3-p-Cumenyl-2-methylpropionaldehyde	Skin Irrit. 2; Skin Sens. 1B; Aquatic Chronic 3	H315; H317; H412	GHS07	



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

Butanedione	Flam. Liq. 2; Acute Tox. 4; Skin Irrit. 2; Skin Sens. 1; Eye Dam. 1; Acute Tox. 3; STOT RE 2	H225; H302; H315; H317; H318; H331; H373	GHS02; GHS05; GHS06; GHS07; GHS08	
Reaction mass of: (E)-oxacyclohexadec-12-en-2-one; (E)-oxacyclohexadec-13-en-2-one	Aquatic Acute 1; Aquatic Chronic 1	H400; H410	GHS09	M (acute) = 1 M (chronic) = 1

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures

- Inhalation : Not applicable under normal conditions of use. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation occurs.
- Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor.
- Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

- Inhalation : No specific effects and/or symptoms are known.
- Skin contact : May produce an allergic reaction. May cause dry skin.
- Eye contact : Irritant. May cause redness and pain.
- Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

- Suitable : Carbondioxide (CO₂). Foam. Dry chemical. Water fog.
- Not suitable : Water jet. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

- Special exposure hazards : None known.
- Hazardous thermal decomposition products : Carbon monoxide may be evolved if incomplete combustion occurs.

5.3. Advice for firefighters

- Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

SECTION 6 ACCIDENTAL RELEASE MEASURES



Safety data sheet

According to Regulation (EU) No 2020/878

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike. Waste product should not be allowed to contaminate soil or water.

Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Keep away from sources of ignition — No smoking. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place. Keep away from oxidizing agents.

Recommended packaging : Keep only in the original container.

Non recommended packaging : None known.

7.3. Specific end use(s)

Use : Use only as directed.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour (mg/m ³)	STEL 15 min (mg/m ³)	Comments	Source
Butanedione	EC	0,07	0,36	-	Directive EU 2017/164

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

Benzyl benzoate	Inhalation Dermal		102 mg/m3		5,1 mg/m3 2,6 mg/kg bw/day 28,85 mg/kg bw/day
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Dermal				
3-p-Cumenyl-2-methylpropionaldehyde	Inhalation Inhalation Dermal			0,00743 mg/kg bw/day	5,29 mg/m3 5,83 mg/m3 1,67 mg/kg bw/day

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Benzyl benzoate	Inhalation Dermal		25 mg/m3		1,25 mg/m3 1,3 mg/kg bw/day
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Oral Dermal		78 mg/kg bw		0,4 mg/kg bw/day 14,43 mg/kg bw/day
3-p-Cumenyl-2-methylpropionaldehyde	Inhalation Oral Inhalation Dermal Oral			0,00372 mg/kg bw/day	1,3 mg/m3 0,75 mg/kg bw/day 1,45 mg/m3 0,83 mg/kg bw/day 0,83 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
3-Ethoxy-4-hydroxybenzaldehyde	Water	0,118 mg/l	0,0118 mg/l	
	Sediment	15 mg/kg	1,5 mg/kg	
	STP			10 mg/l
	Soil			2,923 mg/kg
Vanillin	Water	0,118 mg/l	0,0118 mg/l	
	Sediment	58,22 mg/kg	5,822 mg/kg	
	STP			10 mg/l
	Soil			11,54 mg/kg
Benzyl benzoate	Water	0,017 mg/l	0,002 mg/l	
	Sediment	10,66 mg/kg	1,07 mg/kg	
	STP			100 mg/l
	Soil			2,12 mg/kg
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Water	0,0044 mg/l	0,0004 mg/l	
	Sediment	2 mg/kg	0,394 mg/kg	
	Intermittent water			0,047 mg/l
	STP			1 mg/l
	Soil			0,31 mg/kg
	Oral			3,3 mg/kg food
3-p-Cumenyl-2-methylpropionaldehyde	Water	0,00109 mg/l	0,00011 mg/l	
	Sediment	0,126 mg/kg	0,013 mg/kg	
	Intermittent water			0,01092 mg/l
	STP			1 mg/l
	Soil			0,025 mg/kg
	Oral			33,3 mg/kg food

8.2. Exposure controls

Engineering measures : Comply with standard precautionary measures for working with chemicals.



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

- Body protection : Use of specific protective industrial clothing is not required under normal conditions of use. In case of large scale exposure wear suitable protective clothing, overalls or suit, and similar boots. Suitable material: laminated film. Indication of permeation breakthrough time: not known.
- Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
- Hand protection : Under normal conditions of use specific gloves are not required. Wear appropriate gloves in case of frequent or prolonged use and in case of large scale exposure. Suitable material: laminated film. \pm 0,5 mm. Indication of permeation breakthrough time: not known.
- Eye protection : Wear appropriate safety glasses with side shields, in accordance with EN 166, when there is danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	: Liquid.	Impregnated material.
Colour	: Light yellow.	
Odour	: Perfumed.	
Odour threshold	: Not known.	
pH	: Not applicable.	Waterfree product.
Solubility in water	: Not soluble.	
Partition coefficient (n-octanol/water)	: Not known.	Not measured. Not relevant for mixtures.
Flash point	: > 60 °C	Closed cup.
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: > 200 °C	
Boiling point/boiling range	: > 100 °C	
Melting point/melting range	: Not known.	
Explosive properties	: Not an explosive.	
Explosion limits (% in air)	: Not known.	
Oxidising properties	: Not applicable.	Does not contain oxidizing substances.
Decomposition temperature	: Not applicable.	
Viscosity (20°C)	: Not known.	
Viscosity (40°C)	: Not relevant.	The product contains < 10% substances having an aspiration hazard.
Vapour pressure (20°C)	: Not known.	
Relative vapour density	: > 1	(air = 1)
Relative density (20°C)	: 1 g/ml	
Particle characteristics	: Not applicable.	Liquid.

9.2. Other information

Other information : Not relevant.

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation

Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: 12 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.

Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.

Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met. Does not contain carcinogenic substances.

Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

Skin contact

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 5000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation : Slight irritation possible. Not classified - based on available data, the classification criteria are not met.

Sensitisation : May produce an allergic reaction.

Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

Eye contact

Corrosion/irritation : Irritant.

Ingestion

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.

Aspiration : Contains a substance/substances with an aspiration hazard. Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.

Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.

Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
3-Ethoxy-4-hydroxybenzaldehyde	Skin irritation	Mildly irritant	-----	Human
	LD50 (oral)	> 3160 mg/kg bw	OECD 401	Rat
	LD50 (dermal)	> 2000 mg/kg bw	OECD 402	Rat
	Skin irritation	Slightly irritant	OECD 404	Rabbit
	Skin sensitisation	Not sensitizing	OECD 429	Mouse
	NOAEL (oral)	500 mg/kg bw/d		Rat
	Genotoxicity - in vitro	Not genotoxic		
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	NOAEL (development) - estimate	Not teratogenic	Read across	
	Eye irritation	Irritant	OECD 405	Rabbit
	Genotoxicity - in vivo	Negative	OECD 474	Mouse
Vanillin	NOEL (carcinogenicity, oral)	Not carcinogenic	-----	Rat
	LD50 (oral)	> 3500 mg/kg bw	-----	Rat
	LD50 (dermal)	> 5010 mg/kg bw		Rabbit
	Skin sensitisation	Sensitizing.		Guinea pig
	Skin irritation	Non-irritant	-----	Rabbit
	Eye irritation	Slightly irritant	-----	Rabbit
	NOEL (carcinogenicity, oral)	Not carcinogenic	-----	Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	NOEL (oral)	2500 mg/kg bw/d		Rat
	NOAEL (development, oral)	> 500 mg/kg bw/d	-----	Rat
	3-p-Cumenyl-2-methylpropionaldehyde	Genotoxicity - in vitro	Not genotoxic	OECD 473
NOAEL (oral)		> 650 mg/kg bw/d	OECD 408	Rat
Skin sensitisation		5575 ug/cm ²	OECD 429	Mouse
NOAEL (oral)		300 mg/kg bw/d		Rabbit
Skin irritation		Slightly irritant		Rabbit
LD50 (oral)		3810 mg/kg bw	-----	Rat
NOAEL (fertility, oral)		25 mg/kg bw/d	OECD 415	Rat
Mutagenicity		Negative	OECD 471	Salmonella typhimurium
Genotoxicity - in vivo		> 2000 mg/kg bw/d	Read across	Mouse
Eye irritation		Non-irritant		Rabbit
Butanedione		LD50 (dermal)	> 5000 mg/kg bw	-----
	LC50 (inhalation)	> 2250 mg/m ³		Rat
	Skin irritation	Moderately irritant	OECD 404	Rabbit
	LD50 (oral)	1580 mg/kg bw	-----	Rat
	LD50 (dermal)	> 5000 mg/kg bw	-----	Rabbit
	NOAEL (development, oral)	Not teratogenic		Mouse
	Mutagenicity	Mutagenic		Salmonella typhimurium
	Genotoxicity - in vitro	Not genotoxic	OECD 475	
	NOAEL (oral)	> 90 mg/kg bw/d		Rat

11.2. Information on other hazards

Endocrine disrupting properties : Not applicable.



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

Other information : Not applicable.

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Harmful to aquatic organisms. Calculated LC50 (fish): 33 mg/l. Calculated EC50 (waterflea): 23 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment.

12.2. Persistence and degradability

Persistence – degradability : May cause long-term adverse effects in the aquatic environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : Contains bioaccumulating substances.

12.4. Mobility in soil

Mobility : Adsorbs to soil and has low mobility.

12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Endocrine disrupting properties

Endocrine disrupting properties : Not applicable.

12.7. Other adverse effects

Other adverse effects : Not applicable.

Ecological information:

Chemical name	Property		Method	Test animal
Benzyl benzoate	IC50 (algae)	0,475 mg/l	OECD 201	Pseudokirchnerella subcapitata
	LC0 (fish)	1,9 mg/l	OECD 203	Brachydanio rerio
	LC100 (fish)	2,84 mg/l	OECD 203	Brachydanio rerio
	Ultimate aerobic biodegradation (%)	94 %	OECD 301 F	
	LC50 (fish)	2,32 mg/l	OECD 203	Brachydanio rerio
	EC50 (waterflea)	3,09 mg/l	OECD 202	Daphnia magna
	NOEC (waterflea) - chronic	0,258 mg/l.d	OECD 211	Daphnia magna
	Log P(ow)	3,97		
	BCF	24		
	1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Ultimate aerobic biodegradation (%)	2 %	OECD 301 B
IC50 (algae)		> 0,85 mg/l	OECD 201	Pseudokirchnerella subcapitata
NOEC (waterflea) - chronic		0,111 mg/l.d	OECD 202	Daphnia magna
LC50 (fish)		1,36 mg/l	OECD 204	Lepomis macrochirus
NOEC (fish)		0,068 mg/l.d	OECD 210	Pimephales promelas
EC50 (waterflea)		0,47 mg/l	-----	-----
Log P(ow)		5,9		



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

Reaction mass of: (E)-oxacyclohexadec-12-en-2-one; (E)-oxacyclohexadec-13-en-2-one	BCF	1584		
	NOEC (fish)	0,52 mg/l	OECD 203	Oncorhynchus mykiss
	LC50 (fish)	2,0 mg/l	OECD 203	Oncorhynchus mykiss
	EC50 (waterflea)	0,48 mg/l	OECD 202	Daphnia magna
	Log P(ow)	5,02		

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

- Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues, impregnated wipes and non-empty pack as hazardous waste.
- Additional warning : None.
- Waste water discharge : Do not dispose of into the environment, drains, sewers or water courses.
- European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
- Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number or ID number

UN nr. : None.

14.2. UN proper shipping name

Transport name : Not regulated.

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : This product is not classified according to ADR/RID/ADN.

IMDG (sea)

Class : This product is not classified according to IMDG.

Marine pollutant : No

IATA (air)

Class : This product is not classified according to IATA.

14.6. Special precautions for user

Other information : Country specific variations may apply.

14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations. Directive 2008/98/EC (waste).

15.2. Chemical safety assessment

Chemical safety assessment : Not applicable.

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	: Acute Toxicity Estimate
CLP	: Classification, Labeling & Packaging
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
EEC	: European Economic Community
GHS	: Globally Harmonized System of Classification and Labelling of Chemicals
IATA	: International Air Transport Association
IBC code	: International Bulk Chemical Code
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
UFI	: Unique formula identifier
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Eye Irrit. 2	: Calculation method.
Aquatic Chronic 3	: Calculation method.

Full text of hazard classes mentioned in section 3:



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

Flam. Liq. 2	: Flammable liquid, category 2.
Flam. Liq. 3	: Flammable liquid, category 3.
Acute Tox. 3	: Acute toxicity, category 3.
Acute Tox. 4	: Acute toxicity, category 4.
Skin Irrit. 2	: Skin irritation, category 2.
Eye Dam. 1	: Serious eye damage, category 1.
Eye Irrit. 2	: Eye irritation, category 2.
Skin Sens. 1/1A/1B	: Skin sensitization, category 1/1A/1B.
STOT RE 2	: Specific target organ toxicity — repeated exposure, category 2.
Asp. Tox. 1	: Aspiration hazard, category 1.
Aquatic Chronic 1	: Hazardous to the aquatic environment — Chronic category 1.
Aquatic Chronic 2	: Hazardous to the aquatic environment — Chronic category 2.
Aquatic Chronic 3	: Hazardous to the aquatic environment — Chronic category 3.
Aquatic Chronic 4	: Hazardous to the aquatic environment — Chronic category 4.
Aquatic Acute 1	: Hazardous to the aquatic environment — Acute category 1.

Full text of H-phrases mentioned in section 3:

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H331	Toxic if inhaled.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Advice on any training appropriate for workers: none.

Number format : ", " used as decimal separator.

End of safety data sheet.

Print date : 2023-06-16