



# Safety data sheet

According to Regulation (EU) No 2020/878

## SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING \*

### 1.1. Product identifier

Product name : SHELL MOTOR FLUSH  
Product code : CRX725, AC42M; AC42I

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC35 Other vehicle (all types) cleaning and care products.

### 1.3. Details of the supplier of the safety data sheet

Supplier : Kemetyl Polska Sp. z o. o.  
Al. Jerozolimskie 146  
02-305 Warszawa, Poland  
Telephone : +48 22 822 5390  
E-mail : msds@kemetyl.com  
Website : www.kemetyl.com

### 1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

PL - Telephone : +48 22 822 5390

(During office hours only)

## SECTION 2 HAZARDS IDENTIFICATION \*

### 2.1. Classification of the substance or mixture

CLP classification : Aspiration hazard, category 1.  
(1272/2008/EC)

Human health hazards : May be fatal if swallowed and enters airways. Repeated exposure may cause skin dryness or cracking.

Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives. Combustible.

Environmental hazards : Not classified as dangerous according to statutory EC-Directives.

### 2.2. Label elements

Label elements (1272/2008/EC):

Hazard pictograms :



Signal word : Danger

H- and P-phrases : H304 May be fatal if swallowed and enters airways.  
EUH066 Repeated exposure may cause skin dryness or cracking.  
P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
P331 Do NOT induce vomiting.  
P405 Store locked up.  
P501 Dispose of contents/container to an official chemical waste depot.



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2020/878

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms :



Signal word : Danger

H- and P-phrases :

H304	May be fatal if swallowed and enters airways.
EUH066	Repeated exposure may cause skin dryness or cracking.
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.
P405	Store locked up.
P501	Dispose of contents/container to an official chemical waste depot.

Additional labelling (for all packaging sizes)

: Contains: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics ; Distillates (petroleum), hydrotreated light naphthenic .

Other information : According to regulation (EC) 1272/2008, Annex II, part 3, the packaging of this product shall carry a tactile warning of danger and a child-resistant fastening.

### 2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

## SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

### 3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	50 - 75	-----	918-481-9		01-2119457273-39
Distillates (petroleum), hydrotreated light naphthenic	25 - < 50	64742-53-6	265-156-6		01-2119480375-34
2-(2-Butoxyethoxy)ethanol	5 - < 10	112-34-5	203-961-6		01-2119475104-44
Hydrocarbons, C10, aromatics, <1% naphthalene	0,1 - < 1	1189173-42-9	918-811-1		01-2119463583-34
2-Ethylhexan-1-ol	0,1 - < 1	104-76-7	203-234-3		01-2119487289-20

Substance name	Hazard Class	H-phrases	Pictograms
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Asp. Tox. 1	H304; EUH066	GHS08
Distillates (petroleum), hydrotreated light naphthenic	Asp. Tox. 1	H304	GHS08
2-(2-Butoxyethoxy)ethanol	Eye Irrit. 2	H319	GHS07
Hydrocarbons, C10, aromatics, <1% naphthalene	Asp. Tox. 1; STOT SE 3; Aquatic Chronic 2	H304; H336; H411; EUH066	GHS07; GHS08; GHS09
2-Ethylhexan-1-ol	Skin Irrit. 2; Eye Irrit. 2; Acute Tox. 4; STOT SE 3	H315; H319; H332; H335	GHS07

Product name : Shell Motor Flush

Date of issue : 2022-05-30

Replaces issue dated

: 2022-03-28

Page 2/11

INFO CARE SDS



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2020/878

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

## SECTION 4 FIRST-AID MEASURES

### 4.1. Description of first aid measures

First aid measures

- Inhalation : Move victim into fresh air. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation persists.
- Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists.
- Ingestion : Do not induce vomiting. Give nothing to drink. Do not rinse the mouth. As necessary give 1 or 2 soupspoons of laxative (sodium sulphate). Never give anything by mouth to an unconscious person. Consult a doctor immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

- Inhalation : May cause headache, dizziness and a feeling of sickness.
- Skin contact : Repeated exposure may cause skin dryness or cracking.
- Eye contact : May cause stinging of eyes and redness.
- Ingestion : May cause a feeling of sickness, vomiting and diarrhoea. May cause lung damage, sore throat and lack of breath.

### 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

## SECTION 5 FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media

Extinguishing media

- Suitable : Carbondioxide (CO<sub>2</sub>). Foam. Dry chemical. Water fog.
- Not suitable : Water jet. Use of heavy stream of water may spread fire.

### 5.2. Special hazards arising from the substance or mixture

- Special exposure hazards : Will float on water and can be reignited.
- Hazardous thermal decomposition products : Carbon monoxide may be evolved if incomplete combustion occurs.

### 5.3. Advice for firefighters

Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

## SECTION 6 ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2020/878

## 6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike.

Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

## 6.4. Reference to other sections

Reference to other sections : See also section 8.

## SECTION 7 HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Keep away from sources of ignition — No smoking. Do not breathe vapour. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep in a cool, dry and well-ventilated place. Keep away from oxidizing agents. Keep away from food, drink and animal feedingstuffs.

Recommended packaging : Keep only in the original container.

Non recommended packaging : PE and PP.

### 7.3. Specific end use(s)

Use : Use only as directed.

## SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m<sup>3</sup>):

Chemical name	Country	TWA 8 hour (mg/m <sup>3</sup> )	STEL 15 min (mg/m <sup>3</sup> )	Comments	Source
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics		1200	-	-	CEFIC-HSPA
2-(2-Butoxyethoxy)ethanol	EC	67,5	101,2	-	Directive 2006/15/EG
2-(2-Butoxyethoxy)ethanol	GB	67,5	101,2	-	
Hydrocarbons, C10, aromatics, <1% naphthalene		100	-	CEFIC-HSPA	
2-Ethylhexan-1-ol		5,42	-	SCOEL (2011)	

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term	DNEL, long-term



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2020/878

		Local effect	Systemic effect	Local effect	Systemic effect
Distillates (petroleum), hydrotreated light naphthenic	Inhalation			5,6 mg/m <sup>3</sup>	2,7 mg/m <sup>3</sup>
2-(2-Butoxyethoxy)ethanol	Dermal				1 mg/kg bw/day
	Inhalation	101,2 mg/m <sup>3</sup>		67,5 mg/m <sup>3</sup>	67,5 mg/m <sup>3</sup>
Hydrocarbons, C10, aromatics, <1% naphthalene	Dermal				83 mg/kg bw/day
	Dermal				12,5 mg/kg bw/day
2-Ethylhexan-1-ol	Inhalation				151 mg/m <sup>3</sup>
	Inhalation	106,4 mg/m <sup>3</sup>			53,2 mg/m <sup>3</sup>
	Dermal				23 mg/kg bw/day

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Distillates (petroleum), hydrotreated light naphthenic	Oral				0,74 mg/kg bw/day
2-(2-Butoxyethoxy)ethanol	Inhalation	60,7 mg/m <sup>3</sup>		40,5 mg/m <sup>3</sup>	40,5 mg/m <sup>3</sup>
	Dermal				50 mg/kg bw/day
Hydrocarbons, C10, aromatics, <1% naphthalene	Oral				5 mg/kg bw/day
	Oral				7,5 mg/kg bw/day
2-Ethylhexan-1-ol	Inhalation				32 mg/m <sup>3</sup>
	Dermal				7,5 mg/kg bw/day
	Inhalation	53,2 mg/m <sup>3</sup>			2,3 mg/m <sup>3</sup>
	Dermal				11,4 mg/kg bw/day
	Oral				1,1 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Distillates (petroleum), hydrotreated light naphthenic	Oral			9,33 mg/kg food
2-(2-Butoxyethoxy)ethanol	Water	1.1 mg/l	0.11 mg/l	
	Sediment	4.4 mg/kg	0.44 mg/kg	
	Intermittent water			3,9 mg/l
	STP			200 mg/l
	Soil			0.32 mg/kg
2-Ethylhexan-1-ol	Oral			56 mg/kg food
	Water	0,017 mg/l	0,0017 mg/l	
	Sediment	0,28 mg/kg	0,028 mg/kg	
	Intermittent water			0,17 mg/l
	STP			10 mg/l
	Soil			0,047 mg/kg
	Oral			55 mg/kg food

## 8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2020/878

Body protection	: Use of specific protective industrial clothing is not required under normal conditions of use. In case of large scale exposure wear suitable protective clothing, overalls or suit, and similar boots. Suitable material: nitril. Indication of permeation breakthrough time: 6 hours.
Respiratory protection	: Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
Hand protection	: Under normal conditions of use specific gloves are not required. Wear appropriate gloves in case of frequent or prolonged use and in case of large scale exposure. Suitable material: nitril. ± 0,5 mm. Indication of permeation breakthrough time: 6 hours.
Eye protection	: Wear appropriate safety glasses when there is danger of possible eye contact.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid.	
Colour	: Colourless.	
Odour	: Characteristic.	
Odour threshold	: Not known.	
pH	: Not applicable.	Waterfree product.
Solubility in water	: Not soluble.	
Partition coefficient (n-octanol/water)	: Not known.	Not measured. Not relevant for mixtures.
Flash point	: 62 °C	
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: > 200 °C	
Boiling point/boiling range	: 185 °C	
Melting point/melting range	: < -20 °C	
Explosive properties	: Not an explosive.	
Explosion limits (% in air)	: Not known.	Lower explosion limit in air (%): 0,6 ( Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics ) Upper explosion limit in air (%): 7 ( Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics )
Oxidising properties	: Not oxidizing.	Does not contain oxidizing substances.
Decomposition temperature	: Not applicable.	
Viscosity (20°C)	: < 7 mm <sup>2</sup> /sec	(1 mm <sup>2</sup> /sec = 1cSt)
Viscosity (40°C)	: < 7 mm <sup>2</sup> /sec	
Vapour pressure (20°C)	: Not known.	
Relative vapour density	: > 1	(air = 1)
Relative density (20°C)	: Not known.	
Particle characteristics	: Not applicable.	Liquid.

### 9.2. Other information

Other information : Not relevant.

## SECTION 10 STABILITY AND REACTIVITY

### 10.1. Reactivity

Reactivity : See sub-sections below.

### 10.2. Chemical stability

Stability : Stable under normal conditions.



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2020/878

## 10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

## 10.4. Conditions to avoid

Conditions to avoid : See section 7.

## 10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

## 10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.

## SECTION 11 TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

#### Inhalation

- Acute toxicity : Calculated LC50: > 2,352 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause headache, dizziness and a feeling of sickness.
- Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

#### Skin contact

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Slight irritation possible. Repeated exposure may cause skin dryness or cracking. Prolonged contact may dry out and defat the skin. Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Does not contain skin sensitisers. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

#### Eye contact

- Corrosion/irritation : Slight irritation possible. Not classified - based on available data, the classification criteria are not met.

#### Ingestion

- Acute toxicity : Calculated LD50: > 2844 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Aspiration : Aspiration into the lungs when swallowed or vomited may cause chemical pneumonitis which can be fatal. If swallowed, if any of the following delayed signs and symptoms appear within the next 6 hours, transport to the nearest medical facility: fever greater than 38.3° C, shortness of breath, chest congestion or continued coughing or wheezing.
- Corrosion/irritation : May cause a feeling of sickness, stomachache, vomiting and diarrhoea.



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2020/878

- Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
- Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

## Toxicological information:

Chemical name	Property		Method	Test animal
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Eye irritation - estimate	Non-irritant	----	----
	LD50 (oral) - estimate	> 5000 mg/kg bw	OECD 401	Rat
	LD50 (dermal) - estimate	> 5000 mg/kg bw	OECD 402	Rabbit
	Skin irritation	Slightly irritant	----	----
	Mutagenicity	Not mutagenic	----	----
	NOEL (carcinogenicity) - estimate	Not carcinogenic	----	----
	Respiratory irritation - estimate	Non-irritant	----	----
	NOAEL (development) - estimate	Not teratogenic	----	----
	NOAEL (fertility) - estimate	Not reprotoxic	----	----
	LC50 (inhalation)	> 5610 mg/m3	OECD 403	Rat
	NOAEL (oral) - estimate	> 5000 mg/kg bw/d	Read across	Rat
	NOAEL (inhalation) - estimate	> 1160 mg/m3	Read across	Rat
	Skin sensitisation - estimate	Not sensitizing	Read across	Guinea pig
	Distillates (petroleum), hydrotreated light naphthenic	LD50 (oral)	> 5000 mg/kg bw	OECD 401
LC50 (inhalation)		> 5530 mg/m3	OECD 403	Rat
LD50 (dermal)		> 5000 mg/kg bw	OECD 402	Rabbit
Skin irritation		Non-irritant	OECD 404	Rabbit
Eye irritation		Non-irritant	OECD 405	Rabbit
Skin sensitisation		Not sensitizing	OECD 406	Guinea pig
NOAEL (inhalation)		220 mg/m3	----	Rat
NOAEL (dermal)		1000 mg/kg bw/d	OECD 410	Rabbit
NOEL (carcinogenicity) - estimate		Not carcinogenic	----	----
Mutagenicity - estimate		Not mutagenic	----	----

## 11.2. Information on other hazards

- Endocrine disrupting properties : Not applicable.
- Other information : Not applicable.

## SECTION 12 ECOLOGICAL INFORMATION

### 12.1. Toxicity

No ecotoxicological research has been carried out on this product.





**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2020/878

Ecotoxicity : Calculated LC50 (fish): 72 mg/l. Calculated EC50 (waterflea): 111 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment. Not classified - based on available data, the classification criteria are not met. May form an oil film on the water surface causing a decline in oxygen content with possible adverse effects for aquatic organisms.

## 12.2. Persistence and degradability

Persistence – degradability : No specific information known.

## 12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

## 12.4. Mobility in soil

Mobility : Adsorbs to soil and has low mobility. Floats on water.

## 12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

## 12.6. Endocrine disrupting properties

Endocrine disrupting properties : Not applicable.

## 12.7. Other adverse effects

Other adverse effects : Not applicable.

## SECTION 13 DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.

Additional warning : None.

Waste water discharge : Do not dispose of into the environment, drains, sewers or water courses.

European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.

Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

## SECTION 14 TRANSPORT INFORMATION

### 14.1. UN number or ID number

UN nr. : None.

### 14.2. UN proper shipping name

Transport name : Not regulated.

### 14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : This product is not classified according to ADR/RID/ADN.

IMDG (sea)



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2020/878

Class : This product is not classified according to IMDG.  
Marine pollutant : No  
IATA (air)  
Class : This product is not classified according to IATA.

## 14.6. Special precautions for user

Other information : Country specific variations may apply.

## 14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

## SECTION 15 REGULATORY INFORMATION \*

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations. Directive 2008/98/EC (waste).

### 15.2. Chemical safety assessment

Chemical safety assessment : Not applicable.

## SECTION 16 OTHER INFORMATION

### 16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (\*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road  
ATE : Acute Toxicity Estimate  
CLP : Classification, Labeling & Packaging  
CMR : Carcinogenic, Mutagenic or toxic for Reproduction  
EEC : European Economic Community  
GHS : Globally Harmonized System of Classification and Labelling of Chemicals  
IATA : International Air Transport Association  
IBC code : International Bulk Chemical Code  
IMDG : International Maritime Dangerous Goods Code  
LD50/LC50 : Lethal Dose/Concentration for 50% of a population  
MAC : Maximum Allowable Concentration  
MARPOL : International Convention for the Prevention of Pollution From Ships  
NO(A)EL : No Observed (Adverse) Effect Level  
OECD : Organisation for Economic Co-operation and Development  
PBT : Persistent, Bioaccumulative and Toxic  
PC : Chemical product category



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2020/878

PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
UFI	: Unique formula identifier
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Asp. Tox. 1 : Expert judgement. Calculation method.

Full text of hazard classes mentioned in section 3:

Acute Tox. 4	: Acute toxicity, category 4.
Skin Irrit. 2	: Skin irritation, category 2.
Eye Irrit. 2	: Eye irritation, category 2.
STOT SE 3	: Specific target organ toxicity after single exposure, category 3.
Asp. Tox. 1	: Aspiration hazard, category 1.
Aquatic Chronic 2	: Hazardous to the aquatic environment — Chronic category 2.

Full text of H-phrases mentioned in section 3:

H332	Harmful if inhaled.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

Advice on any training appropriate for workers: none.

Number format : ", " used as decimal separator.

---

End of safety data sheet.

Print date : 2022-07-01