

According to Regulation (EU) No 2020/878

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

1.1.1 Todact identifier			
Product name Product code	: SHELL AIRCON & INTE : CRX759, 50450; AC59T		
1.2. Relevant identified us	ses of the substance or mi	xture and uses advised against	
Application	: SU21 Consumer product	t. PC3 Air care products for vehicles	. Airfreshener.
1.3. Details of the supplie	r of the safety data sheet		
Supplier	: Kemetyl Polska Sp. z o. Al. Jerozolimskie 146 02-305 Warszawa, Pola		
Telephone	: +48 22 822 5390		
E-mail Website	: msds@kemetyl.com : www.kemetyl.pl		
1.4. Emergency telephone	e number		
EMERGENCY TELEPHON PL - Telephone	E NUMBER, for DOCTORS : +48 22 822 5390	/FIRE BRIGADE/POLICE only:	(During office hours only)
EMERGENCY TELEPHON Numer alarmowy	E NUMBER (for DOCTORS	only): 112 (Pogotowie ratunkowe 999; Straż pożarna 998; Policja 997)	(24/7)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification (1272/2008/EC)	: Aerosols, category 1. Eye irritation, category 2.
Human health hazards	: Causes serious eye irritation. Exposure to high vapour concentrations may result in a narcotic effect. Use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.
Physical/chemical hazards	: Extremely flammable. Keep away from sources of ignition — No smoking. Do not spray on a naked flame or any incandescent material. Do not spray near fire, sources of heat or live electrical equipment. Aerosol may explode from internal pressure build-up when exposed to temperatures exceeding 50 °C.
Environmental hazards Other information	 Not classified as dangerous according to statutory EC-Directives. Caution: Do not breathe spray. Spray in short intervals for a short period only. Ventilate well after use. Harmful to house pets.

2.2. Label elements

Label elements ((EU) 1272/2008): Hazard pictograms :



Signal word

: Danger



According to Regulation (EU) No 2020/878

H- and P-phrases Extremely flammable aerosol. : H222 Pressurised container: May burst if heated. H229 Causes serious eye irritation. H319 If medical advice is needed, have product container or label at hand. P101 Keep out of reach of children. P102 Keep away from heat, hot surfaces, sparks, open flames and other ignition P210 sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:



Signal word	: Danger	
H- and P-phrases	: H222	Extremely flammable aerosol.
	H229	Pressurised container: May burst if heated.
	P101	If medical advice is needed, have product container or label at hand.
	P102	Keep out of reach of children.
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P211	Do not spray on an open flame or other ignition source.
	P251	Do not pierce or burn, even after use.
	P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards

Hazard pictograms

Other information

tion
 The classification of this product is based on the non-aerosolised form of the mixture (on basis of section 1.1.3.7. of Regulation (EC) No 1272/2008). Does not contain PBT or vPvB substances. Human health: This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605. Environment: This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
Ethanol	25 - < 50	64-17-5	200-578-6		01-2119457610-43
Butane	25 - < 50	106-97-8	203-448-7		01-2119474691-32
Propane	10 - < 25	74-98-6	200-827-9		01-2119486944-21
sobutane	2,5 - < 10	75-28-5	200-857-2		01-2119485395-27
Propan-2-ol	1 - < 2,5	67-63-0	200-661-7		01-2119457558-25
Substance name	Hazard Class	H-pl	nrases	Pictograms	
Ethanol	Flam. Liq. 2; Ey	ye Irrit. 2 H22	5; H319	GHS02; GHS07	H319 : C >= 50 %



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

Butane	Flam. Gas 1A; Press. Gas	H220; H280	GHS02; GHS04
Propane	Flam. Gas 1A; Press. Gas	H220; H280	GHS02; GHS04
Isobutane	Flam. Gas 1A; Press. Gas	H220; H280	GHS02; GHS04
Propan-2-ol	Flam. Liq. 2; Eye Irrit. 2; STOT SE 3	H225; H319; H336	GHS02; GHS07

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures	
Inhalation	: Not applicable under normal conditions of use. Consult a doctor if victim feels unwell.
Skin contact	: Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up.
Eye contact Ingestion	 Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor. Aerosol or mist: Ingestion is unlikely to occur.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms	
Inhalation	: No specific effects and/or symptoms are known.
Skin contact	: May cause dry skin.
Eye contact	: Irritant. May cause redness and pain.
Ingestion	: Aerosol or mist: Ingestion is unlikely to occur.
3	

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media	
Suitable	: Carbondioxide (CO2). Alcohol resistant foam. Dry chemical. Water fog.
Not suitable	: Water jet. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards	 Aerosol may explode from internal pressure build-up when exposed to temperatures exceeding 50 °C. Do not expose emergency personnel to overheated aerosol containers. Water may be used to cool container and prevent explosion of the aerosol.
Hazardous thermal decomposition and combustion products	: Carbon monoxide may be evolved if incomplete combustion occurs.

5.3. Advice for firefighters

Special protective	:	Fight a fire where aerosols are involved from a protected position. Use adequate respiratory
equipment for fire-fighters		equipment in case of insufficient ventilation.



According to Regulation (EU) No 2020/878

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Do not breathe vapours and/or spray. Keep away from sources of ignition — No smoking. Build up of highly flammable gasses involves an explosion risk. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water.
Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Collect aerosol cans in an approved container. Do not pierce aerosols. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Н	ar	١d	lir	٦C

g : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Important: Pressurized container; protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Keep away from sources of ignition — No smoking. Do not spray on a naked flame or any incandescent material. Do not spray near fire, sources of heat or live electrical equipment. Electrostatic discharge may cause fire. Ensure electrical continuity by bonding and grounding (earthing) all equipment. Do not breathe spray. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage	: Keep away from oxidizing agents. Keep frost-free, in a cool (< 35°), dry and well-ventilated place.
	Protect from sunlight and keep away from heat.

Recommended packaging : Not applicable.

```
7.3. Specific end use(s)
```

Use : Use only as directed.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour	STEL 15 min	Comments	Source
		(mg/m3)	(mg/m3)		



According to Regulation (EU) No 2020/878

Kemetyl

Source

Ethanol		260	1900	-	MAC: NL
	GB	1920	-	-	
Butane	GB	1450	1810	-	
		1450	1810		MAC: UK
Propane		1800	-		MAC: BG, PL, CH, SL,
					etc
Isobutane		1900	2400		MAC: FI, BE, CH
Propan-2-ol	GB	999	1250	-	

Biological limit values (BMGV):

Substance	Country	Determinant	BMG-value	Specimen/Sampling
				Time/Remarks
			None known.	

Abbreviations BMG-list : B = Blood. U = Urine. b = At the end of the period of exposure. d = pre-shift. : EH40/2005 (Fourth edition, 2020).

Derived no-effect level (DNEL) for workers:

Chemical name	Route of	DNEL, short-term		DNEL, long-term	
	exposure				
		Local effect	Systemic effect	Local effect	Systemic effect
Ethanol	Inhalation	1900 mg/m3			950 mg/m3
	Dermal				343 mg/kg bw/day
Propan-2-ol	Dermal				888 mg/kg bw/day
	Inhalation				500 mg/m3

Derived no-effect level (DNEL) for consumers:

Chemical name Route of		DNEL, short-t	DNEL, short-term		DNEL, long-term	
	exposure					
	·	Local effect	Systemic effect	Local effect	Systemic effect	
Ethanol	Inhalation	950 mg/m3		ĺ	114 mg/m3	
	Dermal				206 mg/kg bw/day	
	Oral				87 mg/kg bw/day	
Propan-2-ol	Dermal				319 mg/kg bw/day	
	Inhalation				89 mg/m3	
	Oral				26 mg/kg bw/day	

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Ethanol	Water	0,96 mg/l	0,79 mg/l	
	Sediment	3,6 mg/kg	2,9 mg/kg	
	Intermittent water			2,75 mg/l
	STP			580 mg/l
	Soil			0,63 mg/kg
	Oral			0,72 mg/kg food
Propan-2-ol	Water	140,9 mg/l	140,9 mg/l	
	Sediment	552 mg/kg	552 mg/kg	
	Intermittent water			140,9 mg/l
	STP			2251 mg/l
	Soil			28 mg/kg
	Oral			160 mg/kg food

8.2. Exposure controls

Engineering measures Hygienic measures

: Comply with standard precautionary measures for working with chemicals.

: When using do not eat, drink or smoke.

Personal protective equipment:



According to Regulation (EU) No 2020/878

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection	: Use of specific protective industrial clothing is not required under normal conditions of use. Suitable material: nitril.
Respiratory protection	 Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
Hand protection Eye protection	 Under normal conditions of use specific gloves are not required. Suitable material: nitril. ± 0,5 mm. Wear appropriate safety glasses with side shields, in accordance with EN 166, when there is danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	: Aerosol.	
Colour	: Colourless.	
Odour	: Characteristic.	
Odour threshold	: Not known.	
pН	: Not applicable.	Waterfree product.
Solubility in water	:	Active ingredients not soluble. Propellant(s) not soluble.
Partition coefficient (n-oc-	: Not known.	Not measured. Not relevant for mixtures.
tanol/water)		
Flash point	: Not applicable.	Not measurable.
Flammability (solid, gas)	: Extremely flammable.	Contains ≥ 85% flammable components and has a heat of combustion ≥
	-	30 kJ/g.
Auto ignition temperature	: Not applicable.	Aerosol container explodes before reaching the auto-ignition point.
Boiling point/boiling range	: Not known.	Not measurable.
Melting point/melting range	e : Not known.	
Explosive properties	:	Pressurised container: May burst if heated.
Explosion limits (% in air)	: 1,5 - 15	
Oxidising properties	: Not applicable.	Does not contain oxidizing substances.
Decomposition temperature	re: Not applicable.	Aerosol explodes before reaching the decomposition temperature.
Viscosity (20°C)	: Not known.	Not measurable.
Viscosity (40°C)	: Not known.	Not measurable.
Vapour pressure (20°C)	: 830000 Pa	
Relative vapour density	: Not known	(air = 1)
Relative density (20°C)	: 0,65 g/ml	
Particle characteristics	: Not applicable.	Liquid.
9.2. Other information		

Other information

: Not relevant.

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity	
Reactivity	: See sub-sections below.
10.2. Chemical stability	
Stability	: Stable under normal conditions.
10.2 Descibility of boros	deus resetiens

10.3. Possibility of hazardous reactions



According to Regulation (EU) No 2020/878

Kemetyl

Reactivity

: No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : Keep away from sources of ignition and sources of heat. See section 7.

10.5. Incompatible materials

Materials to avoid : Not applicable.

10.6. Hazardous decomposition products

Hazardous decomposition : Not known. products

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation	
Acute toxicity	: Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	: May cause irritation to respiratory airways and coughing. Not classified - based on available data, the classification criteria are not met.
Sensitisation	: Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
Carcinogenicity	: Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
Skin contact	
Acute toxicity	 Calculated LD50: 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 5000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	 Prolonged contact may dry out and defat the skin. Not classified - based on available data, the classification criteria are not met.
Sensitisation	: Does not contain skin sensitisers. Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
Eye contact	
Corrosion/irritation	: Irritant.
Ingestion	
Acute toxicity	 Aerosol or mist: Ingestion is unlikely to occur. Calculated LD50: 1123 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause hampered eyesight.
Aspiration	: Not classified - based on available data, the classification criteria are not met. Does not contain substances with an aspiration hazard.
Corrosion/irritation	 Aerosol or mist: Ingestion is unlikely to occur. May cause a feeling of sickness, vomiting and diarrhoea.
Carcinogenicity	 Aerosol or mist: Ingestion is unlikely to occur. Not classified - based on available data, the classification criteria are not met.
Mutagenicity	 Aerosol or mist: Ingestion is unlikely to occur. Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.



According to Regulation (EU) No 2020/878

Reprotoxicity

: Aerosol or mist: Ingestion is unlikely to occur. Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
Ethanol	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - in vitro	Not genotoxic	OECD 476	
	Genotoxicity - in vivo	Not genotoxic	OECD 478	Mouse
	NOEL (carcinogenicity,	> 4400 mg/kg bw/d		Mouse
	oral)			
	Eye irritation	Irritant	OECD 405	Rabbit
	LC50 (inhalation)	> 99999 mg/m3	OECD 403	Rat
	LD50 (oral)	10470 mg/kg bw	OECD 401	Rat
	NOAEL (development,	6400 mg/kg bw/d		
	oral)			
	Skin sensitisation	Not sensitizing	OECD 406	Guinea pig
	NOAEL (fertility, oral)	20000 mg/kg bw/d	OECD 415	Rat
	NOAEL (oral)	2400 mg/kg bw/d		Rat
	NOAEL (inhalation)	23000 mg/m3		Rat
	LD50 (dermal)	15800 mg/kg bw		Rabbit
	Skin irritation	Non-irritant		Rabbit
Propan-2-ol	LD50 (oral)	5840 mg/kg bw	OECD 401	Rat
	LD50 (dermal)	12800 mg/kg bw		Rat
	LC50 (inhalation)	46600 mg/m3		Rat
	Skin irritation	Slightly irritant	OECD 404	Rabbit
	Eye irritation	Irritant	OECD 405	Rabbit
	NOAEL (fertility, oral)	853 mg/kg bw/d	OECD 415	Rat
	NOAEL (development,	596 mg/kg bw/d	OECD 414	Rat
	oral)			
	NOEL (carcinogenicity,	Not carcinogenic	OECD 416	Rat
	oral)			
	Skin sensitisation	Not sensitizing	OECD 406	Guinea pig
	Mutagenicity	Negative	OECD 471	
	NOAEL (inhalation)	12500 mg/m3	OECD 451	Rat
	Genotoxicity - in vivo	Not genotoxic	OECD 474	Mouse
	NOEL (carcinogenicity, inh.)	12500 mg/m3		Mouse
	Genotoxicity - in vitro	Not genotoxic	OECD 476	
	NOAEL (oral)	870 mg/kg bw/d	0200 470	Rat
				1.00

11.2. Information on other hazards

Endocrine disrupting	: This product does not contain components considered to have endocrine disrupting properties
properties	according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605.
Other information	: Not applicable.

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

- Ecotoxicity
- : Calculated LC50 (fish): 35431 mg/l. Calculated EC50 (waterflea): 13134 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment. Not classified based on available data, the classification criteria are not met.



According to Regulation (EU) No 2020/878

12.2. Persistence and degradability

Persistence - degradability : No specific information known.

12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : Not applicable.

12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances.

12.6. Endocrine disrupting properties

Endocrine disrupting
properties: This product does not contain components considered to have endocrine disrupting properties
according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605.

12.7. Other adverse effects

Other adverse effects : Not applicable.

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product residues	: Recyclable metal container. Do not puncture or burn even after use. Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.
Additional warning	: Residues may cause an explosion hazard. Do not puncture, cut or weld uncleaned drums.
European waste catalogue	: Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
Local legislation	: Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number or ID number

UN nr. : UN 1950 . For IATA only: ID 8000

14.2. UN proper shipping name

Transport name	:	AEROSOLS . For IATA only: CONSUMER COMMODITY
Transport name (IMDG,	:	AEROSOLS . For IATA only: CONSUMER COMMODITY
ΙΑΤΑ)		

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class	: 2
Classification code	: 5F
Packaging group	: -
Danger label	: 2,1



According to Regulation (EU) No 2020/878

Tunnel restriction : D code



Other information	: Not intended for carriage by tank-vessels on inland waterways.
IMDG (sea) Class Packaging group EmS (fire / spill) Marine pollutant	: 2,1 : - : F - D / S - U : No
IATA (air) Class ERG code	: 2,1 : 9L

14.6. Special precautions for user

Other information

: Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to the transport of this product. An IATA ID8000 Consumer Commodity package must bear an Air Limited Quantity marking and a Class 9 hazard label.

14.7. Maritime transport in bulk according to IMO instruments

Marpol

: Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations	: Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP), 75/324/EEC (aerosols) and other regulations. Directive 2008/98/EC (waste).
	: In the UK it is recommended that all aerosols should be labelled on the back with the warning about the dangers of volatile solvent abuse. The label should contain the badge 'Solvent Abuse Can Kill Instantly' accompanied by the phrase 'Use only as directed'.

15.2. Chemical safety assessment

Chemical safety : Not applicable. assessment

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Product name Revision



According to Regulation (EU) No 2020/878

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be used (but not necessarily are used) in this safety data sheet:

	a defonyms that bould be used (but not necessarily are used) in this safety data sheet.
ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	: Acute Toxicity Estimate
CLP	: Classification, Labeling & Packaging
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
EEC	: European Economic Community
GHS	: Globally Harmonized System of Classification and Labelling of Chemicals
IATA	: International Air Transport Association
IBC code	: The IMO International Code for construction and equipment of ships carrying dangerous chemicals in bulk.
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
UFI	: Unique formula identifier
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Flam. Aer. 1	: Expert judgement.	0	0
Eye Irrit. 2	: Calculation method		

Full text of hazard classes mentioned in section 3:

Flam. Gas 1 :	Flammable gas, category 1.
Flam. Liq. 2 :	Flammable liquid, category 2.
Eye Irrit. 2 :	Eye irritation, category 2.
Press. Gas :	Gases under pressure.
STOT SE 3 :	Specific target organ toxicity after single exposure, category 3.

Full text of H-phrases mentioned in section 3:

H220	Extremely flammable gas.
H225	Highly flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Advice on any training appropriate for workers: none.

Country / Language code	: PL/EN
Number format	: "," used as decimal separator.



According to Regulation (EU) No 2020/878

End of safety data sheet.

Print date

: 2024-03-20