



Kemetyl

Safety data sheet

According to Regulation (EU) No 2015/830

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : SHELL AIRFRESHENER LITTLE JOYA ROYAL TEA
Product code : CRX767, AL65A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC3 Air care products. Airfreshener.

1.3. Details of the supplier of the safety data sheet

Supplier : Kemetyl Polska Sp. z o. o.
Al. Jerozolimskie 146
02-305 Warszawa, Poland
Telephone : +48 22 822 5390
E-mail : msds@kemetyl.com
Website : www.kemetyl.com

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

PL - Telephone : +48 22 822 5390

(During office hours only)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification : Eye irritation, category 2. Skin sensitization, category 1. Hazardous to the aquatic environment —
(1272/2008/EC) Chronic category 3.

Human health hazards : Causes serious eye irritation. May cause an allergic skin reaction.

Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives.

Environmental hazards : Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements (1272/2008/EC):

Hazard pictograms :



Signal word : Warning

H- and P-phrases :

H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P273	Avoid release to the environment.
P280 gloves	Wear protective gloves.
P302+P352	IF ON SKIN: Wash with plenty of water/soap.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container to an official chemical waste depot.



Kemetyl

Safety data sheet

According to Regulation (EU) No 2015/830

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms :



Signal word : Warning

H- and P-phrases :

H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P280 gloves	Wear protective gloves.
P302+P352	IF ON SKIN: Wash with plenty of water/soap.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container to an official chemical waste depot.

Additional labelling (for all packaging sizes)

: Contains: Linalyl acetate ; Geranyl acetate ; 4-tert-Butylcyclohexyl acetate ; Pentadecan-15-olide .

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

*

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
2-Cyclohexylidene-2-phenylacetone nitrile	< 3	10461-98-0	423-740-1		
Linalyl acetate	< 3	115-95-7	204-116-4		01-2119454789-19
Geranyl acetate	< 3	105-87-3	203-341-5		01-2119973480-35
Phenethyl acetate	< 3	103-45-7	203-113-5		
4-tert-Butylcyclohexyl acetate	< 3	32210-23-4	250-954-9		01-2119976286-24
Pentadecan-15-olide	< 1	106-02-5	203-354-6		01-2119987323-31

Substance name	Hazard Class	H-phrases	Pictograms
2-Cyclohexylidene-2-phenylacetone nitrile	Acute Tox. 4; Aquatic Chronic 2	H302; H411	GHS07; GHS09
Linalyl acetate	Eye Irrit. 2; Skin Irrit. 2; Skin Sens. 1B	H315; H317; H319	GHS07
Geranyl acetate	Skin Irrit. 2; Skin Sens. 1B; Aquatic Chronic 3	H315; H317; H412	GHS07
Phenethyl acetate	Eye Dam. 1	H318	GHS05
4-tert-Butylcyclohexyl acetate	Skin Sens. 1B	H317	GHS07
Pentadecan-15-olide	Aquatic Chronic 2; Skin Sens. 1B	H317; H411	GHS07; GHS09

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

Product name : Shell Airfreshener Little Joya Royal Tea

Date of issue : 2019-04-17

Replaces issue dated

: 2018-10-05

Page 2/12

INFO CARE SDS



Kemetyl

Safety data sheet

According to Regulation (EU) No 2015/830

4.1. Description of first aid measures

First aid measures

- Inhalation : Not applicable under normal conditions of use. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation occurs.
- Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor.
- Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

- Inhalation : No specific effects and/or symptoms are known.
- Skin contact : May cause redness and irritation, sensitisation. May produce an allergic reaction. May cause dry skin.
- Eye contact : Irritant. May cause redness and pain.
- Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

- Suitable : Carbondioxide (CO2). Foam. Dry chemical. Water fog.
- Not suitable : Water jet.

5.2. Special hazards arising from the substance or mixture

- Special exposure hazards : None known.
- Hazardous thermal decomposition products : Carbon monoxide may be evolved if incomplete combustion occurs.

5.3. Advice for firefighters

- Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

- Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material.

6.2. Environmental precautions

- Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike. Waste product should not be allowed to contaminate soil or water.
- Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up



Kemetyl

Safety data sheet

According to Regulation (EU) No 2015/830

Methods for cleaning up : Collect spilled material in containers. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents.
Recommended packaging : Keep only in the original container.
Non recommended packaging : None known.

7.3. Specific end use(s)

Use : Use only as directed.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
2-Cyclohexylidene-2-phenylacetonitrile	Dermal				4 mg/kg bw/day
Linalyl acetate	Inhalation				1,4 mg/m ³
	Dermal	0,2362 mg/kg bw		0,2362 mg/kg bw/day	2,5 mg/kg bw/day
Geranyl acetate	Inhalation				2,75 mg/m ³
	Inhalation				62,59 mg/m ³
Phenethyl acetate	Dermal				35,5 mg/kg bw/day
	Inhalation				6,5 mg/m ³
	Dermal				2,27 mg/kg bw/day

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
2-Cyclohexylidene-2-phenylacetonitrile	Inhalation				0,34 mg/m ³
Linalyl acetate	Dermal				4 mg/kg bw/day
	Oral				0,5 mg/kg bw/day
	Dermal	0,2362 mg/kg bw		0,2362 mg/kg bw/day	1,25 mg/kg bw/day
	Inhalation				0,68 mg/m ³



Kemetyl

Safety data sheet

According to Regulation (EU) No 2015/830

Geranyl acetate	Oral Inhalation Dermal				0,2 mg/kg bw/day 15,4 mg/m ³ 17,75 mg/kg bw/day
Phenethyl acetate	Oral Inhalation Dermal Oral		2,5 mg/kg bw		8,9 mg/kg bw/day 1,61 mg/m ³ 1,14 mg/kg bw/day 0,42 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Linalyl acetate	Water	0,011 mg/l	0,001 mg/l	
	Sediment	0,609 mg/kg	0,061 mg/kg	
	Intermittent water			0,11 mg/l
	STP			1 mg/l
Geranyl acetate	Soil			0,115 mg/kg
	Water	0,00372 mg/l	0,000372 mg/l	
	Sediment	0,442 mg/kg	0,442 mg/kg	
	Intermittent water			0,0372 mg/l
Phenethyl acetate	STP			8 mg/l
	Soil			0,0859 mg/kg
	Water	0,11 mg/l	0,011 mg/l	
	Sediment	0,128 mg/kg	0,0128 mg/kg	
4-tert-Butylcyclohexyl acetate	Intermittent water			0,105 mg/l
	STP			10 mg/l
	Soil			0,019 mg/kg
	Water	0,0053 mg/l	0,00053 mg/l	
Pentadecan-15-olide	Sediment	2,01 mg/kg	0,21 mg/kg	
	Intermittent water			0,053 mg/l
	STP			12,2 mg/l
	Soil			0,42 mg/kg
Pentadecan-15-olide	Oral			66,76 mg/kg food
	Water	0,0027 mg/l	0,00027 mg/l	
	Sediment	21 mg/kg	4,2 mg/kg	
	STP			10 mg/l
	Soil			10 mg/kg

8.2. Exposure controls

Engineering measures : Comply with standard precautionary measures for working with chemicals.
 Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.



- Body protection : Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345. Suitable material: nitril. Indication of permeation breakthrough time: 4 hours.
- Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
- Hand protection : Wear appropriate safety gloves in accordance with EN 374. Suitable material: nitril. ± 0,5 mm. Indication of permeation breakthrough time: 4 hours.



Kemetyl

Safety data sheet

According to Regulation (EU) No 2015/830

Eye protection : Wear appropriate safety glasses with side shields, in accordance with EN 166, when there is danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES *

9.1. Information on basic physical and chemical properties

Appearance	: Liquid.	Impregnated material.
Colour	: Light yellow.	
Odour	: Perfumed.	
Odour threshold	: Not known.	
pH	: Not applicable.	Waterfree product.
Solubility in water	: Not soluble.	
Partition coefficient (n-octanol/water)	: Not known.	Not measured. Not relevant for mixtures.
Flash point	: > 100 °C	
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: > 225 °C	
Boiling point/boiling range	: > 100 °C	
Melting point/melting range	: Not known.	
Explosive properties	: None known.	Does not contain explosives.
Explosion limits (% in air)	: Not known.	Lower explosion limit in air (%): 0,7 (Linalyl acetate) Upper explosion limit in air (%): 4,3 (Linalyl acetate)
Oxidising properties	: Not applicable.	Does not contain oxidizing substances.
Decomposition temperature	: Not applicable.	
Viscosity (20°C)	: Not known.	
Viscosity (40°C)	: Not relevant.	The product contains < 10% substances having an aspiration hazard.
Vapour pressure (20°C)	: Not known.	
Vapour density (20°C)	: > 1	(air = 1)
Relative density (20°C)	: 1 g/ml	
Evaporation rate	: Not known.	(n-butyl acetate = 1)

9.2. Other information

Other information : Not relevant.

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.



Kemetyl

Safety data sheet

According to Regulation (EU) No 2015/830

10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.

SECTION 11 TOXICOLOGICAL INFORMATION *

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation

- Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: 6 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Skin contact

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.
- Sensitisation : May cause sensitisation by skin contact. May produce an allergic reaction.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Eye contact

- Corrosion/irritation : Irritant.

Ingestion

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Aspiration : Not classified - based on available data, the classification criteria are not met. Does not contain substances with an aspiration hazard.
- Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.
- Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
- Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
Linalyl acetate		1000 mg/kg bw/d	OECD 414	Rat
	LD50 (oral)	13934 mg/kg bw	----	Rat
	LC50 (inhalation)	> 2740 mg/m3	----	Mouse
	Skin irritation	Non-irritant	----	Human
	Skin irritation	Irritant	OECD 404	Rabbit
	Eye irritation	Irritant	OECD 405	Rabbit
	NOAEL (oral)	160 mg/kg bw/d	OECD 407	Rat
	NOAEL (dermal)	250 mg/kg bw/d	OECD 411	Rat
	Mutagenicity	Not mutagenic	OECD 471	Salmonella typhimurium



Kemetyl

Safety data sheet

According to Regulation (EU) No 2015/830

Geranyl acetate	Genotoxicity - in vitro	Not genotoxic	OECD 476	Mouse
	Genotoxicity - in vivo	Not genotoxic	OECD 474	Mouse
	NOAEL (development, oral)	> 1000 mg/kg bw/d	OECD 414	Rat
	LC50 (inhalation) - estimate	> 5000 mg/m3	-----	Rat
	Skin sensitisation	Sensitizing.	OECD 429	Mouse
	Skin irritation	Moderately irritant		Guinea pig
	Skin sensitisation	Sensitizing.	-----	-----
	NOEL (carcinogenicity) - estimate	> 2000 mg/kg.d	Read across	Rat
	NOAEL (dermal) - estimate	1000 mg/kg bw/d	Read across	Mouse
	LD50 (dermal)	> 5460 mg/kg bw		Rabbit
Phenethyl acetate	LD50 (oral)	6330 mg/kg bw	-----	Rat
	Mutagenicity	Negative	OECD 471	-----
	LD50 (oral)	5000 mg/kg bw	OECD 401	Rat
	LC50 (inhalation)	> 766 mg/m3		Rat
	LD50 (dermal)	6210 mg/kg bw	OECD 402	Rabbit
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - estimate	Not genotoxic	Read across	
	Skin irritation	Non-irritant	OECD 404	Rabbit
	Eye irritation	Highly irritant		Rabbit
	NOEL (carcinogenicity, oral)	> 300 mg/kg bw/d		Mouse
4-tert-Butylcyclohexyl acetate	NOAEL (development) - estimate	500 mg/kg.d	Read across	
	NOAEL (fertility) - estimate	500 mg/kg.d	Read across	
	Skin sensitisation	Not sensitizing		Guinea pig
	NOAEL (oral) - estimate	250 mg/kg bw/d	Read across	Rat
	LC50 (inhalation) - estimate	> 5000 mg/m3	-----	Rat
	LD50 (oral)	5000 mg/kg bw	-----	Rat
	LD50 (dermal)	> 5000 mg/kg bw		Rabbit
	Eye irritation	Non-irritant		Rabbit
	Skin irritation	Non-irritant		Rabbit
	NOAEL (oral) - estimate	710 mg/kg bw/d	Read across	
Pentadecan-15-olide	Genotoxicity - in vivo	> 1600 mg/kg bw/d		Mouse
	LD50 (oral)	> 5000 mg/kg bw	-----	Rat
	LD50 (dermal)	> 5000 mg/kg bw	-----	Rabbit
	Skin irritation	Slightly irritant	OECD 404	Rabbit
	Skin irritation	Non-irritant	Patch test	Human
	NOAEL (fertility) - estimate	> 1000 mg/kg.d	Read across	Rat
	NOAEL (development) - estimate	> 1000 mg/kg.d	Read across	Rat
	NOAEL (oral) - estimate	> 1000 mg/kg bw/d	Read across	Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - estimate	Not genotoxic		
Skin sensitisation	5450 ug/cm2	OECD 429	Mouse	



Kemetyl

Safety data sheet

According to Regulation (EU) No 2015/830

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Harmful to aquatic organisms. Calculated LC50 (fish): 35 mg/l. Calculated EC50 (waterflea): 20 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment.

12.2. Persistence and degradability

Persistence – degradability : May cause long-term adverse effects in the aquatic environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : Adsorbs to soil and has low mobility.

12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Other adverse effects

Other information : Not applicable.

Ecological information:

Chemical name	Property		Method	Test animal
2-Cyclohexylidene-2-phenylacetonitrile	Ultimate aerobic biodegradation (%)	86 %	OECD 301 F	
	LC50 (fish)	1,4 mg/l	OECD 203	Oncorhynchus mykiss
	EC50 (waterflea)	2,3 mg/l	OECD 202	Daphnia magna
	NOEC (algae)	0,5 mg/l	OECD 201	Selenastrum capricornutum
	IC50 (alga)	0,86 mg/l	OECD 201	Selenastrum capricornutum
2-Cyclohexylidene-2-phenylacetonitrile	Log P(ow)	4,51		
Geranyl acetate	Ultimate aerobic biodegradation (%)	> 70 %		
	IC50 (alga)	3,72 mg/l	OECD 201	Desmodesmus subspicatus
	EC50 (waterflea)	14,1 mg/l		Daphnia magna
Geranyl acetate	LC50 (fish) - estimate	68 mg/l		Leuciscus idus
Geranyl acetate	Log P(ow)	4,3		
Geranyl acetate	BCF	235		

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues, impregnated wipes and non-empty pack as hazardous waste.

Additional warning : None.

Waste water discharge : Do not dispose into the environment, in drains or in water courses.



Kemetyl

Safety data sheet

According to Regulation (EU) No 2015/830

- European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
- Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number or ID number

UN nr. : None.

14.2. UN proper shipping name

Transport name : Not regulated.

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : This product is not classified according to ADR/RID/ADN.

IMDG (sea)

Class : This product is not classified according to IMDG.

Marine pollutant : No

IATA (air)

Class : This product is not classified according to IATA.

14.6. Special precautions for user

Other information : Country specific variations may apply.

14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2015/830 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations.

15.2. Chemical safety assessment

Chemical safety assessment : Not applicable.

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2015/830 dated 28 May 2015 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.



Kemetyl

Safety data sheet

According to Regulation (EU) No 2015/830

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	: Acute Toxicity Estimate
CLP	: Classification, Labeling & Packaging
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
EEC	: European Economic Community
GHS	: Globally Harmonized System of Classification and Labelling of Chemicals
IATA	: International Air Transport Association
IBC code	: International Bulk Chemical Code
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Eye Irrit. 2	: Calculation method.
Skin Sens. 1/1A/1B	: Calculation method.
Aquatic Chronic 3	: Calculation method.

Full text of hazard classes mentioned in section 3:

Acute Tox. 4	: Acute toxicity, category 4.
Skin Irrit. 2	: Skin irritation, category 2.
Eye Dam. 1	: Serious eye damage, category 1.
Eye Irrit. 2	: Eye irritation, category 2.
Skin Sens. 1/1A/1B	: Skin sensitization, category 1/1A/1B.
Aquatic Chronic 2	: Hazardous to the aquatic environment — Chronic category 2.
Aquatic Chronic 3	: Hazardous to the aquatic environment — Chronic category 3.

Full text of H-phrases mentioned in section 3:

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Advice on any training appropriate for workers: none.



Kemetyl

Safety data sheet

According to Regulation (EU) No 2015/830

Number format : "," used as decimal separator.

End of safety data sheet.

Print date : 2021-06-21