

According to Regulation (EU) No 2015/830

### SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name : SHELL AIRFRESHENER FRUIT COCKTAIL

Product code : CRX780, AL53B

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC3 Air care products. Airfreshener.

### 1.3. Details of the supplier of the safety data sheet

Supplier : Kemetyl Polska Sp. z o. o.

Al. Jerozolimskie 146 02-305 Warszawa, Poland

Telephone : +48 22 822 5390
E-mail : msds@kemetyl.com
Website : www.kemetyl.com

### 1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

PL - Telephone : +48 22 822 5390 (During office hours only)

### SECTION 2 HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

CLP classification : Skin sensitization, category 1.

(1272/2008/EC)

Human health hazards : May cause an allergic skin reaction.

Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives. Combustible.

Environmental hazards : Not classified as dangerous according to statutory EC-Directives.

#### 2.2. Label elements

Label elements (1272/2008/EC):

Hazard pictograms :



Signal word : Warning

H- and P-phrases : H317 May cause an allergic skin reaction.

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P280 gloves Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water/soap.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P501 Dispose of contents/container to an official chemical waste depot.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Product name : Shell Airfreshener fruit cocktail Page 1/13

Date of issue : 2019-10-02 Replaces issue dated : 2019-01-30 INFO CARE SDS



According to Regulation (EU) No 2015/830

Hazard pictograms



Signal word : Warning

H- and P-phrases : H317 May cause an allergic skin reaction.

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P280 gloves Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water/soap.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P501 Dispose of contents/container to an official chemical waste depot.

Additional labelling (for all packaging sizes)

: Contains: Linalool; 2,6-Dimethylhept-5-enal; Citral; Ethyl 2,3-epoxy-3-phenylbutyrate; 2,4-Dimethylcyclohex-3-ene-1-carbaldehyde; 4-Hydroxy-2,5-dimethylfuran-2(3H)-one; 1-(2,6,6-

Trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one .

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

### SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture. Information on hazardous substances:

Substance name	Concentration	CAS nr.	EC number	Remark	REACH nr.
	(w/w) (%)				
Linalool	1 - < 5	78-70-6	201-134-4		01-2119474016-42
2-Phenylethanol	1 - < 5	60-12-8	200-456-2		01-2119963921-31
Allyl hexanoate	1 - < 5	123-68-2	204-642-4		01-2119983573-26
2-tert-Butylcyclohexyl acetate	1 - < 2,5	88-41-5	201-828-7		
Undecan-4-olide	1 - < 5	104-67-6	203-225-4		01-2119959333-34
2,6-Dimethylhept-5-enal	0,1 - < 1	106-72-9	203-427-2		
3,7-Dimethylocta-1,3,6-triene	0,1 - < 1	13877-91-3	237-641-2		
Citral	0,1 - < 1	5392-40-5	226-394-6		
Ethyl 2,3-epoxy-3-phenylbutyrate	0,1 - < 1	77-83-8	201-061-8	İ	
Diphenyl ether	0,1 - < 1	101-84-8	202-981-2		
2,4-Dimethylcyclohex-3-ene-1-car-	0,1 - < 1	68039-49-6	268-264-1		
baldehyde					
4-Methyl-3-decen-5-ol	0,1 - < 1	81782-77-6	279-815-0	İ	
4-Hydroxy-2,5-dimethylfuran-2(3H)-one	0,1 - < 1	3658-77-3	222-908-8		
1-(2,6,6-Trimethyl-1,3-cyclohexadien-1	0,01 - < 0,1	23696-85-7	245-833-2		
-yl)-2-buten-1-one					

Substance name	Hazard Class	H-phrases	Pictograms	
Linalool	Eye Irrit. 2; Skin Irrit. 2;	H315; H317; H319	GHS07	
	Skin Sens. 1B			
2-Phenylethanol	Acute Tox. 4; Eye Irrit.	H302; H319	GHS07	
	2			

Product name : Shell Airfreshener fruit cocktail Page 2/13

Date of issue : 2019-10-02 Replaces issue dated : 2019-01-30 INFO CARE SDS



According to Regulation (EU) No 2015/830

# Kemetyl

Allyl hexanoate	Acute Tox. 3; Aquatic	H301; H311; H331;	GHS06; GHS09	M (acute) = 1
	Acute 1; Aquatic	H400; H412		
	Chronic 3			
2-tert-Butylcyclohexyl acetate	Aquatic Chronic 2	H411	GHS09	
Undecan-4-olide	Aquatic Chronic 3	H412		
2,6-Dimethylhept-5-enal	Skin Sens. 1B	H317	GHS07	
3,7-Dimethylocta-1,3,6-triene	Aquatic Acute 1;	H226; H304; H315;	GHS02; GHS07;	M (acute) = 1
	Aquatic Chronic 2; Asp.	H400; H411	GHS08; GHS09	
	Tox. 1; Flam. Liq. 3;			
	Skin Irrit. 2			
Citral	Eye Irrit. 2; Skin Irrit. 2;	H315; H317; H319	GHS07	
	Skin Sens. 1B			
Ethyl 2,3-epoxy-3-phenylbutyrate	Aquatic Chronic 2; Skin	H317; H411	GHS07; GHS09	
	Sens. 1B			
Diphenyl ether	Eye Irrit. 2	H319	GHS07	
2,4-Dimethylcyclohex-3-ene-1-car-	Aquatic Chronic 2; Eye	H315; H317; H319;	GHS07; GHS09	
baldehyde	Irrit. 2; Skin Irrit. 2; Skin	H411		
	Sens. 1B			
4-Methyl-3-decen-5-ol	1 .	H400; H411	GHS09	M (acute) = 1
	Aquatic Chronic 2			
4-Hydroxy-2,5-dimethylfuran-2(3H)-one	Acute Tox. 4; Eye Dam.	H302; H314; H317;	GHS05; GHS07	
	1; Skin Corr. 1B; Skin	H318		
	Sens. 1A			
1-(2,6,6-Trimethyl-1,3-cyclohexadien-1	Aquatic Chronic 2; Skin	H315; H317; H411	GHS07; GHS09	
-yl)-2-buten-1-one	Irrit. 2; Skin Sens. 1A			

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

### SECTION 4 FIRST-AID MEASURES

### 4.1. Description of first aid measures

First aid measures

Inhalation : Not applicable under normal conditions of use. Consult a doctor if victim feels unwell.

Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up.

Consult a doctor if irritation occurs.

Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists.

Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth

to an unconscious person. Consult a doctor if victim feels unwell.

# 4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

Inhalation : No specific effects and/or symptoms are known.

Skin contact : May cause redness and irritation, sensitisation. May produce an allergic reaction. May cause dry

skin.

Eye contact : May cause stinging of eyes and redness.

Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

### 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

### SECTION 5 FIRE-FIGHTING MEASURES

Product name : Shell Airfreshener fruit cocktail Page 3/13

Date of issue : 2019-10-02 Replaces issue dated : 2019-01-30 INFO CARE SDS



According to Regulation (EU) No 2015/830

# 5.1. Extinguishing media

Extinguishing media

Suitable : Carbondioxide (CO2). Foam. Dry chemical. Water fog.

Not suitable : Water jet.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards : None known.

Hazardous thermal : Carbon monoxide may be evolved if incomplete combustion occurs.

decomposition products

5.3. Advice for firefighters

Special protective : Use adequate respiratory equipment in case of insufficient ventilation.

equipment for fire-fighters

### SECTION 6 ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with

spilled or released material. Vapours are heavier than air. Build up (of gasses) in low areas involves

risk of suffocation.

### 6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills:

contain with dike.

Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to

occur.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Dispose at an authorised waste collection point. Wash away

remainder with plenty of water and soap.

### 6.4. Reference to other sections

Reference to other sections: See also section 8.

### SECTION 7 HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated

areas. Keep away from sources of ignition — No smoking. Avoid contact with skin and eyes. Avoid

splashing. Wear protective clothing.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents.

Recommended packaging : Keep only in the original container.

Non recommended

: None known.

packaging

### 7.3. Specific end use(s)

Use : Use only as directed.

Product name : Shell Airfreshener fruit cocktail Page 4/13

Date of issue : 2019-10-02 Replaces issue dated : 2019-01-30 INFO CARE SDS



According to Regulation (EU) No 2015/830

# SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

\*

# 8.1. Control parameters

Occupational exposure limits

: Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	,	TWA 8 hour (mg/m3)	STEL 15 min (mg/m3)	Comments	Source
Diphenyl ether	GB	7,1	-	-	

Derived no-effect level (DNEL) for workers:

Chemical name	Route of	DNEL, short-te	rm	DNEL, long-term	
	exposure				
		Local effect	Systemic effect	Local effect	Systemic effect
Linalool	Inhalation		16,5 mg/m3		2,8 mg/m3
	Dermal	3 mg/kg bw	5 mg/kg bw	3 mg/kg bw/day	2,5 mg/kg bw/day
2-Phenylethanol	Inhalation				59,9 mg/m3
	Dermal				21,2 mg/kg bw/day
Allyl hexanoate	Inhalation				15 mg/m3
	Dermal				4,3 mg/kg bw/day
Undecan-4-olide	Inhalation				19 mg/m3
	Dermal				5,38 mg/kg bw/day
Citral	Inhalation				9 mg/m3
	Dermal				1,7 mg/kg bw/day
Ethyl 2,3-epoxy-3-phenylbutyrate	Inhalation				2,45 mg/m3
	Dermal				0,7 mg/kg bw/day
Diphenyl ether	Inhalation	14 mg/m3		7 mg/m3	59 mg/m3
	Dermal				25 mg/kg bw/day
2,4-Dimethylcyclohex-3-ene-1-car-	Inhalation				0,44 mg/m3
baldehyde					
-	Dermal				0,125 mg/kg bw/day
4-Methyl-3-decen-5-ol	Inhalation				0,88 mg/m3
-	Dermal	1	1	0,05 mg/kg bw/	0,5 mg/kg bw/day
				day	

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of	DNEL, short-te	DNEL, short-term		DNEL, long-term	
	exposure					
	*	Local effect	Systemic effect	Local effect	Systemic effect	
Linalool	Dermal	1,5 mg/kg bw	2,5 mg/kg bw	15 mg/kg bw/day	1,25 mg/kg bw/day	
	Inhalation		4,1 mg/m3		0,7 mg/m3	
	Oral		1,2 mg/kg bw		0,2 mg/kg bw/day	
2-Phenylethanol	Inhalation				17,7 mg/m3	
	Dermal				12,7 mg/kg bw/day	
	Oral	İ	5,1 mg/kg bw		5,1 mg/kg bw/day	
Allyl hexanoate	Oral				2,1 mg/kg bw/day	
	Inhalation				3,7 mg/m3	
	Dermal				2,1 mg/kg bw/day	
Undecan-4-olide	Inhalation				4,68 mg/m3	
	Dermal				2,7 mg/kg bw/day	
	Oral				2,7 mg/kg bw/day	
Citral	Dermal				1 mg/kg bw/day	

Product name : Shell Airfreshener fruit cocktail Page 5/13
Date of issue : 2019-10-02 Replaces issue dated : 2019-01-30 INFO CARE SDS



According to Regulation (EU) No 2015/830

# Kemetyl

	Inhalation			2,7 mg/m3
	Oral			0,6 mg/kg bw/day
Ethyl 2,3-epoxy-3-phenylbutyrate	Inhalation			0,61 mg/m3
	Dermal			0,35 mg/kg bw/day
	Oral			0,35 mg/kg bw/day
2,4-Dimethylcyclohex-3-ene-1-car- baldehyde	Inhalation			0,108 mg/m3
	Dermal			0,062 mg/kg bw/day
	Oral			0,062 mg/kg bw/day
4-Methyl-3-decen-5-ol	Inhalation			0,22 mg/m3
	Dermal		0,02 mg/kg bw/	0,25 mg/kg bw/day
			day	
	Oral			0,06 mg/kg bw/day

# Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Linalool	Water	0,2 mg/l	0,02 mg/l	
	Sediment	2,22 mg/kg	0,222 mg/kg	
	Intermittent water			2 mg/l
	STP			10 mg/l
	Soil			0,327 mg/kg
	Oral			7,8 mg/kg food
2-Phenylethanol	Water	0,215 mg/l	0,0215 mg/l	
,	Sediment	1,454 mg/kg	0,1454 mg/kg	
	Intermittent water		' " "	2,15 mg/l
	STP			10 mg/l
	Soil			0,164 mg/kg
Allyl hexanoate	Water	0,000117 mg/l	0,000011 mg/l	o, . o
any mexamente	Sediment	0,00446 mg/kg	0,000446 mg/kg	
	Intermittent water	o,oo i io iiig/kg	o,ooo i io iiig/kg	0,00117 mg/l
	STP			10 mg/l
	Soil			0,000825 mg/kg
	Oral			47,56 mg/kg food
Undecan-4-olide	Water	0,0058 mg/l	0,00058 mg/l	47,30 mg/kg 1000
oridecan-4-olide	Sediment	0,628 mg/kg	0,00038 mg/kg	
	Intermittent water	0,626 mg/kg	U,U63 Hig/kg	0.050 mg/l
	STP			0,058 mg/l
				80 mg/l
	Soil			0,122 mg/kg
011	Oral	0.00070 #		66,7 mg/kg food
Citral	Water	0,00678 mg/l	0,000678 mg/l	
	Sediment	0,125 mg/kg	0,0125 mg/kg	
	Intermittent water			0,0678 mg/l
	STP			1,6 mg/l
	Soil			0,0209 mg/kg
Ethyl 2,3-epoxy-3-phenylbutyrate	Water	0,0084 mg/l	0,0084 mg/l	
	Sediment	0,214 mg/kg	0,0214 mg/kg	
	Intermittent water			0,084 mg/l
	STP			10 mg/l
	Soil			0,0378 mg/kg
	Oral			23,3 mg/kg food
Diphenyl ether	Water	0 mg/l	0 mg/l	
-	Sediment	0,093 mg/kg	0,009 mg/kg	
	Intermittent water			0,017 mg/l
	STP			10 mg/l
	Soil			0,018 mg/kg

Product name : Shell Airfreshener fruit cocktail Page 6/13
Date of issue : 2019-10-02 Replaces issue dated : 2019-01-30 INFO CARE SDS



According to Regulation (EU) No 2015/830

# Kemetyl

2,4-Dimethylcyclohex-3-ene-1-	Water	0,0075 mg/l	0,00075 mg/l	
carbaldehyde				
	Sediment	0,226 mg/kg	0,0226 mg/kg	
	Intermittent water			0,075 mg/l
	STP			10 mg/l
	Soil			0,0408 mg/kg
4-Methyl-3-decen-5-ol	Water	0,00076 mg/l	0,000076 mg/l	
	Sediment	0,092 mg/kg	0,0092 mg/kg	
	STP			10 mg/l
	Soil			0,018 mg/kg
	Oral			111,1 mg/kg food

#### 8.2. Exposure controls

Engineering measures : Comply with standard precautionary measures for working with chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN

365/367 resp. 345. Suitable material: laminated film. Indication of permeation breakthrough time: 4

hours.

Respiratory protection Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale

exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance

with EN 140.

Wear appropriate safety gloves in accordance with EN 374. Suitable material: laminated film. ± 0,5 Hand protection

Waterfree product.

mm. Indication of permeation breakthrough time: 4 hours.

Eye protection Wear appropriate safety glasses when there is danger of possible eye contact.

#### **SECTION 9** PHYSICAL AND CHEMICAL PROPERTIES

# 9.1. Information on basic physical and chemical properties

**Appearance** : Liquid. Impregnated material.

Colour Light yellow. Odour Perfumed. Odour threshold Not known. Not applicable. Hq

Solubility in water Not soluble.

tanol/water)

: 80 °C Flash point

Partition coefficient (n-oc-

Liquid. See flashpoint. Flammability (solid, gas) : Not applicable.

: Not known.

Auto ignition temperature : > 260 °C Boiling point/boiling range : > 100 °C

Melting point/melting range : < 0 °C Explosive properties None known. Does not contain explosives.

Explosion limits (% in air) Not known. Lower explosion limit in air (%): 0,9 (Linalool)

Upper explosion limit in air (%): 11,9 (2-Phenylethanol)

Not measured. Not relevant for mixtures.

Oxidising properties : Not applicable. Does not contain oxidizing substances.

: Shell Airfreshener fruit cocktail Product name Page 7/13 Date of issue : 2019-10-02 Replaces issue dated : 2019-01-30 **INFO CARE SDS** 



According to Regulation (EU) No 2015/830

# Kemetyl

Decomposition temperature : Not applicable. Viscosity (20°C) : Not known.

Viscosity (40°C) : Not relevant. The product contains < 10% substances having an aspiration hazard.

Vapour pressure (20°C) : Not known.

Vapour density  $(20^{\circ}C)$  : > 1 (air = 1)

Relative density (20°C) : 1 g/ml

Evaporation rate : < 1 (n-butyl acetate = 1)

9.2. Other information

Other information : Not relevant.

### SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition : Not known.

products

## SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation

Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: 7 %. ATE: > 5 mg/l. Low toxicity. Not

classified - based on available data, the classification criteria are not met.

Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.

Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available

data, the classification criteria are not met.

Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the

classification criteria are not met.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Skin contact

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw.

Low toxicity. Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.

Product name : Shell Airfreshener fruit cocktail Page 8/13

Date of issue : 2019-10-02 Replaces issue dated : 2019-01-30 INFO CARE SDS



According to Regulation (EU) No 2015/830

Sensitisation : May cause sensitisation by skin contact. May produce an allergic reaction.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Eye contact

Corrosion/irritation : Slight irritation possible. Not classified - based on available data, the classification criteria are not

met.

Ingestion

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw.

Low toxicity. Not classified - based on available data, the classification criteria are not met.

Aspiration : Not expected to be an aspiration hazard. Contains a substance/substances with an aspiration

hazard. Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.

Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the

classification criteria are not met.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available

data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not

classified - based on available data, the classification criteria are not met.

### Toxicological information:

Chemical name	Property		Method	Test animal
Linalool	NOAEL (development,	365 mg/kg bw/d		Rat
	oral)			
	Eye irritation	Non-irritant	OECD 405	Rabbit
	Skin sensitisation	12650 ug/cm2	OECD 429	Mouse
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	NOAEL (fertility, oral)	500 mg/kg bw/d		Rat
	Skin irritation	Irritant	OECD 404	Rabbit
	NOAEL (dermal)	250 mg/kg bw/d	OECD 411	Rat
	Genotoxicity - in vivo	Not genotoxic	OECD 475	Mouse
	LD50 (dermal)	5610 mg/kg bw		Rabbit
	Skin irritation	Mildly irritant	<b> </b>	Human
	LD50 (oral)	2790 mg/kg bw	<b> </b>	Rat
	NOAEL (oral)	117 mg/kg bw/d		Rat
2,6-Dimethylhept-5-enal	LD50 (oral)	> 5000 mg/kg bw		Rat
	LD50 (dermal)	> 5000 mg/kg bw	<b> </b>	Rabbit
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - in vivo	Not genotoxic	OECD 474	Mouse
	NOAEL (oral)	300 mg/kg bw/d		Rat
	Skin sensitisation	Sensitizing.	OECD 429	Mouse
Citral	NOAEL (fertility, oral)	> 1000 mg/kg bw/d	OECD 421	Rat
	Genotoxicity - in vivo	Negative	OECD 474	Mouse
	Eye irritation	Slightly irritant	OECD 405	Rabbit
	Skin irritation	Moderately irritant		Rabbit
	Skin irritation	Irritant		Human
	Skin sensitisation	Sensitizing.	OECD 406	Guinea pig
	NOAEL (developmental	423 mg/m3		Rat
	toxicity, inh.)			
	NOEL (carcinogenicity,	> 100 mg/kg bw/d	OECD 453	Rat
	oral)			
	Mutagenicity	Negative	OECD 471	
	LD50 (oral)	4960 mg/kg bw		Rat
	Genotoxicity - in vitro	Not genotoxic		
	NOAEL (oral)	833 mg/kg bw/d		Rat

Product name : Shell Airfreshener fruit cocktail Page 9/13
Date of issue : 2019-10-02 Replaces issue dated : 2019-01-30 INFO CARE SDS



According to Regulation (EU) No 2015/830

# Kemety

	LD50 (dermal)	2250 mg/kg bw		Rabbit
	NOAEL (development,	200 mg/kg bw/d	OECD 421	Rat
	oral)			
Ethyl 2,3-epoxy-3-phenylbutyrate	NOEL (carcinogenicity,	35 mg/kg bw/d		Rat
	oral)			
	LD50 (oral)	5000 mg/kg bw		Rat
	NOEL (oral)	35 mg/kg bw/d		Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Skin irritation	Non-irritant	OECD 429	
	LD50 (dermal)	> 2000 mg/kg bw	OECD 402	Rat
	Genotoxicity - in vivo	Negative		Mouse
	Eye irritation	Non-irritant	OECD 405	Rabbit
	NOAEL (developmental	> 1000 mg/kg bw/d	OECD 421	Rat
	toxicity, dermal)			
	Skin sensitisation	Sensitizing.	OECD 406	Guinea pig
	NOAEL (oral)	> 35 mg/kg bw/d		Rat
	NOAEL (dermal)	1000 mg/kg bw/d	OECD 421	Rat
	NOAEL (fertility,	> 1000 mg/kg bw/d	OECD 421	Rat
	dermal)			
2,4-Dimethylcyclohex-3-ene-1- carbaldehyde	Skin sensitisation	5900 ug/cm2		
Carbaiderryde	LD50 (oral)	> 2000 mg/kg bw		Rat
	LD50 (dermal)	> 2000 mg/kg bw > 2000 mg/kg bw		Rabbit
	Mutagenicity	Not mutagenic		Salmonella typhimurium
 4-Hydroxy-2,5-dimethylfuran-2(3H)-	LD50 (oral)	1660 mg/kg bw	OECD 401	Rat
one	LD30 (Grai)	1000 mg/kg bw	OLOD 401	Nat
1-(2,6,6-Trimethyl-1,3-cyclohexadien-1	LD50 (oral)	2000 mg/kg bw		Rat
-yl)-2-buten-1-one	NOAEL (oral)	> 10 mg/kg bw/d		

### SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Calculated LC50 (fish): 5 mg/l. Calculated EC50 (waterflea): 27 mg/l. Contains 0 % of components

with unknown hazards to the aquatic environment. Not classified - based on available data, the

classification criteria are not met.

12.2. Persistence and degradability

Persistence – degradability: No specific information known.

12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : Adsorbs to soil and has low mobility.

12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Other adverse effects

Other information : Not applicable.

Product name : Shell Airfreshener fruit cocktail Page 10/13
Date of issue : 2019-10-02 Replaces issue dated : 2019-01-30 INFO CARE SDS



According to Regulation (EU) No 2015/830

### SECTION 13 DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat

product residues, impregnated wipes and non-empty pack as hazardous waste.

Additional warning : None.

Waste water discharge : Do not dispose into the environment, in drains or in water courses.

European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a

waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.

Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Local regulations may be more stringent than regional or national requirements and must be

complied with.

### SECTION 14 TRANSPORT INFORMATION

#### 14.1. UN number or ID number

UN nr. : None.

# 14.2. UN proper shipping name

Transport name : Not regulated.

### 14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : This product is not classified according to ADR/RID/ADN.

IMDG (sea)

Class : This product is not classified according to IMDG.

Marine pollutant : No

IATA (air)

Class : This product is not classified according to IATA.

### 14.6. Special precautions for user

Other information : Country specific variations may apply.

### 14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO)

instruments. Packaged liquids are not considered bulk.

### **SECTION 15 REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2015/830 (REACH), Regulation (EC) No 1272/2008 (CLP) and other

regulations.

# 15.2. Chemical safety assessment

Chemical safety

: Not applicable.

assessment

Product name : Shell Airfreshener fruit cocktail Page 11/13

Date of issue : 2019-10-02 Replaces issue dated : 2019-01-30 INFO CARE SDS



According to Regulation (EU) No 2015/830

### **SECTION 16 OTHER INFORMATION**

\*

#### 16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2015/830 dated 28 May 2015 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (\*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE : Acute Toxicity Estimate

CLP : Classification, Labeling & Packaging

CMR : Carcinogenic, Mutagenic or toxic for Reproduction

EEC : European Economic Community

GHS : Globally Harmonized System of Classification and Labelling of Chemicals

IATA : International Air Transport Association IBC code : International Bulk Chemical Code

IMDG : International Maritime Dangerous Goods Code LD50/LC50 : Lethal Dose/Concentration for 50% of a population

MAC : Maximum Allowable Concentration

MARPOL : International Convention for the Prevention of Pollution From Ships

NO(A)EL : No Observed (Adverse) Effect Level

OECD : Organisation for Economic Co-operation and Development

PBT : Persistent, Bioaccumulative and Toxic

PC : Chemical product category

PT : Product type

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

RID : Regulations concerning the International Carriage of Dangerous Goods by Rail

STP : Sewage Treatment Plant

SU : Sector of Use

TWA/STEL : Time-Weighted Average/Short Term Exposure Limit

UN : United Nations

VOC : Volatile Organic Compounds

vPvB : Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Skin Sens. 1/1A/1B : Calculation method.

Full text of hazard classes mentioned in section 3:

Flam. Liq. 3 : Flammable liquid, category 3.

Acute Tox. 3 : Acute toxicity, category 3.

Acute Tox. 4 : Acute toxicity, category 4.

Skin Corr. 1A/B/C : Skin corrosive, category 1A/B/C.

Skin Irrit. 2 : Skin irritation, category 2.

Eye Irrit. 2 : Eye irritation, category 2.

Skin Sens. 1/1A/1B : Skin sensitization, category 1/1A/1B. Asp. Tox. 1 : Aspiration hazard, category 1.

Aquatic Chronic 2 : Hazardous to the aquatic environment — Chronic category 2.

Product name : Shell Airfreshener fruit cocktail Page 12/13

Date of issue : 2019-10-02 Replaces issue dated : 2019-01-30 INFO CARE SDS



According to Regulation (EU) No 2015/830

Aquatic Chronic 3 : Hazardous to the aquatic environment — Chronic category 3. Aquatic Acute 1 : Hazardous to the aquatic environment — Acute category 1.

Full text of H-phrases mentioned in section 3:

H226 Flammable liquid and vapour.

H301 Toxic if swallowed. H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Advice on any training appropriate for workers: none.

Number format : "," used as decimal separator.

End of safety data sheet.

Print date : 2021-06-15

Product name : Shell Airfreshener fruit cocktail Page 13/13

Date of issue : 2019-10-02 Replaces issue dated : 2019-01-30 INFO CARE SDS