

According to Regulation (EU) No 2015/830

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : SHELL AIR FRESHENER FRUIT COCKTAIL

Product code : CRX794, AL63F

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC3 Air care products. Airfreshener.

1.3. Details of the supplier of the safety data sheet

Supplier : Kemetyl Polska Sp. z o. o.

Al. Jerozolimskie 146, Budynek C

02-305 Warszawa, Poland

Telephone : +48 22 822 5390
E-mail : msds@kemetyl.com
Website : www.kemetyl.com

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

PL - Telephone : +48 22 822 5390 (During office hours only)

EMERGENCY TELEPHONE NUMBER (for DOCTORS only):

(24/7)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification : Skin sensitization, category 1. Hazardous to the aquatic environment — Chronic category 3.

(1272/2008/EC)

Human health hazards : May cause an allergic skin reaction.

Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives.

Environmental hazards : Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements (1272/2008/EC):

Hazard pictograms



Signal word : Warning

H- and P-phrases : H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.
P273 Avoid release to the environment.

P280 gloves Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water/soap.

Product name : Shell Air Freshener Fruit Cocktail Page 1/12

Date of issue : 24-07-2019 Replaces issue dated : --- INFO CARE SDS



According to Regulation (EU) No 2015/830

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P501 Dispose of contents/container to an official chemical waste depot.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms :

Signal word : Warning

H- and P-phrases : H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.
P280 gloves Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water/soap.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P501 Dispose of contents/container to an official chemical waste depot.

Additional labelling (for all packaging sizes)

Contains: 4-tert-Butylcyclohexyl acetate; Benzyl salicylate; 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-

tetramethyl-2-naphtyl)ethan-1-one; Geraniol; Citral; Alpha-methyl-1,3-benzodioxole-5-

propionaldehyde.

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture. Information on hazardous substances:

Substance name	Concentration	CAS nr.	EC number	Remark	REACH nr.
	(w/w) (%)				
2,6-Dimethyloct-7-en-2-ol	< 3	18479-58-8	242-362-4		01-2119457274-37
4-tert-Butylcyclohexyl acetate	< 3	32210-23-4	250-954-9		01-2119976286-24
Benzyl salicylate	< 1	118-58-1	204-262-9		01-2119969442-31
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-	< 1	54464-57-2	259-174-3		01-2119489989-04
tetramethyl-2-naphtyl)ethan-1-one					
Geraniol	< 1	106-24-1	203-377-1		01-2119552430-49
Citral	< 0,5	5392-40-5	226-394-6		01-2119462829-23
Alpha-methyl-1,3-benzodioxole-5-	< 0,5	1205-17-0	214-881-6		01-2120740119-58
propionaldehyde					

Substance name	Hazard Class	H-phrases	Pictograms	
2,6-Dimethyloct-7-en-2-ol	Skin Irrit. 2; Eye Irrit. 2	H315; H319	GHS07	
4-tert-Butylcyclohexyl acetate	Skin Sens. 1B	H317	GHS07	
Benzyl salicylate	Skin Sens. 1; Eye Irrit.	H317; H319; H412	GHS07; GHS09	
	2; Aquatic Chronic 3			
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-	Skin Irrit. 2; Skin Sens.	H315; H317; H410	GHS07; GHS09	M (chronic) = 1
tetramethyl-2-naphtyl)ethan-1-one	1B; Aquatic Chronic 1			

Product name : Shell Air Freshener Fruit Cocktail Page 2/12

Date of issue : 24-07-2019 Replaces issue dated : --- INFO CARE SDS



According to Regulation (EU) No 2015/830

Geraniol	Skin Sens. 1B; Eye	H317; H318; H315	GHS05; GHS07	
	Dam. 1; Skin Irrit. 2			
Citral	Skin Irrit. 2; Skin Sens.	H315; H317; H319	GHS07	
	1B; Eye Irrit. 2			
Alpha-methyl-1,3-benzodioxole-5-	Skin Sens. 1B; Repr. 2;	H317; H361fd; H411	GHS07; GHS08;	
propionaldehyde	Aquatic Chronic 2		GHS09	

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures

Inhalation : Not applicable under normal conditions of use. Consult a doctor if victim feels unwell.

Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up.

Consult a doctor if irritation occurs.

Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists. Ingestion

: Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth

to an unconscious person. Consult a doctor if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

Inhalation : No specific effects and/or symptoms are known.

Skin contact : May cause redness and irritation, sensitisation. May produce an allergic reaction. May cause dry

Eye contact : May cause stinging of eyes and redness.

Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Suitable : Carbondioxide (CO2). Foam. Dry chemical. Water fog.

Not suitable : Water jet.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards : None known.

: Carbon monoxide may be evolved if incomplete combustion occurs. Hazardous thermal

decomposition products

5.3. Advice for firefighters

Special protective : Use adequate respiratory equipment in case of insufficient ventilation.

equipment for fire-fighters

ACCIDENTAL RELEASE MEASURES SECTION 6

6.1. Personal precautions, protective equipment and emergency procedures

Product name : Shell Air Freshener Fruit Cocktail Page 3/12

Date of issue : 24-07-2019 Replaces issue dated **INFO CARE SDS**



According to Regulation (EU) No 2015/830

Personal precautions

: Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with

spilled or released material.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills:

contain with dike. Waste product should not be allowed to contaminate soil or water.

Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to

occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Dispose at an authorised waste collection point. Wash away

remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections: See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas.

Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents.

Recommended packaging : Keep only in the original container.

Non recommended : None known.

packaging

7.3. Specific end use(s)

Use : Use only as directed.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure

limits

: Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have

not been established for this product.

Derived no-effect level (DNEL) for workers:

Chemical name	Route of	DNEL, short-ter	m	DNEL, long-term	
	exposure				
	,	Local effect	Systemic effect	Local effect	Systemic effect
2,6-Dimethyloct-7-en-2-ol	Dermal				20,8 mg/kg bw/day
	Inhalation				73,5 mg/m3
Benzyl salicylate	Dermal				0,9 mg/kg bw/day
	Inhalation				3,17 mg/m3
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-	Dermal	0,1011 mg/kg			1,73 mg/kg bw/day
tetramethyl-2-naphtyl)ethan-1-one		bw			
	Inhalation				1,76 mg/m3
Geraniol	Dermal				12,5 mg/kg bw/day

Product name : Shell Air Freshener Fruit Cocktail Page 4/12

Date of issue : 24-07-2019 Replaces issue dated : --- INFO CARE SDS



Safety data sheet According to Regulation (EU) No 2015/830

Kemetyl

	Inhalation			161,6 mg/m3
Citral	Dermal			1,7 mg/kg bw/day
	Inhalation			9 mg/m3
Alpha-methyl-1,3-benzodioxole-5-	Dermal		0,01 mg/kg bw/	0,17 mg/kg bw/day
propionaldehyde			day	
	Inhalation			1,2 mg/m3

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of	DNEL, short-te	DNEL, short-term		DNEL, long-term	
	exposure	exposure		_		
	•	Local effect	Systemic effect	Local effect	Systemic effect	
2,6-Dimethyloct-7-en-2-ol	Dermal				12,5 mg/kg bw/day	
	Inhalation				21,7 mg/m3	
	Oral		İ		12,5 mg/kg bw/day	
Benzyl salicylate	Dermal				0,45 mg/kg bw/day	
	Inhalation				0,78 mg/m3	
	Oral				0,45 mg/kg bw/day	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-	Dermal	0,0506 mg/kg			0,86 mg/kg bw/day	
etramethyl-2-naphtyl)ethan-1-one		bw				
	Inhalation				0,43 mg/m3	
	Oral		İ		0,25 mg/kg bw/day	
Geraniol	Dermal		İ		7,5 mg/kg bw/day	
	Inhalation				47,8 mg/m3	
	Oral				13,75 mg/kg bw/day	
Citral	Dermal				1 mg/kg bw/day	
	Inhalation				2,7 mg/m3	
	Oral				0,6 mg/kg bw/day	
Alpha-methyl-1,3-benzodioxole-5-	Dermal			0,005 mg/kg bw/	0,083 mg/kg bw/day	
propionaldehyde				day		
	Inhalation			_	0,29 mg/m3	
	Oral				0,17 mg/kg bw/day	

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
2,6-Dimethyloct-7-en-2-ol	Water	0,0278 mg/l	0,0027 mg/l	
	Sediment	0,594 mg/kg	0,0594 mg/kg	
į	Intermittent water			0,278 mg/l
İ	STP			10 mg/l
	Soil			0,103 mg/kg
	Oral			111 mg/kg food
4-tert-Butylcyclohexyl acetate	Water	0,0053 mg/l	0,00053 mg/l	l i
	Sediment	2,01 mg/kg	0,21 mg/kg	i
	Intermittent water			0,053 mg/l
	STP			12,2 mg/l
İ	Soil			0,42 mg/kg
İ	Oral			66,76 mg/kg food
Benzyl salicylate	Water	0,00103 mg/l	0,00010 mg/l	l i
	Sediment	0,583 mg/kg	0,0583 mg/kg	
İ	Intermittent water			0,01030 mg/l
İ	STP			10 mg/l
İ	Soil			0,116 mg/kg
	Oral			80 mg/kg food
Geraniol	Water	0,0108 mg/l	0,0010 mg/l	l i
İ	Sediment	0,115 mg/kg	0,0115 mg/kg	İ
	Intermittent water			0,108 mg/l

Product name : Shell Air Freshener Fruit Cocktail

Page 5/12 Date of issue : 24-07-2019 Replaces issue dated INFO CARE SDS



According to Regulation (EU) No 2015/830

Kemety

	STP			0,7 mg/l
	Soil			0,0167 mg/kg
Citral	Water	0,00678 mg/l	0,000678 mg/l	
	Sediment	0,125 mg/kg	0,0125 mg/kg	
	Intermittent water			0,0678 mg/l
	STP			1,6 mg/l
	Soil			0,0209 mg/kg
Alpha-methyl-1,3-benzodioxole-5- propionaldehyde	Water	0,005 mg/l	0,001 mg/l	
	Sediment	0,057 mg/kg	0,006 mg/kg	
	STP			10 mg/l
	Soil			0,008 mg/kg

8.2. Exposure controls

Engineering measures : Comply with standard precautionary measures for working with chemicals. See Directive 2004/37/

EG on the protection of workers from the risks related to exposure to carcinogens or mutagens at

work.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

In Si

Body protection : Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN

365/367 resp. 345. Suitable material: laminated film. Indication of permeation breakthrough time: 6

hours.

Respiratory protection: Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale

exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance

with EN 140.

Hand protection : Wear appropriate safety gloves in accordance with EN 374. Suitable material: laminated film. ± 0,5

mm. Indication of permeation breakthrough time: 6 hours.

Eye protection : Wear appropriate safety glasses when there is danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance : Liquid. Impregnated material.

Colour : Light yellow.
Odour : Perfumed.
Odour threshold : Not known.

pH : Not applicable. Waterfree product. Solubility in water : Not soluble.

Solubility in water : No Partition coefficient (n-

Partition coefficient (n- : Not known. Not measured. Not relevant for mixtures.

octanol/water)

Flash point : > 100 °C

Flammability (solid, gas) : Not applicable. Liquid. See flashpoint.

Auto ignition temperature : $> 250 \,^{\circ}\text{C}$ Boiling point/boiling range : $> 100 \,^{\circ}\text{C}$ Melting point/melting range : Not known.

Product name : Shell Air Freshener Fruit Cocktail Page 6/12

Date of issue : 24-07-2019 Replaces issue dated : --- INFO CARE SDS



According to Regulation (EU) No 2015/830

Kemetyl

Explosive properties : None known.

Explosion limits (% in air) : Not known.

Oxidising properties : Not applicable.

Does not contain oxidizing substances.

Decomposition temperature : Not applicable.

Viscosity (20°C) : Not known.

Viscosity (40°C) : Not relevant. The product contains < 10% substances having an aspiration hazard.

Does not contain explosives.

Vapour pressure (20°C) : Not known.

Vapour density (20°C) : > 1 (air = 1)

Relative density (20°C) : 1 g/ml

Evaporation rate : Not known. (n-butyl acetate = 1)

9.2. Other information

Other information : Not relevant.

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition : Not known.

products

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

No toxicological research has been carried out on this product.

Inhalation

Acute toxicity: Calculated LC50: no data mg/l. Ingredients of unknown toxicity: 3 %. ATE: > 5 mg/l. Low toxicity.

Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.

Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available

data, the classification criteria are not met.

Carcinogenicity : Not classified due to lack of data. Mutagenicity : Not classified due to lack of data.

Skin contact

Product name : Shell Air Freshener Fruit Cocktail Page 7/12

Date of issue : 24-07-2019 Replaces issue dated : --- INFO CARE SDS



According to Regulation (EU) No 2015/830

Acute toxicity

: Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw.

Low toxicity. Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation Sensitisation

Not classified - based on available data, the classification criteria are not met. May cause sensitisation by skin contact. May produce an allergic reaction.

Mutagenicity

Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Eye contact

Corrosion/irritation Slight irritation possible. Not classified - based on available data, the classification criteria are not

Ingestion

: Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Acute toxicity

Low toxicity. Not classified - based on available data, the classification criteria are not met.

: Not classified - based on available data, the classification criteria are not met. Does not contain Aspiration

substances with an aspiration hazard.

Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.

: Does not contain carcinogenic substances. Not classified - based on available data, the Carcinogenicity

classification criteria are not met.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Development: Not classified - Based on available data, the classification criteria are not met. Reprotoxicity

Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
4-tert-Butylcyclohexyl acetate	LD50 (oral)	5000 mg/kg bw		Rat
	LD50 (dermal)	> 5000 mg/kg bw		Rabbit
	Eye irritation	Non-irritant		Rabbit
	Skin irritation	Non-irritant		Rabbit
	NOAEL (oral) -	710 mg/kg bw/d	Read across	
	estimate			
Benzyl salicylate	LD50 (oral)	2227 mg/kg bw		Rat
	Skin sensitisation	725 ug/cm2	OECD 429	Mouse
	Skin irritation	Non-irritant		Rabbit
	NOAEL (oral) -	> 360 mg/kg bw/d	Read across	Rat
	estimate			
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	NOAEL (fertility) -	180 mg/kg.d	Read across	Rat
	estimate			
	NOAEL (development)	> 360 mg/kg.d	Read across	Rat
	- estimate			
	Eye irritation	Moderately irritant		Rabbit
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-	Skin irritation	Non-irritant		Rabbit
tetramethyl-2-naphtyl)ethan-1-one				
	Skin sensitisation	6825 ug/cm2	OECD 429	Mouse
	LD50 (oral)	> 5000 mg/kg bw		Rat
	LD50 (dermal)	> 5000 mg/kg bw		Rat
	Mutagenicity	Not mutagenic	OECD 471	
	NOAEL (development,	480 mg/kg bw/d	OECD 414	Rat
	oral)			
Geraniol	NOEL (oral)	> 550 mg/kg bw/d		Rat
	LD50 (dermal)	> 5000 mg/kg bw		Rabbit
	LD50 (oral)	> 2840 mg/kg bw		Rat
	NOEL (carcinogenicity)	Not carcinogenic	Read across	
	- estimate			

Product name : Shell Air Freshener Fruit Cocktail Page 8/12 Replaces issue dated Date of issue : 24-07-2019 **INFO CARE SDS**



According to Regulation (EU) No 2015/830

Kemety

	NOAEL (dermal)	300 mg/kg bw/d	OECD 421	Rat
	Genotoxicity - in vitro	Not genotoxic	OECD 476	Chinese Hamster
	Genotoxicity - in vivo	Not genotoxic	OECD 474	Mouse
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	NOAEL (developmental	> 300 mg/kg bw/d	OECD 421	Rat
	toxicity, dermal)			
	NOAEL (fertility,	> 300 mg/kg bw/d	OECD 421	Rat
	dermal)			
	Skin sensitisation	3525 ug/cm2	OECD 429	Mouse
Citral	NOAEL (fertility, oral)	> 1000 mg/kg bw/d	OECD 421	Rat
	Genotoxicity - in vivo	Negative	OECD 474	Mouse
	Eye irritation	Slightly irritant	OECD 405	Rabbit
	Skin irritation	Moderately irritant		Rabbit
	Skin irritation	Irritant		Human
	Skin sensitisation	Sensitizing.	OECD 406	Guinea pig
	NOAEL (developmental	423 mg/m3		Rat
	toxicity, inh.)			
	NOEL (carcinogenicity,	> 100 mg/kg bw/d	OECD 453	Rat
	oral)			
	Mutagenicity	Negative	OECD 471	
	LD50 (oral)	4960 mg/kg bw		Rat
	Genotoxicity - in vitro	Not genotoxic		
	NOAEL (oral)	833 mg/kg bw/d		Rat
	LD50 (dermal)	2250 mg/kg bw		Rabbit
	NOAEL (development,	200 mg/kg bw/d	OECD 421	Rat
	oral)			
Alpha-methyl-1,3-benzodioxole-5- propionaldehyde	NOAEL (fertility, oral)	100 mg/kg bw/d	OECD 422	Rat
,	Skin irritation	Non-irritant		
	LD50 (dermal)	> 2000 mg/kg bw		Rabbit
	LD50 (oral)	3600 mg/kg bw		Rat
	Skin irritation	Non-irritant		
	NOAEL (development,	> 500 mg/kg bw/d		Rat
	oral)			
	NOAEL (dermal)	> 300 mg/kg bw/d		Rat
	Skin sensitisation	4100 ug/cm2	OECD 429	
		<u> </u>	ļ	

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Harmful to aquatic organisms. Calculated LC50 (fish): 84 mg/l. Calculated EC50 (waterflea): 92 mg/

I. Contains 0 % of components with unknown hazards to the aquatic environment.

12.2. Persistence and degradability

Persistence – degradability: May cause long-term adverse effects in the aquatic environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : Adsorbs to soil and has low mobility.

Product name : Shell Air Freshener Fruit Cocktail Page 9/12

Date of issue : 24-07-2019 Replaces issue dated : --- INFO CARE SDS



According to Regulation (EU) No 2015/830

Kemetyl

12.5. Results of PBT and vPvB ass

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Other adverse effects

Other information : Not applicable.

Ecological information:

Chemical name	Property		Method	Test animal
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-	LC50 (fish)	1,3 mg/l	OECD 203	
tetramethyl-2-naphtyl)ethan-1-one				
	EC50 (waterflea)	1,38 mg/l	OECD 202	
İ	IC50 (algea)	> 2,6 mg/l	OECD 201	
	Log P(ow)	5,23		
	BCF	600		İ

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat

product residues, impregnated wipes and non-empty pack as hazardous waste.

Additional warning : None.

Waste water discharge : Do not dispose into the environment, in drains or in water courses.

European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a

waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.

Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulation

Local regulations may be more stringent than regional or national requirements and must be

complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number

UN nr. : None.

14.2. UN proper shipping name

Transport name : Not regulated.

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : This product is not classified according to ADR/RID/ADN.

IMDG (sea)

Class : This product is not classified according to IMDG.

Marine pollutant : No

IATA (air)

Class : This product is not classified according to IATA.

14.6. Special precautions for user

Other information : Country specific variations may apply.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Product name : Shell Air Freshener Fruit Cocktail Page 10/12

Date of issue : 24-07-2019 Replaces issue dated : --- INFO CARE SDS



According to Regulation (EU) No 2015/830

Kemetyl

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO)

instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2015/830 (REACH), Regulation (EC) No 1272/2008 (CLP) and other

regulations.

15.2. Chemical safety assessment

Chemical safety

: Not applicable.

assessment

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2015/830 dated 28 May 2015 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE : Acute Toxicity Estimate

CLP : Classification, Labeling & Packaging

CMR : Carcinogenic, Mutagenic or toxic for Reproduction

EEC : European Economic Community

GHS : Globally Harmonized System of Classification and Labelling of Chemicals

IATA : International Air Transport Association
IBC code : International Bulk Chemical Code

IMDG : International Maritime Dangerous Goods Code LD50/LC50 : Lethal Dose/Concentration for 50% of a population

MAC : Maximum Allowable Concentration

MARPOL : International Convention for the Prevention of Pollution From Ships

NO(A)EL : No Observed (Adverse) Effect Level

OECD : Organisation for Economic Co-operation and Development

PBT : Persistent, Bioaccumulative and Toxic

PC : Chemical product category

PT : Product type

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

RID : Regulations concerning the International Carriage of Dangerous Goods by Rail

STP : Sewage Treatment Plant

SU : Sector of Use

TWA/STEL : Time-Weighted Average/Short Term Exposure Limit

UN : United Nations

VOC : Volatile Organic Compounds

vPvB : Very Persistent and Very Bioaccumulative

Product name : Shell Air Freshener Fruit Cocktail Page 11/12

Date of issue : 24-07-2019 Replaces issue dated : --- INFO CARE SDS



According to Regulation (EU) No 2015/830

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Skin Sens. 1/1A/1B : Calculation method. Aquatic Chronic 3 : Calculation method.

Full text of hazard classes mentioned in section 3:

Skin Irrit. 2 : Skin irritation, category 2.

Eye Dam. 1 : Serious eye damage, category 1.

Eye Irrit. 2 : Eye irritation, category 2.

Skin Sens. 1/1A/1B : Skin sensitization, category 1/1A/1B.

Aquatic Chronic 1 : Hazardous to the aquatic environment — Chronic category 1.

Aquatic Chronic 2 : Hazardous to the aquatic environment — Chronic category 2.

Aquatic Chronic 3 : Hazardous to the aquatic environment — Chronic category 3.

Aquatic Acute 1 : Hazardous to the aquatic environment — Acute category 1.

Full text of H-phrases mentioned in section 3:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.

H361 Suspected of damaging fertility or the unborn child.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Advice on any training appropriate for workers: none.

Number format : "," used as decimal separator.

End of safety data sheet.

Print date : 29-07-2019

Product name : Shell Air Freshener Fruit Cocktail Page 12/12

Date of issue : 24-07-2019 Replaces issue dated : --- INFO CARE SDS