

According to Regulation (EU) No 2020/878

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

: SHELL WINDOW DE-ICER STRONG Product name

Product code : CRX814-AT09S, AT09S

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC4 Antifreeze and de-icing products.

1.3. Details of the supplier of the safety data sheet

Supplier : Kemetyl Polska Sp. z o. o.

> Al. Jerozolimskie 146 02-305 Warszawa, Poland

Telephone : +48 22 822 5390 E-mail : msds@kemetyl.com Website : www.kemetyl.pl

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

PL - Telephone : +48 22 822 5390 (During office hours only)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification : Flammable liquid, category 2. Eye irritation, category 2. Specific target organ toxicity after single

(1272/2008/EC) exposure, category 3.

Human health hazards : Causes serious eye irritation. May cause drowsiness or dizziness. Physical/chemical hazards: Highly flammable. Keep away from sources of ignition — No smoking. Environmental hazards : Not classified as dangerous according to statutory EC-Directives.

2.2. Label elements

Label elements (1272/2008/EC):

Hazard pictograms





Signal word : Danger

H- and P-phrases : H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Keep away from heat, hot surfaces, sparks, open flames and other ignition P210

sources. No smoking.

P271 Use only outdoors or in a well-ventilated area.

P405 Store locked up.

P501 Dispose of contents/container to an official chemical waste depot.

: Shell Window De-Icer STRONG Product name Page 1/10

Date of issue : 2022-06-08 Replaces issue dated : 2020-12-02 SDS 'autogenerated' by Aminchi



According to Regulation (EU) No 2020/878

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms

Signal word : Danger

H- and P-phrases : H336 May cause drowsiness or dizziness.

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P271 Use only outdoors or in a well-ventilated area.

P405 Store locked up.

P501 Dispose of contents/container to an official chemical waste depot.

Additional labelling (for all packaging sizes)

: Contains: Propan-2-ol .

Other information : According to Regulation (EC) No 1272/2008, the packaging of this product shall carry a tactile

warning of danger.

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
Propan-2-ol	50 - 75	67-63-0	200-661-7		01-2119457558-25

Substance name	Hazard Class	H-phrases	Pictograms	
	1 , , ,	H225; H319; H336	GHS02; GHS07	
	2; STOT SE 3			

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures

Inhalation : Move victim into fresh air. Consult a doctor.

Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries

up.

Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor.

Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth

to an unconscious person. Consult a doctor if victim feels unwell.

Product name : Shell Window De-Icer STRONG Page 2/10

Date of issue : 2022-06-08 Replaces issue dated : 2020-12-02 SDS 'autogenerated' by



According to Regulation (EU) No 2020/878

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

Inhalation : May cause headache, drowsiness, dizziness and a feeling of sickness.

Skin contact : May cause dry skin.

Eye contact : Irritant. May cause redness and pain.

Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Suitable : Carbondioxide (CO2). Alcohol resistant foam. Dry chemical. Water fog.

Not suitable : Water jet. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards : None known.

Hazardous thermal : Carbon monoxide may be evolved if incomplete combustion occurs.

decomposition products

5.3. Advice for firefighters

Special protective : Use adequate respiratory equipment in case of insufficient ventilation.

equipment for fire-fighters

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact

with spilled or released material. Keep away from sources of ignition — No smoking. Vapours are

heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

Environmental precautions: Avoid release of product into sewers, surface water and/or ground water. In case of large spills:

contain with dike.

Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to

occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an

authorised waste collection point. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections: See also section 8.

SECTION 7 HANDLING AND STORAGE

Product name : Shell Window De-Icer STRONG Page 3/10

Date of issue : 2022-06-08 Replaces issue dated : 2020-12-02



According to Regulation (EU) No 2020/878

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas.

Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Electrostatic discharge may cause fire. Ensure electrical continuity by bonding and grounding

(earthing) all equipment. Do not breathe vapour. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep in a cool, dry and well-ventilated place (< 35 °C). Protect from sunlight. Keep away from

oxidizing agents.

Recommended packaging : Keep only in the original container. Non recommended : Steel (except stainless steel).

packaging

7.3. Specific end use(s)

Use : Use only as directed.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure

limits

: Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have

not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	1 7			Comments	Source
		(mg/m3)	(mg/m3)		
Propan-2-ol	GB	999	1250	-	

Biological limit values (BMGV):

Substance	Country	Determinant		Specimen/Sampling Time/Remarks
			None known.	

Abbreviations BMG-list : B = Blood. U = Urine. b = At the end of the period of exposure. d = pre-shift.

Source : EH40/2005 (Fourth edition, 2020).

Derived no-effect level (DNEL) for workers:

Chemical name	Route of	DNEL, short-term		DNEL, long-term	
	exposure				
	*	Local effect	Systemic effect	Local effect	Systemic effect
Propan-2-ol	Dermal				888 mg/kg bw/day
	Inhalation				500 mg/m3

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of	DNEL, short-term		DNEL, long-term	
	exposure				
		Local effect	Systemic effect	Local effect	Systemic effect
Propan-2-ol	Dermal				319 mg/kg bw/day
	Inhalation				89 mg/m3
	Oral				26 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
---------------	-------------------	-------------	--------------	--

Product name : Shell Window De-Icer STRONG Page 4/10

Date of issue : 2022-06-08 Replaces issue dated : 2020-12-02 SDS 'autogenerated' by



According to Regulation (EU) No 2020/878

Kemetyl

 Propan-2-ol
 Water
 140,9 mg/l
 140,9 mg/l

 Sediment
 552 mg/kg
 552 mg/kg

 Intermittent water
 140,9 mg/l

 STP
 2251 mg/l

 Soil
 28 mg/kg

 Oral
 160 mg/kg food

8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with

chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection : Use of specific protective industrial clothing is not required under normal conditions of use.

Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale

exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance

with EN 140.

Hand protection : Under normal conditions of use specific gloves are not required.

Eye protection : Wear appropriate safety glasses with side shields, in accordance with EN 166, when there is

danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state : Liquid.

Colour : Colourless.

Odour : Perfumed.

Odour threshold : Not known.

pH : 2 - 11,5

Solubility in water : Soluble.

Partition coefficient (n-oc-

tanol/water)

: Not known.

Not measured. Not relevant for mixtures.

Flash point : 18,3 °C Closed cup.

Flammability (solid, gas) : Not applicable. Liquid. See flashpoint.

Auto ignition temperature : 399 °C Boiling point/boiling range : 82 °C Melting point/melting range : -29 °C

Explosive properties : Not an explosive.

Explosion limits (% in air) : Not known. Lower explosion limit in air (%): 2 (Propan-2-ol)

Upper explosion limit in air (%): 12 (Propan-2-ol)

Oxidising properties : Not oxidizing. Does not contain oxidizing substances.

Decomposition temperature: Not applicable.

Viscosity (20°C) : 2,5 mm2/sec (1 mm2/sec = 1cSt)

Viscosity (40°C) : < 7 mm2/sec

Vapour pressure (20°C) : 4400 Pa

Relative vapour density : > 1 (air = 1)

Relative density (20°C) : 0,9 g/ml

Particle characteristics : Not applicable. Liquid.

9.2. Other information

Other information : Not relevant.

Product name : Shell Window De-Icer STRONG Page 5/10

Date of issue : 2022-06-08 Replaces issue dated : 2020-12-02 SDS 'autogenerated' by



According to Regulation (EU) No 2020/878

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition : Not known.

products

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation

Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity. Not

classified - based on available data, the classification criteria are not met. May cause damage to organs. Target organ(s): Central nervous system. Effect(s): Breathing of high vapour concentrations may cause central nervous system (CNS) depression resulting in dizziness, lightheadedness, headache, nausea and loss of coordination. Continued inhalation may result in unconsciousness

and death.

Corrosion/irritation

: Not classified - based on available data, the classification criteria are not met.

Sensitisation

: Does not contain substances classified as respiratory sensitiser. Not classified - based on available

data, the classification criteria are not met.

Carcinogenicity

: Does not contain carcinogenic substances. Not classified - based on available data, the

classification criteria are not met.

Mutagenicity

: Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Skin contact

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw.

Low toxicity. Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation

: Prolonged contact may dry out and defat the skin. Not classified - based on available data, the

classification criteria are not met.

Sensitisation : Not classified - based on available data, the classification criteria are not met.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Eye contact

Corrosion/irritation : Irritant.

Product name : Shell Window De-Icer STRONG Page 6/10

Date of issue : 2022-06-08 Replaces issue dated : 2020-12-02 SDS 'autogenerated' by



According to Regulation (EU) No 2020/878

Ingestion

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw.

Low toxicity. Not classified - based on available data, the classification criteria are not met.

Aspiration : Not expected to be an aspiration hazard. Contains a substance/substances with an aspiration

hazard. Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.

Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the

classification criteria are not met.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available

data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not

classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
Propan-2-ol	LD50 (oral)	5840 mg/kg bw	OECD 401	Rat
	LD50 (dermal)	12800 mg/kg bw		Rat
	LC50 (inhalation)	46600 mg/m3		Rat
	Skin irritation	Slightly irritant	OECD 404	Rabbit
	Eye irritation	Irritant	OECD 405	Rabbit
	NOAEL (fertility, oral)	853 mg/kg bw/d	OECD 415	Rat
		596 mg/kg bw/d	OECD 414	Rat
	oral) NOEL (carcinogenicity, oral)	Not carcinogenic	OECD 416	Rat
	Skin sensitisation Mutagenicity	Not sensitizing Negative	OECD 406 OECD 471	Guinea pig
	NOAEL (inhalation)	12500 mg/m3	OECD 451	Rat
	Genotoxicity - in vivo	Not genotoxic	OECD 474	Mouse
	NOEL (carcinogenicity, inh.)	12500 mg/m3		Mouse
	Genotoxicity - in vitro	Not genotoxic	OECD 476	
	NOAEL (oral)	870 mg/kg bw/d		Rat

11.2. Information on other hazards

Endocrine disrupting

properties

: Not applicable.

Other information : Not applicable.

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Calculated LC50 (fish): 4062 mg/l. Calculated EC50 (waterflea): 2919 mg/l. Contains 0 % of

components with unknown hazards to the aquatic environment. Not classified - based on available

data, the classification criteria are not met.

12.2. Persistence and degradability

Persistence – degradability: No specific information known.

12.3. Bioaccumulative potential

 $\label{eq:bioaccumulative potential} \quad \hbox{i. No specific information known.}$

Product name : Shell Window De-Icer STRONG Page 7/10

Date of issue : 2022-06-08 Replaces issue dated : 2020-12-02 SDS 'autogenerated' by



According to Regulation (EU) No 2020/878

Kemetyl

12.4. Mobility in soil

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Endocrine disrupting properties

Endocrine disrupting

: Not applicable.

properties

12.7. Other adverse effects

Other adverse effects : Not applicable.

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat

product residues and non-empty pack as hazardous waste.

Additional warning : Residues may cause an explosion hazard. Do not puncture, cut or weld uncleaned drums.

Waste water discharge : Do not dispose of into the environment, drains, sewers or water courses.

European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a

waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.

Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Local regulations may be more stringent than regional or national requirements and must be

complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number or ID number

UN nr. : UN 1219

14.2. UN proper shipping name

Transport name : ISOPROPANOL (ISOPROPYL ALCOHOL)
Transport name (IMDG, : ISOPROPANOL (ISOPROPYL ALCOHOL)

IATA)

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : 3
Classification code : F1
Packaging group : II
Danger label : 3
Tunnel restriction : D/E

code

3

Product name : Shell Window De-Icer STRONG Page 8/10

Date of issue : 2022-06-08 Replaces issue dated : 2020-12-02 SDS

SDS 'autogenerated' by Aminchi



According to Regulation (EU) No 2020/878

Kemetyl

Other information : Not intended for carriage by tank-vessels on inland waterways.

IMDG (sea)

Class : 3 Packaging group : II

EmS (fire / spill) : F - E / S - D

Marine pollutant : No

IATA (air)

Class : 3 ERG code : 3L Packaging group : II

14.6. Special precautions for user

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to

the transport of this product.

14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO)

instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other

regulations. Directive 2008/98/EC (waste).

15.2. Chemical safety assessment

Chemical safety assessment

: Not applicable.

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE : Acute Toxicity Estimate

CLP : Classification, Labeling & Packaging

CMR : Carcinogenic, Mutagenic or toxic for Reproduction

EEC : European Economic Community

GHS : Globally Harmonized System of Classification and Labelling of Chemicals

IATA : International Air Transport Association
IBC code : International Bulk Chemical Code

Product name : Shell Window De-Icer STRONG Page 9/10

Date of issue : 2022-06-08 Replaces issue dated : 2020-12-02 SDS 'autogenerated' by



According to Regulation (EU) No 2020/878

Kemetyl

IMDG : International Maritime Dangerous Goods Code LD50/LC50 : Lethal Dose/Concentration for 50% of a population

MAC : Maximum Allowable Concentration

MARPOL : International Convention for the Prevention of Pollution From Ships

NO(A)EL : No Observed (Adverse) Effect Level

OECD : Organisation for Economic Co-operation and Development

PBT : Persistent, Bioaccumulative and Toxic

PC : Chemical product category

PT : Product type

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

RID : Regulations concerning the International Carriage of Dangerous Goods by Rail

STP : Sewage Treatment Plant

SU : Sector of Use

TWA/STEL : Time-Weighted Average/Short Term Exposure Limit

UN : United Nations

UFI : Unique formula identifier
VOC : Volatile Organic Compounds

vPvB : Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Flam. Liq. 2 : On basis of test data.

Eye Irrit. 2 : Calculation method.

STOT SE 3 : Calculation method.

Full text of hazard classes mentioned in section 3:

Flam. Liq. 2 : Flammable liquid, category 2. Eye Irrit. 2 : Eye irritation, category 2.

STOT SE 3 : Specific target organ toxicity after single exposure, category 3.

Full text of H-phrases mentioned in section 3:

H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Advice on any training appropriate for workers: none.

Number format : "," used as decimal separator.

End of safety data sheet.

Print date : 2023-04-05

Product name : Shell Window De-Icer STRONG Page 10/10

Date of issue : 2022-06-08 Replaces issue dated : 2020-12-02 SDS 'autogenerated' by