

According to Regulation (EU) No 2020/878

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name	: BLACK ARROW GASOLINE ADDITIVE
Product code	: CRX849, AT80I

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application

: SU21 Consumer product. PC13 Fuel additives and fuel components.

1.3. Details of the supplier of the safety data sheet

02-305 Warszawa,	o. z o. o. 146 a, Poland
Telephone: +48 22 822 5390E-mail: msds@kemetyl.comWebsite: www.kemetyl.pl	m

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only: PL - Telephone : +48 22 822 5390

(During office hours only)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification (1272/2008/EC)	:	Aspiration hazard, category 1. Hazardous to the aquatic environment — Chronic category 3.
Human health hazards	:	May be fatal if swallowed and enters airways. Repeated exposure may cause skin dryness or cracking.
Physical/chemical hazards Environmental hazards		Not classified as dangerous according to statutory EC-Directives. Combustible. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements ((EU) 1272/2008): Hazard pictograms



Signal word	: Danger	
H- and P-phrases	: H304 H412 EUH066 P101 P102 P273 P301+P310 P331 P405	May be fatal if swallowed and enters airways. Harmful to aquatic life with long lasting effects. Repeated exposure may cause skin dryness or cracking. If medical advice is needed, have product container or label at hand. Keep out of reach of children. Avoid release to the environment. IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. Store locked up.



According to Regulation (EU) No 2020/878

Dispose of contents/container to an official chemical waste depot.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases: Hazard pictograms :

Signal word	Danger
H- and P-phrases	 H304 May be fatal if swallowed and enters airways. H412 Harmful to aquatic life with long lasting effects. EUH066 Repeated exposure may cause skin dryness or cracking. P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor. P331 Do NOT induce vomiting. P405 Store locked up. P501 Dispose of contents/container to an official chemical waste depot.
Additional labelling (for all p	 ckaging sizes) Contains: Hydrocarbons, C11-14, n-alkanes, isoalkanes, cyclics, aromatics (2-25%); Hydrocarbons, C14-18, n-alkanes, isoalkanes, cyclics, aromatics (2-30%); Solvent naphtha (petroleum), heavy arom.; 1,2,4-Trimethylbenzene. 5 per cent of the mixture consists of component(s) of unknown acute toxicity. Contains 5 % of components with unknown hazards to the aquatic environment.
Other information	According to regulation (EC) 1272/2008, Annex II, part 3, the packaging of this product shall carry a tactile warning of danger and a child-resistant fastening.
2.3. Other hazards	
Other information	Does not contain PBT or vPvB substances in concentrations higher than 0,1%. Human health: This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at levels of 0.1% or higher. Environment: This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

P501

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances	:				
Substance name	Concentration	CAS nr.	EC number	Remark	REACH nr.
	(w/w) (%)				
Hydrocarbons, C11-14, n-alkanes,	25 - < 50		925-653-7		01-2119458869-15
isoalkanes, cyclics, aromatics (2-25%)					
Hydrocarbons, C14-18, n-alkanes,	25 - < 50		920-360-0		01-2119448343-41
isoalkanes, cyclics, aromatics (2-30%)					
Solvent naphtha (petroleum), heavy	< 5	64742-94-5	265-198-5		
arom.					
Polyolefin alkyl phenol alkyl amine	< 5		937-607-3		
Polyether polyol	< 5				
1,2,4-Trimethylbenzene	< 2,5	95-63-6	202-436-9		



According to Regulation (EU) No 2020/878

Kemetyl

Naphthalene	< 0,5 91-20-3	202-049-5		
Substance name	Hazard Class	H-phrases	Pictograms	
Hydrocarbons, C11-14, n-alkanes,	Asp. Tox. 1; Aquatic	H304; H412; EUH066	GHS08	
isoalkanes, cyclics, aromatics (2-25%)	Chronic 3			
Hydrocarbons, C14-18, n-alkanes,	Asp. Tox. 1	H304; EUH066	GHS08	
isoalkanes, cyclics, aromatics (2-30%)				
Solvent naphtha (petroleum), heavy	Asp. Tox. 1; STOT SE	H304; H336; H411;	GHS07; GHS08;	
arom.	3; Aquatic Chronic 2	EUH066	GHS09	
Polyolefin alkyl phenol alkyl amine	Skin Irrit. 2	H315	GHS07	
Polyether polyol	Aquatic Chronic 3	H412		
1,2,4-Trimethylbenzene	Flam. Liq. 3; Asp. Tox.	H226; H304; H315;	GHS02; GHS07;	
	1; Skin Irrit. 2; Eye Irrit.	H319; H332; H335;	GHS08; GHS09	
	2; Acute Tox. 4; STOT	H411		
	SE 3; Aquatic Chronic			
	2			
Naphthalene	Flam. Sol. 2; Acute	H228; H302; H351;	GHS02; GHS07;	M (acute) = 1
	Tox. 4; Carc. 2; Aquatic	H400; H410	GHS08; GHS09	
	Acute 1; Aquatic			
	Chronic 1			

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures	
Inhalation	: Move victim into fresh air. Consult a doctor if victim feels unwell.
Skin contact	: Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation persists.
Eye contact Ingestion	 Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists. Do not induce vomiting. Give nothing to drink. Do rinse the mouth. As necessary give 1 or 2 soupspoons of laxative (sodium sulphate). Never give anything by mouth to an unconscious person. Consult a doctor immediately.
10 M	umstems and effects, both south and delayed

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms	
Inhalation	: May cause headache, dizziness and a feeling of sickness.
Skin contact	: Repeated exposure may cause skin dryness or cracking.
Eye contact	: May cause stinging of eyes and redness.
Ingestion	: May cause a feeling of sickness, vomiting and diarrhoea. May cause lung damage, sore throat and lack of breath.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media		
Suitable	: Carbondioxide (CO2). Foam. Dry chemical. Water fog.	



According to Regulation (EU) No 2020/878

: Water jet. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards	: Will float on water and can be reignited.
Hazardous thermal	: Carbon monoxide may be evolved if incomplete combustion occurs.
decomposition and	
combustion products	

5.3. Advice for firefighters

Not suitable

Special protective : Use adequate respiratory equipment in case of insufficient ventilation. equipment for fire-fighters

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike. Waste product should not be allowed to contaminate soil or water.
 Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling	: Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas.
	Keep away from sources of ignition — No smoking. Do not breathe vapour. Avoid contact with skin
	and eyes. Avoid splashing. Wear protective clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage	: Keep in a cool, dry and well-ventilated place. Keep away from oxidizing agents. Keep away from food, drink and animal feedingstuffs.
Recommended packaging Non recommended	: Keep only in the original container. : PE and PP.
packaging	

7.3. Specific end use(s)

Use

: Use only as directed.



According to Regulation (EU) No 2020/878

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour	STEL 15 min	Comments	Source
		(mg/m3)	(mg/m3)		
Hydrocarbons, C11-14, n-alkanes,		1200	-		CEFIC-HSPA
isoalkanes, cyclics, aromatics (2-25%)					
Hydrocarbons, C14-18, n-alkanes,		1200	-		CEFIC-HSPA
isoalkanes, cyclics, aromatics (2-30%)					
Solvent naphtha (petroleum), heavy		100	-	-	CEFIC-HSPA
arom.					
1,2,4-Trimethylbenzene	EC	100	-	-	Directive 2000/39/EC
	GB	125	-	-	
Naphthalene	EC	50	-	-	

Biological limit values (BMGV):

Substance	Country	Determinant		Specimen/Sampling Time/Remarks
Naphthalene	GB	1-Hydroxypyrene	4 µmol/mol	U/b/

Abbreviations BMG-list Source

: B = Blood. U = Urine. b = At the end of the period of exposure. d = pre-shift. : EH40/2005 (Fourth edition, 2020).

Derived no-effect level (DNEL) for workers:

Chemical name	Route of	DNEL, short-term D		DNEL, long-term	
	exposure				
		Local effect	Systemic effect	Local effect	Systemic effect
1,2,4-Trimethylbenzene	Inhalation	100 mg/m3	100 mg/m3	100 mg/m3	100 mg/m3
	Dermal				16171 mg/kg bw/day
Naphthalene	Dermal				3,57 mg/kg bw/day
	Inhalation			25 mg/m3	25 mg/m3

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of	DNEL, short-term		DNEL, long-term	
	exposure				
		Local effect	Systemic effect	Local effect	Systemic effect
1,2,4-Trimethylbenzene	Inhalation	29,4 mg/m3	29,4 mg/m3	29,4 mg/m3	29,4 mg/m3
	Dermal				9512 mg/kg bw/day
	Oral				15 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
1,2,4-Trimethylbenzene	Water	0,12 mg/l	0,12 mg/l	
	Sediment	13,56 mg/kg	13,56 mg/kg	
	Intermittent water			0,12 mg/l
	STP			2,41 mg/l
	Soil			2,34 mg/kg
Naphthalene	Water	0,0024 mg/l	0,0024 mg/l	
	Sediment	0,0672 mg/kg	0,0672 mg/kg	
	Intermittent water			0,02 mg/l



According to Regulation (EU) No 2020/878

STP Soil		2,9 mg/l 0,0533 mg/kg
		•

8.2. Exposure controls

Engineering measures	: Use only in well-ventilated areas. Comply with standard precautionary measures for working with
	chemicals.
Hygienic measures	: When using do not eat, drink or smoke.

: When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection	: Use of specific protective industrial clothing is not required under normal conditions of use. In case of large scale exposure wear suitable protective clothing, overalls or suit, and similar boots. Suitable material: nitril. Indication of permeation breakthrough time: 6 hours.
Respiratory protection	 Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
Hand protection	: Under normal conditions of use specific gloves are not required. Wear appropriate gloves in case of frequent or prolonged use and in case of large scale exposure. Suitable material: nitril. ± 0,5 mm. Indication of permeation breakthrough time: 6 hours.
Eye protection	: Wear appropriate safety glasses when there is danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

•	, ,	•
Physical state	: Liquid.	
Colour	: Yellow.	
Odour	: Characteristic.	
Odour threshold	: Not known.	
pН	: Not applicable.	Waterfree product.
Solubility in water	: Not soluble.	
Partition coefficient (n-oc-	: Not known.	Not measured. Not relevant for mixtures.
tanol/water)		
Flash point	: > 60 °C	
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: > 332 °C	
Boiling point/boiling range	: >160 °C	
Melting point/melting range	: < -20 °C	
Explosive properties	: Not an explosive.	
Explosion limits (% in air)	: Not known.	Lower explosion limit in air (%): 0.6 (Hydrocarbons, C11-14, n-alkanes,
		isoalkanes, cyclics, aromatics (2-25%))
	:	Upper explosion limit in air (%): 7 (Hydrocarbons, C11-14, n-alkanes,
		isoalkanes, cyclics, aromatics (2-25%))
Oxidising properties	: Not applicable.	Does not contain oxidizing substances.
Decomposition temperature	: Not applicable.	
Viscosity (20°C)	: 3,05 mm2/sec	(1 mm2/sec = 1 cSt)
Viscosity (40°C)	: < 20,5 mm2/sec	
Vapour pressure (20°C)	: Not known.	
Relative vapour density	: >1	(air = 1)
Relative density (20°C)	: 0,815 g/ml	
Particle characteristics	: Not applicable.	Liquid.
9.2. Other information		
Other information	: Not relevant.	



According to Regulation (EU) No 2020/878

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity		
Reactivity	:	See sub-sections below.
10.2. Chemical stability		
Stability	:	Stable under normal conditions.
10.3. Possibility of hazard	οι	is reactions
Reactivity	:	No other hazardous reactions known.
10.4. Conditions to avoid		
Conditions to avoid	:	See section 7.
10.5. Incompatible materia	als	
Materials to avoid	:	Keep away from oxidizing agents.
10.6. Hazardous decompo	si	tion products
Hazardous decomposition	:	Not known.

products

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation	
Acute toxicity	 Calculated LC50: 10 mg/l. Ingredients of unknown toxicity: 8 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause headache, dizziness and a feeling of sickness.
Corrosion/irritation	: Not classified - based on available data, the classification criteria are not met.
Sensitisation	: Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
Carcinogenicity	: Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
Skin contact	
Acute toxicity	: Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: 5 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	: Slight irritation possible. Repeated exposure may cause skin dryness or cracking. Prolonged contact may dry out and defat the skin. Not classified - based on available data, the classification criteria are not met.
Sensitisation	: Does not contain skin sensitisers. Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
Eye contact	
Corrosion/irritation	: Slight irritation possible. Not classified - based on available data, the classification criteria are not met.



According to Regulation (EU) No 2020/878

Ingestion	
Acute toxicity	: Calculated LD50: > 2385 mg/kg.bw. Ingredients of unknown toxicity: 5 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Aspiration	: Aspiration into the lungs when swallowed or vomited may cause chemical pneumonitis which can be fatal. If swallowed, if any of the following delayed signs and symptoms appear within the next 6 hours, transport to the nearest medical facility: fever greater than 38.3° C, shortness of breath, chest congestion or continued coughing or wheezing.
Corrosion/irritation	: May cause a feeling of sickness, stomachache, vomiting and diarrhoea.
Carcinogenicity	: Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
Reprotoxicity	: Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not

classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
Hydrocarbons, C11-14, n-alkanes,	LC50 (inhalation) -	> 82000 mg/m3	Read across	Rat
isoalkanes, cyclics, aromatics (2-25%) estimate			
	LD50 (dermal) -	> 3400 mg/kg bw	Read across	Rat
	estimate			
	NOAEL (fertility) -	> 2200 mg/kg.d	Read across	
	estimate			
	Skin sensitisation -	Not sensitizing	Read across	
	estimate			
	LD50 (oral) - estimate	> 15000 mg/kg bw	Read across	Rat
	NOEL (carcinogenicity)	138 mg/kg.d	Read across	Rabbit
	- estimate			
	NOAEL (dermal) -	116 mg/kg bw/d	Read across	Rat
	estimate			
		3950 mg/m3	Read across	Rat
	estimate			
	Mutagenicity - estimate	, S	Read across	Salmonella typhimurium
	Genotoxicity - estimate		Read across	
	Skin irritation - estimate		Read across	Rabbit
	Eye irritation - estimate	Non-irritant	Read across	Rabbit
		1000 mg/kg.d	Read across	
	- estimate			
Hydrocarbons, C14-18, n-alkanes,	Eye irritation - estimate	Non-irritant	Read across	
isoalkanes, cyclics, aromatics (2-30%				
	Genotoxicity - estimate	-	Read across	
	NOAEL (oral) -	1008 mg/kg bw/d	Read across	Rat
	estimate			
	NOAEL (inhalation) -	30000 mg/m3	Read across	Rat
	estimate			
	NOAEL (dermal) -	1000 mg/kg bw/d	Read across	Rat
	estimate			
	Skin irritation - estimate	1	Read across	
	Mutagenicity - estimate		Read across	Salmonella typhimurium
	NOEL (carcinogenicity)	Not carcinogenic	Read across	
	- estimate			
	LD50 (oral) - estimate	> 4150 mg/kg bw	Read across	Rat
	LC50 (inhalation) -	> 5280 mg/m3	Read across	Rat
	estimate			1



According to Regulation (EU) No 2020/878

	LD50 (dermal) -	> 1700 mg/kg bw	Read across	Rat
	estimate			
	NOAEL (fertility) -	> 2000 mg/kg.d	Read across	
	estimate			
	NOAEL (development)	1000 mg/kg.d	Read across	
	- estimate			
	Skin sensitisation -	Not sensitizing	Read across	
	estimate			
Solvent naphtha (petroleum), heavy	LD50 (oral)	> 2000 mg/kg bw		Rat
arom.				
	LD50 (dermal)	> 2000 mg/kg bw		Rat
	Skin sensitisation	Not sensitizing		
	Skin irritation	Slightly irritant		
	Eye irritation	Slightly irritant		
	Respiratory irritation	Slightly irritant		
1,2,4-Trimethylbenzene	LD50 (oral)	6000 mg/kg bw		Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	LC50 (inhalation)	2842 mg/m3		Mouse
	LD50 (dermal) -	> 3440 mg/kg bw	Read across	Rat
	estimate			
	NOAEL (oral) -	600 mg/kg bw/d	Read across	Rat
	estimate			
	NOAEL (inhalation)	1230 mg/m3	OECD 413	Rat
	Skin irritation - estimate	-	Read across	Rabbit
	Skin sensitisation -	Not sensitizing	Read across	Guinea pig
	estimate			
	NOAEL (developmental	1470 mg/m3	OECD 414	Rat
	toxicity, inh.)			

11.2. Information on other hazards

Endocrine disrupting	This product does not contain components considered to have endocrine disrupting properties
properties	according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at
	levels of 0.1% or higher.
Other information	Not applicable.

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

No ecotoxicological research has been carried out on this product.

: Harmful to aquatic organisms. Calculated LC50 (fish): 14 mg/l. Calculated EC50 (waterflea): 14 mg/l. Contains 5 % of components with unknown hazards to the aquatic environment. May form an oil film on the water surface causing a decline in oxygen content with possible adverse effects for aquatic organisms.

12.2. Persistence and degradability

Persistence – degradability : May cause long-term adverse effects in the aquatic environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : Adsorbs to soil and has low mobility. Floats on water.



According to Regulation (EU) No 2020/878

12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment

: Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Endocrine disrupting properties

Endocrine disrupting properties : This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects

Other adverse effects : Not applicable.

Ecological information:

Chemical name	Property		Method	Test animal
Hydrocarbons, C11-14, n-alkanes,	LC50 (fish) - estimate	> 10 mg/l	OECD 203	
isoalkanes, cyclics, aromatics (2-25%)			
	EC50 (waterflea) -	> 10 mg/l	OECD 202	
	estimate			
	IC50 (algea) - estimate	4,1 mg/l	OECD 201	
	NOEC (fish) - estimate	0,13 mg/l.d		
	NOEC (daphnids) -	0,328 mg/l.d	OECD 211	
	estimate			
	Ultimate aerobic	74 %	Read across	
	biodegradation (%)			
Solvent naphtha (petroleum), heavy arom.	IC50 (algea)	> 1 mg/l		
	LC50 (fish)	> 1 mg/l		
	EC50 (waterflea)	> 1 mg/l		
	Log P(ow)	3		
	BCF	< 100		
1,2,4-Trimethylbenzene	LC50 (fish)	7,72 mg/l		Pimephales promelas
•	EC50 (waterflea)	3,6 mg/l		Daphnia magna
	IC50 (algea) - estimate	2,356 mg/l		
	Ultimate aerobic	> 60 %		
	biodegradation (%)			
	Log P(ow)	3,8000		
	BCF	275		
Naphthalene	EC50 (waterflea)	2,16 mg/l		Daphnia magna
	LC50 (fish)	0,51 mg/l		
	NOEC (fish)	0,12 mg/l.d		
	Ultimate aerobic	0 %	OECD 302 C	
	biodegradation (%)			
	Log P(ow)	3,4000		
	BCF	427		

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product residues	: Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.
Additional warning	: None.
Waste water discharge	: Do not dispose of into the environment, drains, sewers or water courses.
European waste catalogue	: Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a
	waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.

: ----



According to Regulation (EU) No 2020/878

Local legislation

: Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number or ID number

UN nr.

: None.

14.2. UN proper shipping name

Transport name : Not regulated.

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways) Class : This product is not classified according to ADR/RID/ADN.

	· · · · · · · · · · · · · · · · · · ·
IMDG (sea) Class Marine pollutant	: This product is not classified according to IMDG. : No
IATA (air) Class	: This product is not classified according to IATA.

14.6. Special precautions for user

Other information : Country specific variations may apply.

14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations. Directive 2008/98/EC (waste).

15.2. Chemical safety assessment

Chemical safety : Not applicable. assessment

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.



According to Regulation (EU) No 2020/878

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

 or approviations and as	101	
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	:	Acute Toxicity Estimate
CLP	:	Classification, Labeling & Packaging
CMR	:	Carcinogenic, Mutagenic or toxic for Reproduction
EEC	:	European Economic Community
GHS	:	Globally Harmonized System of Classification and Labelling of Chemicals
IATA	:	International Air Transport Association
IBC code	:	International Bulk Chemical Code
IMDG	:	International Maritime Dangerous Goods Code
LD50/LC50	:	Lethal Dose/Concentration for 50% of a population
MAC	:	Maximum Allowable Concentration
MARPOL	:	International Convention for the Prevention of Pollution From Ships
NO(A)EL	:	No Observed (Adverse) Effect Level
OECD	:	Organisation for Economic Co-operation and Development
PBT	:	Persistent, Bioaccumulative and Toxic
PC	:	Chemical product category
PT	:	Product type
REACH	:	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	:	Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	:	Sewage Treatment Plant
SU	:	Sector of Use
TWA/STEL	:	Time-Weighted Average/Short Term Exposure Limit
UN	:	United Nations
UFI	:	Unique formula identifier
VOC	:	Volatile Organic Compounds
vPvB	:	Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Asp. Tox. 1	: Expert judgement.
Aquatic Chronic 3	: Calculation method.

Full text of hazard classes mentioned in section 3:

Flam. Liq. 3	: Flammable liquid, category 3.
Flam. Sol. 1	: Flammable solid, category 1.
Acute Tox. 4	: Acute toxicity, category 4.
Skin Irrit. 2	: Skin irritation, category 2.
Eye Irrit. 2	: Eye irritation, category 2.
Carc. 2	: Carcinogen, category 2.
STOT SE 3	: Specific target organ toxicity after single exposure, category 3.
Asp. Tox. 1	: Aspiration hazard, category 1.
Aquatic Chronic 1	: Hazardous to the aquatic environment — Chronic category 1.
Aquatic Chronic 2	: Hazardous to the aquatic environment — Chronic category 2.
Aquatic Chronic 3	: Hazardous to the aquatic environment — Chronic category 3.
Aquatic Acute 1	: Hazardous to the aquatic environment — Acute category 1.

Full text of H-phrases mentioned in section 3:

H226	Flammable liquid and vapour.			
H228	Flammable solid.			
H302	Harmful if swallowed.			
H332	Harmful if inhaled.			
H304	May be fatal if swallowed and enters airways.			
H315	Causes skin irritation.			



According to Regulation (EU) No 2020/878

H319 Causes serious eye irritation. May cause respiratory irritation. H335 H336 May cause drowsiness or dizziness. H351 Suspected of causing cancer. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. H411 Harmful to aquatic life with long lasting effects. H412 Repeated exposure may cause skin dryness or cracking. EUH066

Advice on any training appropriate for workers: none.

Country / Language code	:	EC / EN
Number format	:	"," used as decimal separator.

End of safety data sheet.

Print date : 2023-10-10