



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : SHELL SUMMER SCREENWASH CONCENTRATE 1:100
Product code : CRX871, AS34R

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC35 Cleaning agent. PC35 Windscreen/windshield wash fluid.
Windscreen wash.

1.3. Details of the supplier of the safety data sheet

Supplier : Kemetyl Polska Sp. z o. o.
Al. Jerozolimskie 146
02-305 Warszawa, Poland
Telephone : +48 22 822 5390
E-mail : msds@kemetyl.com
Website : www.kemetyl.pl

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

PL - Telephone : +48 22 822 5390

(During office hours only)

SECTION 2 HAZARDS IDENTIFICATION


2.1. Classification of the substance or mixture

CLP classification (1272/2008/EC) : Flammable liquid, category 2. Eye irritation, category 2. Specific target organ toxicity after single exposure, category 3.
Human health hazards : Causes serious eye irritation. May cause drowsiness or dizziness.
Physical/chemical hazards : Highly flammable. Keep away from sources of ignition — No smoking.
Environmental hazards : Not classified as dangerous according to statutory EC-Directives.

2.2. Label elements

Label elements ((EU) 1272/2008):

Hazard pictograms :



Signal word : Danger

H- and P-phrases : H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P271 Use only outdoors or in a well-ventilated area.
P405 Store locked up.



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

P501 Dispose of contents/container to an official chemical waste depot.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms :



Signal word : Danger

H- and P-phrases :

- H336 May cause drowsiness or dizziness.
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P271 Use only outdoors or in a well-ventilated area.
- P405 Store locked up.
- P501 Dispose of contents/container to an official chemical waste depot.

Additional labelling (for all packaging sizes)
: Contains: Propan-2-ol .

Ingredient declaration according to Regulation EC 648/2004:

Contains:	Concentration (%)
Anionic surfactants	< 5
Perfumes, DMDM hydantoin, Methylchloroisothiazolinone, Methylisothiazolinone.	

Other information : According to Regulation (EC) No 1272/2008, the packaging of this product shall carry a tactile warning of danger.

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%. Human health: This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at levels of 0.1% or higher. Environment: This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
Propan-2-ol	25 - < 50	67-63-0	200-661-7		01-2119457558-25
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	1 - < 5	68891-38-3	500-234-8		01-2119488639-16
Docusate sodium	1 - < 3	577-11-7	209-406-4		01-2119491296-29
Bis(2-ethylhexyl) maleate	0,1 - < 0,25	142-16-5	205-524-5		01-2119524002-60

Substance name	Hazard Class	H-phrases	Pictograms
Propan-2-ol	Flam. Liq. 2; Eye Irrit. 2; STOT SE 3	H225; H319; H336	GHS02; GHS07



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Skin Irrit. 2; Eye Dam. 1; Aquatic Chronic 3	H315; H318; H412	GHS05	H319 : C \geq 5 % H318 : C \geq 10 %
Docusate sodium	Skin Irrit. 2; Eye Dam. 1	H315; H318	GHS05	
Bis(2-ethylhexyl) maleate	STOT RE 2; Aquatic Chronic 1	H373; H410	GHS08; GHS09	

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures

- Inhalation : Move victim into fresh air. Consult a doctor.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water before product dries up.
- Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor.
- Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Give condensed milk or a knob of butter. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

- Inhalation : May cause headache, drowsiness, dizziness and a feeling of sickness.
- Skin contact : May cause dry skin.
- Eye contact : Irritant. May cause redness and pain.
- Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

- Suitable : Carbon dioxide (CO₂). Alcohol resistant foam. Dry chemical. Water fog.
- Not suitable : Water jet. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

- Special exposure hazards : None known.
- Hazardous thermal decomposition and combustion products : Carbon monoxide may be evolved if incomplete combustion occurs.

5.3. Advice for firefighters

Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Keep away from sources of ignition — No smoking. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike.

Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an authorised waste collection point. Wash away remainder with plenty of water.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Electrostatic discharge may cause fire. Ensure electrical continuity by bonding and grounding (earthing) all equipment. Do not breathe vapour. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep in a cool, dry and well-ventilated place (< 35 °C). Protect from sunlight. Keep away from oxidizing agents.

Recommended packaging : Keep only in the original container.

Non recommended packaging : Steel (except stainless steel).

7.3. Specific end use(s)

Use : Use only as directed. Do not mix with other products. Do not breathe spray.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour (mg/m ³)	STEL 15 min (mg/m ³)	Comments	Source
Propan-2-ol	GB	999	1250	-	

Biological limit values (BMGV):

Substance	Country	Determinant	BMG-value	Specimen/Sampling Time/Remarks
-----------	---------	-------------	-----------	--------------------------------

Product name : Shell Summer screenwash concentrate 1:100

Date of issue : 2024-03-15

Replaces issue dated : ---

Page 4/12

SDS 'autogenerated' by Aminchi



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

None known.

Abbreviations BMG-list : B = Blood. U = Urine. b = At the end of the period of exposure. d = pre-shift.
 Source : EH40/2005 (Fourth edition, 2020).

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Propan-2-ol	Dermal Inhalation				888 mg/kg bw/day 500 mg/m ³
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Dermal				2750 mg/kg bw/day
Docusate sodium	Inhalation				175 mg/m ³
	Inhalation				1416,82 mg/m ³
Bis(2-ethylhexyl) maleate	Dermal				200,89 mg/kg bw/day
	Dermal Inhalation				2.5 mg/kg bw/day 7 mg/m ³

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Propan-2-ol	Dermal Inhalation Oral				319 mg/kg bw/day 89 mg/m ³ 26 mg/kg bw/day
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Dermal				1650 mg/kg bw/day
Docusate sodium	Inhalation				52 mg/m ³
	Oral				15 mg/kg bw/day
	Inhalation				419,25 mg/m ³
	Dermal Oral				120,54 mg/kg bw/day 13,39 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Propan-2-ol	Water	140,9 mg/l	140,9 mg/l	
	Sediment	552 mg/kg	552 mg/kg	
	Intermittent water			140,9 mg/l
	STP			2251 mg/l
	Soil			28 mg/kg
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Oral			160 mg/kg food
	Water	0,24 mg/l	0,024 mg/l	
	Sediment	5,45 mg/kg	0,545 mg/kg	
	Intermittent water			0,071 mg/l
	STP			10000 mg/l
Docusate sodium	Soil			0,946 mg/kg
	Water	0,18 mg/l	0,018 mg/l	
	Sediment	17,8 mg/kg	1,8 mg/kg	
	STP			12,2 mg/l
	Soil			1,04 mg/kg
Bis(2-ethylhexyl) maleate	Water	0,0010 mg/l	0 mg/l	
	Sediment	15,95 mg/kg	1,595 mg/kg	
	Intermittent water			0,0062 mg/l
	STP			100 mg/l



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

	Soil			3,19 mg/kg
	Oral			20 mg/kg food

8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection : Use of specific protective industrial clothing is not required under normal conditions of use.

Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.

Hand protection : Under normal conditions of use specific gloves are not required.

Eye protection : Wear appropriate safety glasses with side shields, in accordance with EN 166, when there is danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	: Liquid.	
Colour	: Pink.	
Odour	: Perfumed.	
Odour threshold	: Not known.	
pH	: 10	
Solubility in water	: Soluble.	
Partition coefficient (n-octanol/water)	: Not applicable.	Contains surfactants. The O/W system emulsifies. Not measured. Not relevant for mixtures.
Flash point	: 22 °C	Closed Cup (ISO 2719, EN 11, DIN 51758, ASTM D 93).
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: > 200 °C	
Boiling point/boiling range	: 83 °C	
Melting point/melting range	: < -20 °C	
Explosive properties	: Not an explosive.	
Explosion limits (% in air)	: Not known.	Lower explosion limit in air (%): 2 (Propan-2-ol) Upper explosion limit in air (%): 12 (Propan-2-ol)
Oxidising properties	: Not applicable.	Does not contain oxidizing substances.
Decomposition temperature	: Not applicable.	
Viscosity (20°C)	: 4	(1 mm ² /sec = 1cSt)
Viscosity (40°C)	: 1 mm ² /sec	
Vapour pressure (20°C)	: > 2300 Pa	
Relative vapour density	: Not known	(air = 1)
Relative density (20°C)	: 0,9 g/ml	
Particle characteristics	: Not applicable.	Liquid.

9.2. Other information

Other information : Not relevant.

SECTION 10 STABILITY AND REACTIVITY



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation

Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause damage to organs. Target organ(s): Central nervous system. Effect(s): Breathing of high vapour concentrations may cause central nervous system (CNS) depression resulting in dizziness, lightheadedness, headache, nausea and loss of coordination. Continued inhalation may result in unconsciousness and death.

Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.

Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.

Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Skin contact

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 5000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation : Prolonged contact may dry out and defat the skin. Not classified - based on available data, the classification criteria are not met.

Sensitisation : Not classified - based on available data, the classification criteria are not met.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Eye contact

Corrosion/irritation : Irritant.

Ingestion

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

- Aspiration : Danger of aspiration is not expected. Contains a substance/substances with an aspiration hazard. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.
- Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
- Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal	
Propan-2-ol	LD50 (oral)	5840 mg/kg bw	OECD 401	Rat	
	LD50 (dermal)	12800 mg/kg bw	-----	Rat	
	LC50 (inhalation)	46600 mg/m3	-----	Rat	
	Skin irritation	Slightly irritant	OECD 404	Rabbit	
	Eye irritation	Irritant	OECD 405	Rabbit	
	NOAEL (fertility, oral)	853 mg/kg bw/d	OECD 415	Rat	
	NOAEL (development, oral)	596 mg/kg bw/d	OECD 414	Rat	
	NOEL (carcinogenicity, oral)	Not carcinogenic	OECD 416	Rat	
	Skin sensitisation	Not sensitizing	OECD 406	Guinea pig	
	Mutagenicity	Negative	OECD 471		
	NOAEL (inhalation)	12500 mg/m3	OECD 451	Rat	
	Genotoxicity - in vivo	Not genotoxic	OECD 474	Mouse	
	NOEL (carcinogenicity, inh.)	12500 mg/m3		Mouse	
	Genotoxicity - in vitro	Not genotoxic	OECD 476		
	NOAEL (oral)	870 mg/kg bw/d	-----	Rat	
	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Mutagenicity	Negative	OECD 471	
		Eye irritation	Irritant	OECD 405	Rabbit
NOAEL (development, oral)		> 1000 mg/kg bw/d	OECD 414	Rat	
NOAEL (fertility, oral)		> 300 mg/kg bw/d	OECD 416	Rat	
NOEL (carcinogenicity) - estimate		> 75 mg/kg.d	Read across	Rat	
LD50 (oral)		4100 mg/kg bw	OECD 401	Rat	
Skin irritation		Irritant	OECD 404	Rabbit	
Skin sensitisation		Not sensitizing	OECD 406	Guinea pig	
Genotoxicity - in vivo		Negative	OECD 475	Mouse	
LD50 (dermal)		> 2000 mg/kg bw	OECD 402	Rat	
NOAEL (oral)		> 225 mg/kg bw/d	OECD 408	Rat	
Docosate sodium	Genotoxicity - in vitro	Not genotoxic	OECD 476		
	LC50 (inhalation) - estimate	> 5000 mg/m3	Read across		
	LD50 (oral)	4620 mg/kg bw	-----	Rat	
	LC50 (inhalation)	20000 mg/m3		Rat	
	NOAEL (oral)	> 1000 mg/kg bw/d	OECD 408	Rat	
	Skin sensitisation	Not sensitizing			
	Skin irritation	Irritant		Rabbit	
Eye irritation	Irritant		-----		
NOAEL (development, oral)	Not teratogenic				



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

	NOAEL (fertility, oral)	Not reprotoxic	OECD 416	Rat
	Mutagenicity	Negative	OECD 471	
	LD50 (dermal)	> 10000 mg/kg bw		Rabbit
	Genotoxicity - in vitro	Not genotoxic	OECD 476	-----

11.2. Information on other hazards

- Endocrine disrupting properties : This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at levels of 0.1% or higher.
- Other information : Not applicable.

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

- Ecotoxicity : Calculated LC50 (fish): 231 mg/l. Calculated EC50 (waterflea): 242 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment. Not classified - based on available data, the classification criteria are not met.

12.2. Persistence and degradability

- Persistence – degradability : No specific information known. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents.

12.3. Bioaccumulative potential

- Bioaccumulative potential : Contains bioaccumulating substances.

12.4. Mobility in soil

- Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

12.5. Results of PBT and vPvB assessment

- PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Endocrine disrupting properties

- Endocrine disrupting properties : This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects

- Other adverse effects : Not applicable.

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

- Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.
- Additional warning : Residues may cause an explosion hazard. Do not puncture, cut or weld uncleaned drums.
- Waste water discharge : Do not dispose of into the environment, drains, sewers or water courses.
- European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number or ID number

UN nr. : UN 1219

14.2. UN proper shipping name

Transport name : ISOPROPANOL (ISOPROPYL ALCOHOL)
Transport name (IMDG, IATA) : ISOPROPANOL (ISOPROPYL ALCOHOL)

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : 3
Classification code : F1
Packaging group : II
Danger label : 3
Tunnel restriction code : D/E



Other information : Not intended for carriage by tank-vessels on inland waterways.

IMDG (sea)

Class : 3
Packaging group : II
EmS (fire / spill) : F - E / S - D
Marine pollutant : No

IATA (air)

Class : 3
ERG code : 3L

14.6. Special precautions for user

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to the transport of this product.

14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Product name : Shell Summer screenwash concentrate 1:100
Date of issue : 2024-03-15 Replaces issue dated : ---

Page 10/12
SDS 'autogenerated' by
Aminchi



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations. Regulation (EC) No 648/2004 (detergents). Directive 2008/98/EC (waste).

15.2. Chemical safety assessment

Chemical safety assessment : Not applicable.

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be used (but not necessarily are used) in this safety data sheet:

ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	: Acute Toxicity Estimate
CLP	: Classification, Labeling & Packaging
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
EEC	: European Economic Community
GHS	: Globally Harmonized System of Classification and Labelling of Chemicals
IATA	: International Air Transport Association
IBC code	: The IMO International Code for construction and equipment of ships carrying dangerous chemicals in bulk.
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
UFI	: Unique formula identifier
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Flam. Liq. 2	: On basis of test data.
Eye Irrit. 2	: Calculation method.
STOT SE 3	: Calculation method.



Kemetyl

Safety data sheet

According to Regulation (EU) No 2020/878

Full text of hazard classes mentioned in section 3:

Flam. Liq. 2	: Flammable liquid, category 2.
Skin Irrit. 2	: Skin irritation, category 2.
Eye Dam. 1	: Serious eye damage, category 1.
Eye Irrit. 2	: Eye irritation, category 2.
STOT SE 3	: Specific target organ toxicity after single exposure, category 3.
STOT RE 2	: Specific target organ toxicity — repeated exposure, category 2.
Aquatic Chronic 1	: Hazardous to the aquatic environment — Chronic category 1.
Aquatic Chronic 3	: Hazardous to the aquatic environment — Chronic category 3.
Aquatic Acute 1	: Hazardous to the aquatic environment — Acute category 1.

Full text of H-phrases mentioned in section 3:

H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Advice on any training appropriate for workers: none.

Country / Language code	: EC / EN
Number format	: "," used as decimal separator.

End of safety data sheet.

Print date : 2024-04-18