



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2015/830

## SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name : SHELL WHEEL CLEANER WIPES  
Product code : CRX647, 60521

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC35 Cleaning agent. PC0 Other. Car maintenance.

### 1.3. Details of the supplier of the safety data sheet

Supplier : Kemetyl Accessoires (UK) Ltd  
Office 410 Index House  
SL5 7ET Ascot, Great Britain  
Telephone : +44-1344 371481  
Fax : +44-20-8614 6576  
E-mail : msds@kemetyl.com  
Website : <http://www.kemetyl.com>

### 1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

GB - Telephone : +44-1344 371481 (During office hours only)

EMERGENCY TELEPHONE NUMBER (for DOCTORS only):

National Poisons Information Service +44 344 892 0111 (24/7)

## SECTION 2 HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

CLP classification : Skin sensitization, category 1.  
(1272/2008/EC)

Human health hazards : May cause an allergic skin reaction.

Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives.

Environmental hazards : Not classified as dangerous according to statutory EC-Directives.

### 2.2. Label elements

Label elements (1272/2008/EC):

Hazard pictograms :



Signal word : Warning

H- and P-phrases : H317 May cause an allergic skin reaction.  
P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P261 vapour Avoid breathing vapours.  
P280 gloves Wear protective gloves.  
P302+P352 IF ON SKIN: Wash with plenty of water/soap.



Kemetyl

# Safety data sheet

According to Regulation (EU) No 2015/830

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P362+P364 Take off contaminated clothing and wash it before reuse.  
 P501 Dispose of contents/container to an official chemical waste depot.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:  
 Hazard pictograms :



Signal word : Warning

H- and P-phrases : H317 May cause an allergic skin reaction.  
 P101 If medical advice is needed, have product container or label at hand.  
 P102 Keep out of reach of children.  
 P261 vapour Avoid breathing vapours.  
 P280 gloves Wear protective gloves.  
 P302+P352 IF ON SKIN: Wash with plenty of water/soap.  
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P362+P364 Take off contaminated clothing and wash it before reuse.  
 P501 Dispose of contents/container to an official chemical waste depot.

Additional labelling (for all packaging sizes)  
 : Contains: 2-Methylisothiazol-3(2H)-one .

Ingredient declaration according to Regulation 648/2004:

| Contains:   | Concentration (%) |
|---|-------------------|
| Anionic surfactants , Non-ionic surfactants           | < 5               |
| Perfumes, Methylisothiazolinone, Benzisothiazolinone. |                   |

### 2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

## SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

### 3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

| Substance name               | Concentration (w/w) (%) | CAS nr.   | EC number | Remark | REACH nr. |
|------------------------------|-------------------------|-----------|-----------|--------|-----------|
| 2-(2-Butoxyethoxy)ethanol    | 0,1 - < 1               | 112-34-5  | 203-961-6 |        |           |
| 2-Methylisothiazol-3(2H)-one | 0,0015 - < 0,1          | 2682-20-4 | 220-239-6 |        |           |

| Substance name               | Hazard Class   | H-phrases  | Pictograms          |   |
|------------------------------|--|--|---------------------|---|
| 2-(2-Butoxyethoxy)ethanol    | Eye Irrit. 2   | H319   | GHS07               |   |
| 2-Methylisothiazol-3(2H)-one | Acute Tox. 2; Acute Tox. 3; Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; Skin Sens. 1A; Aquatic Acute 1; Aquatic Chronic 1 | H330; H301; H311; H314; H317; H318; H400; H410; EUH071 | GHS05; GHS06; GHS09 | M (acute) = 10<br>M (chronic) = 1<br>H317 : C >= 0.0015 % |

Occupational exposure limit(s), if relevant, are listed in section 8.



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2015/830

Reference is made to chapter 16 for full text of each relevant H phrase.

## SECTION 4 FIRST-AID MEASURES \*

### 4.1. Description of first aid measures

First aid measures

- Inhalation : Move victim into fresh air. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water before product dries up. Consult a doctor if irritation occurs.
- Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists.
- Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Give condensed milk or a knob of butter. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

- Inhalation : May cause headache, dizziness and a feeling of sickness.
- Skin contact : May cause redness and irritation, sensitisation. May produce an allergic reaction. May cause dry skin.
- Eye contact : May cause stinging of eyes and redness.
- Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

### 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

## SECTION 5 FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media

Extinguishing media

- Suitable : Carbondioxide (CO<sub>2</sub>). Foam. Dry chemical. Water fog.
- Not suitable : None known.

### 5.2. Special hazards arising from the substance or mixture

- Special exposure hazards : None known.
- Hazardous thermal decomposition products : Carbon monoxide may be evolved if incomplete combustion occurs.

### 5.3. Advice for firefighters

Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

## SECTION 6 ACCIDENTAL RELEASE MEASURES \*

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material.

### 6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water.



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2015/830

Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Dispose at an authorised waste collection point. Wash away remainder with plenty of water.

### 6.4. Reference to other sections

Reference to other sections : See also section 8.

## SECTION 7 HANDLING AND STORAGE \*

### 7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Do not breathe vapour. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents.  
Recommended packaging : Keep only in the original container.  
Non recommended packaging : Steel (except stainless steel).

### 7.3. Specific end use(s)

Use : Use only as directed. Do not mix with other products.

## SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION \*

### 8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m<sup>3</sup>):

| Chemical name             | Country | TWA 8 hour (mg/m <sup>3</sup> ) | STEL 15 min (mg/m <sup>3</sup> ) | Comments | Source |
|---------------------------|---------|---------------------------------|----------------------------------|----------|--------|
| 2-(2-Butoxyethoxy)ethanol | GB      | 67,5                            | 101,2                            | -        |        |
| 2-(2-Butoxyethoxy)ethanol | EC      | 67,5                            | 101,2                            | -        |        |

Derived no-effect level (DNEL) for workers:

| Chemical name                | Route of exposure | DNEL, short-term        |                 | DNEL, long-term         |                        |
|------------------------------|-------------------|-------------------------|-----------------|-------------------------|------------------------|
|                              |                   | Local effect            | Systemic effect | Local effect            | Systemic effect        |
| 2-(2-Butoxyethoxy)ethanol    | Dermal            |                         |                 |                         | 20 mg/kg bw/day        |
|                              | Inhalation        | 101,2 mg/m <sup>3</sup> |                 | 67,5 mg/m <sup>3</sup>  | 67,5 mg/m <sup>3</sup> |
| 2-Methylisothiazol-3(2H)-one | Inhalation        | 0,043 mg/m <sup>3</sup> |                 | 0,021 mg/m <sup>3</sup> |                        |

Derived no-effect level (DNEL) for consumers:

| Chemical name             | Route of exposure | DNEL, short-term |                 | DNEL, long-term |                 |
|---------------------------|-------------------|------------------|-----------------|-----------------|-----------------|
|                           |                   | Local effect     | Systemic effect | Local effect    | Systemic effect |
| 2-(2-Butoxyethoxy)ethanol | Dermal            |                  |                 |                 | 10 mg/kg bw/day |

Product name : Shell Wheel Cleaner Wipes

Date of issue : 23-01-2019

Replaces issue dated

: 16-05-2018

Page 4/10

INFO CARE SDS



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2015/830

|                              |            |                         |                |                         |                      |
|------------------------------|------------|-------------------------|----------------|-------------------------|----------------------|
| 2-Methylisothiazol-3(2H)-one | Inhalation | 50,6 mg/m <sup>3</sup>  |                | 34 mg/m <sup>3</sup>    | 34 mg/m <sup>3</sup> |
|                              | Oral       |                         |                |                         | 1,25 mg/kg bw/day    |
|                              | Inhalation | 0,043 mg/m <sup>3</sup> |                | 0,021 mg/m <sup>3</sup> |                      |
|                              | Oral       |                         | 0,053 mg/kg bw |                         | 0,027 mg/kg bw/day   |

Predicted no-effect concentration (PNEC):

| Chemical name             | Route of exposure  | Fresh water | Marine water |               |
|---------------------------|--------------------|-------------|--------------|---------------|
| 2-(2-Butoxyethoxy)ethanol | Water              | 1 mg/l      | 0,1 mg/l     |               |
|                           | Sediment           | 4 mg/kg     | 0,4 mg/kg    |               |
|                           | Intermittent water |             |              | 3,9 mg/l      |
|                           | STP                |             |              | 200 mg/l      |
|                           | Soil               |             |              | 0,4 mg/kg     |
| Oral                      |                    |             |              | 56 mg/kg food |

## 8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.



Body protection : Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345. Suitable material: nitril. Indication of permeation breakthrough time: 6 hours.

Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.

Hand protection : Wear appropriate safety gloves in accordance with EN 374. Suitable material: nitril. 1 mm. Indication of permeation breakthrough time: 6 hours.

Eye protection : Wear appropriate safety glasses when there is danger of possible eye contact.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

|   |                   |  |
|---|-------------------|--|
| Appearance                              | : Liquid.         | Impregnated wipes.                               |
| Colour                                  | : Colourless.     |  |
| Odour                                   | : Perfumed.       |  |
| Odour threshold                         | : Not known.      |  |
| pH                                      | : 6,75            |  |
| Solubility in water                     | : Soluble.        |  |
| Partition coefficient (n-octanol/water) | : Not applicable. | Contains surfactants. The O/W system emulsifies. |
| Flash point                             | : Not applicable. |  |
| Flammability (solid, gas)               | : Not applicable. | Liquid.  |
| Auto ignition temperature               | : > 210 °C        |  |
| Boiling point/boiling range             | : 100 °C          |  |
| Melting point/melting range             | : 0 °C            |  |



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2015/830

|                             |                          |  |
|-----------------------------|--------------------------|--|
| Explosive properties        | : None known.            | Does not contain explosives.                                       |
| Explosion limits (% in air) | : Not applicable.        |  |
| Oxidising properties        | : Not applicable.        | Does not contain oxidizing substances.                             |
| Decomposition temperature   | : Not applicable.        |  |
| Viscosity (20°C)            | : 1 mm <sup>2</sup> /sec | (1 mm <sup>2</sup> /sec = 1cSt)                                    |
| Viscosity (40°C)            | : Not relevant.          | The product contains < 10% substances having an aspiration hazard. |
| Vapour pressure (20°C)      | : 2300 Pa                |  |
| Vapour density (20°C)       | : > 1                    | (air = 1)  |
| Relative density (20°C)     | : 1 g/ml                 |  |
| Evaporation rate            | : < 1                    | (n-butyl acetate = 1)  |

## 9.2. Other information

Other information : Not relevant.

## SECTION 10 STABILITY AND REACTIVITY

### 10.1. Reactivity

Reactivity : See sub-sections below.

### 10.2. Chemical stability

Stability : Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

### 10.4. Conditions to avoid

Conditions to avoid : See section 7.

### 10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

### 10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.

## SECTION 11 TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

No toxicological research has been carried out on this product.

Inhalation

|                      |   |
|----------------------|---|
| Acute toxicity       | : Calculated LC50: > 6,323 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause headache, dizziness and a feeling of sickness. |
| Corrosion/irritation | : Not classified - based on available data, the classification criteria are not met.  |
| Sensitisation        | : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.  |
| Carcinogenicity      | : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.  |
| Mutagenicity         | : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.   |



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2015/830

## Skin contact

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.
- Sensitisation : May cause sensitisation by skin contact. May produce an allergic reaction.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

## Eye contact

- Corrosion/irritation : Slight irritation possible. Not classified - based on available data, the classification criteria are not met.

## Ingestion

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Aspiration : Not classified - based on available data, the classification criteria are not met. Does not contain substances with an aspiration hazard.
- Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.
- Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
- Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

## Toxicological information:

| Chemical name                | Property                  |                  | Method     | Test animal            |
|------------------------------|---------------------------|------------------|------------|------------------------|
| 2-Methylisothiazol-3(2H)-one | LC50 (inhalation)         | 0,34 mg/m3       | OECD 403   | Rat                    |
|                              | LD50 (oral)               | 120 mg/kg bw     |            | Rat                    |
|                              | LD50 (dermal)             | > 484,5 mg/kg bw | -----      | Rat                    |
|                              | NOAEL (development, oral) | 100 mg/kg bw/d   | -----      | Rat                    |
|                              | Skin sensitisation        | 620 ug/cm2       | OECD 429   | Mouse                  |
|                              | Mutagenicity              | Negative         | OECD 471   | Salmonella typhimurium |
|                              | Eye irritation - estimate | Corrosive.       |            | -----                  |
|                              |                           | Non-irritant     |            | Guinea pig             |
|                              | NOAEL (oral)              | 19 mg/kg bw/d    | -----      | Rat                    |
|                              | Genotoxicity - in vivo    | Not genotoxic    |            | Rat                    |
| Skin irritation              | Corrosive.                |                  | Patch test |                        |
|                              |                           |                  | -----      |                        |

## SECTION 12 ECOLOGICAL INFORMATION

### 12.1. Toxicity

No ecotoxicological research has been carried out on this product.

- Ecotoxicity : Calculated LC50 (fish): 215 mg/l. Calculated EC50 (waterflea): 316 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment. Not classified - based on available data, the classification criteria are not met.

### 12.2. Persistence and degradability

Persistence – degradability : No specific information known. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents.

### 12.3. Bioaccumulative potential



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2015/830

Bioaccumulative potential : No specific information known.

## 12.4. Mobility in soil

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

## 12.5. Results of PBT and vPvB ass

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

## 12.6. Other adverse effects

Other information : Not applicable.

## SECTION 13 DISPOSAL CONSIDERATIONS \*

### 13.1. Waste treatment methods

- Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues, impregnated wipes and non-empty pack as hazardous waste.
- Additional warning : None.
- Waste water discharge : Do not dispose into the environment, in drains or in water courses.
- European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
- Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

## SECTION 14 TRANSPORT INFORMATION

### 14.1. UN number

UN nr. : None.

### 14.2. UN proper shipping name

Transport name : Not regulated.

### 14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : This product is not classified according to ADR/RID/ADN.

IMDG (sea)

Class : This product is not classified according to IMDG.

Marine pollutant : No

IATA (air)

Class : This product is not classified according to IATA.

### 14.6. Special precautions for user

Other information : Country specific variations may apply.

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.



## SECTION 15 REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2015/830 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations.

: The packaging shall carry the logo:



### 15.2. Chemical safety assessment

Chemical safety assessment : Not applicable.

## SECTION 16 OTHER INFORMATION

### 16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2015/830 dated 28 May 2015 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (\*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

|           |   |
|-----------|---|
| ADR       | : European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE       | : Acute Toxicity Estimate   |
| CLP       | : Classification, Labeling & Packaging  |
| CMR       | : Carcinogenic, Mutagenic or toxic for Reproduction                                   |
| EEC       | : European Economic Community   |
| GHS       | : Globally Harmonized System of Classification and Labelling of Chemicals             |
| IATA      | : International Air Transport Association   |
| IBC code  | : International Bulk Chemical Code  |
| IMDG      | : International Maritime Dangerous Goods Code   |
| LD50/LC50 | : Lethal Dose/Concentration for 50% of a population                                   |
| MAC       | : Maximum Allowable Concentration   |
| MARPOL    | : International Convention for the Prevention of Pollution From Ships                 |
| NO(A)EL   | : No Observed (Adverse) Effect Level  |
| OECD      | : Organisation for Economic Co-operation and Development                              |
| PBT       | : Persistent, Bioaccumulative and Toxic   |
| PC        | : Chemical product category   |
| PT        | : Product type  |
| REACH     | : Registration, Evaluation, Authorisation and Restriction of Chemicals                |
| RID       | : Regulations concerning the International Carriage of Dangerous Goods by Rail        |
| STP       | : Sewage Treatment Plant  |
| SU        | : Sector of Use   |



**Kemetyl**

# Safety data sheet

According to Regulation (EU) No 2015/830

TWA/STEL : Time-Weighted Average/Short Term Exposure Limit  
UN : United Nations  
VOC : Volatile Organic Compounds  
vPvB : Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Skin Sens. 1/1A/1B : Calculation method.

Full text of hazard classes mentioned in section 3:

Acute Tox. 3 : Acute toxicity, category 3.  
Skin Corr. 1A/B/C : Skin corrosive, category 1A/B/C.  
Eye Dam. 1 : Serious eye damage, category 1.  
Eye Irrit. 2 : Eye irritation, category 2.  
Skin Sens. 1/1A/1B : Skin sensitization, category 1/1A/1B.  
Aquatic Chronic 1 : Hazardous to the aquatic environment — Chronic category 1.  
Aquatic Acute 1 : Hazardous to the aquatic environment — Acute category 1.

Full text of H-phrases mentioned in section 3:

H301 : Toxic if swallowed.  
H311 : Toxic in contact with skin.  
H314 : Causes severe skin burns and eye damage.  
H317 : May cause an allergic skin reaction.  
H318 : Causes serious eye damage.  
H319 : Causes serious eye irritation.  
H330 : Fatal if inhaled.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.

Number format : "," used as decimal separator.

---

End of safety data sheet.

Print date : 08-04-2019