

According to Regulation (EU) No 2015/830

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : SHELL COCKPIT WIPES

Product code : CRX482-WWK, 09726820; AZ070; 60364

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC35 Cleaning agent. PC0 Other. Car maintenance.

1.3. Details of the supplier of the safety data sheet

Supplier : Kemetyl Kimya Sanayi ve Ticaret Limited Sirketi

Küçükbakkalköy Mah. Dereboyu Cad. Brandium AVYM R5

Blok D:82 Atasehir / Istanbul, Turkey

Telephone : +908503030587
E-mail : msds@kemetyl.com
Website : www.kemetyl.com

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

TR - Telephone : +908503030587 (During office hours only)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification : Not classified as dangerous according to Regulation (EC) No 1272/2008.

(1272/2008/EC)

Human health hazards : Low hazard for usual industrial or commercial handling.

Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives. Combustible.

Environmental hazards : Not classified as dangerous according to statutory EC-Directives.

2.2. Label elements

Label elements (1272/2008/EC): Hazard pictograms : None.

Signal word : Not applicable.

H- and P-phrases : None.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms : None.

Signal word : Not applicable.

H- and P-phrases : None.

Additional labelling (for all packaging sizes)

: Keep out of reach of children.

Ingredient declaration according to Regulation EC 648/2004:

Contains: Concentration (%)
Perfumes, didecyldimonium chloride.

Product name : Shell Cockpit Wipes Page 1/9



According to Regulation (EU) No 2015/830

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

| information on nazardous substances. | | | | | |
|--------------------------------------|---------------|-----------|-----------|--------|------------------|
| Substance name | Concentration | CAS nr. | EC number | Remark | REACH nr. |
| | (w/w) (%) | | | | |
| Propan-2-ol | 5 - < 10 | 67-63-0 | 200-661-7 | | 01-2119457558-25 |
| Didecyldimethylammonium chloride | 0,1 - < 1 | 7173-51-5 | 230-525-2 | | |

| Substance name | Hazard Class | H-phrases | Pictograms | |
|----------------------------------|--------------------------|--------------------|---------------|------------------|
| Propan-2-ol | Flam. Liq. 2; Eye Irrit. | H225; H319; H336 | GHS02; GHS07; | |
| | 2; STOT SE 3 | | GHS07 | |
| Didecyldimethylammonium chloride | Acute Tox. 3; Skin | H301; H314; H318; | GHS06; GHS05; | M (acute) = 10 |
| | Corr. 1B; Eye Dam. | H400; H411; EUH071 | GHS05; GHS09; | H302 : C >= 95 % |
| | 1; Aquatic Acute 1; | | GHS09 | |
| | Aquatic Chronic 2 | | | |

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures

Inhalation : Move victim into fresh air. Consult a doctor if victim feels unwell.

Skin contact : Take off contaminated clothing. Wash off skin with plenty of water before product dries up.

Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists.

Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Give condensed milk or a

knob of butter. Never give anything by mouth to an unconscious person. Consult a doctor if victim

feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

Inhalation : May cause headache, dizziness and a feeling of sickness.

Skin contact : May cause dry skin.

Eye contact : May cause stinging of eyes and redness.

Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Product name : Shell Cockpit Wipes Page 2/9



According to Regulation (EU) No 2015/830

Kemetyl

Suitable : Carbondioxide (CO2). Alcohol resistant foam. Dry chemical. Water fog.

Not suitable : None known.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards : None known.

Hazardous thermal : Carbon m

decomposition products

Carbon monoxide may be evolved if incomplete combustion occurs.

5.3. Advice for firefighters

Special protective : Use adequate respiratory equipment in case of insufficient ventilation.

equipment for fire-fighters

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Dispose at an authorised waste collection point. Wash away

remainder with plenty of water.

6.4. Reference to other sections

Reference to other sections: See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas.

Keep away from sources of ignition — No smoking. Do not breathe vapour. Avoid contact with skin

and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents.

Recommended packaging : Keep only in the original container. Non recommended : Steel (except stainless steel).

packaging

7.3. Specific end use(s)

Use : Use only as directed. Do not mix with other products.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Product name : Shell Cockpit Wipes : Page 3/9

Date of issue : 2020-12-01 Replaces issue dated : --- INFO CARE SDS



According to Regulation (EU) No 2015/830

Occupational exposure

limits

: Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

| Chemical name | Country | TWA 8 hour | STEL 15 min | Comments | Source |
|---------------|---------|------------|-------------|----------|--------|
| | | (mg/m3) | (mg/m3) | | |
| Propan-2-ol | GB | 999 | 1250 | - | |

Derived no-effect level (DNEL) for workers:

| Chemical name | Route of | DNEL, short-term | | DNEL, long-term | |
|----------------------------------|------------|------------------|-----------------|-----------------|------------------|
| | exposure | | | | |
| | • | Local effect | Systemic effect | Local effect | Systemic effect |
| Propan-2-ol | Dermal | | | | 888 mg/kg bw/day |
| | Inhalation | | | | 500 mg/m3 |
| Didecyldimethylammonium chloride | Inhalation | | | | 18,2 mg/m3 |
| | Dermal | | | | 8,6 mg/kg bw/day |

Derived no-effect level (DNEL) for consumers:

| Chemical name | Route of | DNEL, short-term | | DNEL, long-term | |
|---------------|------------|------------------|-----------------|-----------------|------------------|
| | exposure | | | | |
| | , | Local effect | Systemic effect | Local effect | Systemic effect |
| Propan-2-ol | Dermal | | | | 319 mg/kg bw/day |
| | Inhalation | | | | 89 mg/m3 |
| | Oral | | | | 26 mg/kg bw/day |

Predicted no-effect concentration (PNEC):

| Chemical name | Route of exposure | Fresh water | Marine water | |
|----------------------------------|--------------------|-------------|--------------|----------------|
| Propan-2-ol | Water | 140,9 mg/l | 140,9 mg/l | |
| | Sediment | 552 mg/kg | 552 mg/kg | |
| | Intermittent water | | | 140,9 mg/l |
| | STP | | | 2251 mg/l |
| | Soil | | | 28 mg/kg |
| | Oral | | | 160 mg/kg food |
| Didecyldimethylammonium chloride | Water | 0,002 mg/l | 0,0002 mg/l | |
| | Sediment | 2,82 mg/kg | 0,28 mg/kg | |
| | Intermittent water | | | 0,00029 mg/l |
| | STP | | | 0,595 mg/l |
| | Soil | | | 1,4 mg/kg |

8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with

chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection : Use of specific protective industrial clothing is not required under normal conditions of use.

Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale

exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance

with EN 140.

Hand protection : Under normal conditions of use specific gloves are not required.

Eye protection : Wear appropriate safety glasses when there is danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Product name : Shell Cockpit Wipes Page 4/9



According to Regulation (EU) No 2015/830

9.1. Information on basic physical and chemical properties

Appearance : Liquid. Impregnated wipes.

Colour Colourless. Odour Perfumed. Odour threshold Not known. рΗ 6.5

Solubility in water Soluble. Partition coefficient (n-oc-

tanol/water)

Not applicable.

Flash point : > 60 °C

Flammability (solid, gas) Liquid. See flashpoint. Not applicable.

: > 195 °C Auto ignition temperature 100 °C Boiling point/boiling range Melting point/melting range: 0 °C

Explosive properties Not an explosive.

Explosion limits (% in air) Not known. Lower explosion limit in air (%): 2 (Propan-2-ol)

Upper explosion limit in air (%): 12 (Propan-2-ol)

Contains surfactants. The O/W system emulsifies. Not measured. Not

Oxidising properties Not applicable. Does not contain oxidizing substances.

Decomposition temperature: Not applicable.

Viscosity (20°C) 1 mm2/sec (1 mm2/sec = 1 cSt)

Viscosity (40°C) 1 mm2/sec Vapour pressure (20°C) : > 2300 Pa

Vapour density (20°C) (air = 1): >1

Relative density (20°C) : 0,98 g/ml

Evaporation rate : < 1 (n-butyl acetate = 1) Not relevant. Mixture of liquids and solids.

relevant for mixtures.

9.2. Other information

Other information : Not relevant.

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition : Not known.

products

Product name : Shell Cockpit Wipes Page 5/9



According to Regulation (EU) No 2015/830

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation

Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity. Not

classified - based on available data, the classification criteria are not met. May cause headache,

dizziness and a feeling of sickness.

Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.

Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available

data, the classification criteria are not met.

Carcinogenicity : Not classified - based on available data, the classification criteria are not met.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Skin contact

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw.

Low toxicity. Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation : Prolonged contact may dry out and defat the skin. Not classified - based on available data, the

classification criteria are not met.

Sensitisation : Not classified - based on available data, the classification criteria are not met.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Eye contact

Corrosion/irritation : Slight irritation possible. Not classified - based on available data, the classification criteria are not

met.

Ingestion

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw.

Low toxicity. Not classified - based on available data, the classification criteria are not met.

Aspiration : Not expected to be an aspiration hazard. Contains a substance/substances with an aspiration

hazard. Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.

Carcinogenicity : Not classified - based on available data, the classification criteria are not met.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available

data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not

classified - based on available data, the classification criteria are not met.

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Calculated LC50 (fish): 423 mg/l. Calculated EC50 (waterflea): 55 mg/l. Contains 0 % of

components with unknown hazards to the aquatic environment. Not classified - based on available

data, the classification criteria are not met.

12.2. Persistence and degradability

Persistence – degradability: No specific information known. The surfactants contained in this preparation comply with the

biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents.

Product name : Shell Cockpit Wipes Page 6/9



According to Regulation (EU) No 2015/830

Kemetyl

12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Other adverse effects

Other information : Not applicable.

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat

product residues, impregnated wipes and non-empty pack as chemical waste. Dispose waste to an

official chemical waste depot.

Additional warning

Waste water discharge

Do not dispose into the environment, in drains or in water courses.

Local legislation Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Local regulations may be more stringent than regional or national requirements and must be

complied with.

None.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number or ID number

UN nr. : None.

14.2. UN proper shipping name

Transport name : Not regulated.

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

: This product is not classified according to ADR/RID/ADN. Class

IMDG (sea)

: This product is not classified according to IMDG. Class

Marine pollutant

IATA (air)

: This product is not classified according to IATA. Class

14.6. Special precautions for user

Other information : Country specific variations may apply.

14.7. Maritime transport in bulk according to IMO instruments

: Not intended to be carried in bulk according to International Maritime Organisation (IMO) Marpol

instruments. Packaged liquids are not considered bulk.

Product name : Shell Cockpit Wipes Page 7/9

: 2020-12-01 Date of issue Replaces issue dated **INFO CARE SDS**



According to Regulation (EU) No 2015/830

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2015/830 (REACH), Regulation (EC) No 1272/2008 (CLP) and other

regulations.

: The packaging shall carry the logo:



15.2. Chemical safety assessment

Chemical safety : Not applicable.

assessment

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2015/830 dated 28 May 2015 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE : Acute Toxicity Estimate

CLP : Classification, Labeling & Packaging

CMR : Carcinogenic, Mutagenic or toxic for Reproduction

EEC : European Economic Community

GHS : Globally Harmonized System of Classification and Labelling of Chemicals

IATA : International Air Transport Association
IBC code : International Bulk Chemical Code

IMDG : International Maritime Dangerous Goods Code LD50/LC50 : Lethal Dose/Concentration for 50% of a population

MAC : Maximum Allowable Concentration

MARPOL : International Convention for the Prevention of Pollution From Ships

NO(A)EL : No Observed (Adverse) Effect Level

OECD : Organisation for Economic Co-operation and Development

PBT : Persistent, Bioaccumulative and Toxic

PC : Chemical product category

PT : Product type

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

RID : Regulations concerning the International Carriage of Dangerous Goods by Rail

STP : Sewage Treatment Plant

SU : Sector of Use

TWA/STEL : Time-Weighted Average/Short Term Exposure Limit

Product name : Shell Cockpit Wipes : Page 8/9
Date of issue : 2020-12-01 Replaces issue dated : --- INFO CARE SDS



According to Regulation (EU) No 2015/830

Kemetyl

UN : United Nations

UFI : Unique formula identifier
VOC : Volatile Organic Compounds

vPvB : Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Not classified : Based on test methods, experts judgement, bridging principles and calculation methods.

Full text of hazard classes mentioned in section 3:

Flam. Liq. 2 : Flammable liquid, category 2.

Acute Tox. 3 : Acute toxicity, category 3.

Skin Corr. 1A/B/C : Skin corrosive, category 1A/B/C.

Eye Dam. 1 : Serious eye damage, category 1.

Eye Irrit. 2 : Eye irritation, category 2.

STOT SE 3 : Specific target organ toxicity after single exposure, category 3. Aquatic Chronic 2 : Hazardous to the aquatic environment — Chronic category 2. Aquatic Acute 1 : Hazardous to the aquatic environment — Acute category 1.

Full text of H-phrases mentioned in section 3:

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

Advice on any training appropriate for workers: none.

Number format : "," used as decimal separator.

End of safety data sheet.

Print date : 2021-09-01

Product name : Shell Cockpit Wipes : Page 9/9
Date of issue : 2020-12-01 Replaces issue dated : --- INFO CARE SDS